

BRAIN RESEARCH

INTERNATIONAL MULTIDISCIPLINARY JOURNAL
DEVOTED TO FUNDAMENTAL RESEARCH IN THE
BRAIN SCIENCES

CUMULATIVE SUBJECT INDEX

Volumes 160–180 (1979)

ELSEVIER/NORTH-HOLLAND

EDITOR-IN-CHIEF — D.P. PURPURA

ISSN 0 006-8993

ODICAL

376

373

PLAY

BRARY

SCOPE AND PURPOSE

BRAIN RESEARCH provides a medium for prompt publication of articles in the fields of neuroanatomy, neurochemistry, neurophysiology, neuroendocrinology, neuropharmacology, neurocommunications, behavioural sciences, molecular neurology and biocybernetics. Clinical studies that are of fundamental importance and have a direct bearing on the knowledge of the structure and function of the brain, the spinal cord, and the peripheral nerves will also be published.

TYPE OF PAPERS

1. **Full-length papers** reporting results of original fundamental research in any branch in the brain sciences. It is expected that these papers will be published about six months after receipt.
2. **Short Communications** reporting on research which has progressed to the stage when it is considered that the results should be made known quickly to other workers in the field. The maximum length allowed will be 1500 words or equivalent space in tables and illustrations. It is expected that short communications will be published about three months after receipt.
3. **Review articles.** A supplementary volume entitled *Brain Research Reviews* will be published quarterly which will be devoted to Review articles and occasionally long research papers with extensive review components, giving a survey, an evaluating and critical interpretation of recent research data and conceptions in a particular field of brain research or on a specific problem or topic of interest to workers in the brain sciences.
4. **Announcements.**

INSTRUCTIONS TO AUTHORS

Manuscripts should be submitted in *quadruplicate* and complete in all respects (including four copies of all illustrations), and deal with original research not previously published, or being considered for publication elsewhere.

Full length papers, short communications and review articles should be sent to:

Professor Dr. D. P. PURPURA
Rose F. Kennedy Center for Research in
Mental Retardation and Human Development
Albert Einstein College of Medicine
1410 Pelham Parkway South
Bronx, New York 10461—U.S.A.

Page charge For full-length papers longer than 16 printed pages a charge of \$ 60.00 will be levied for each page in excess of 16. Upon receipt of each typescript of a full-length paper its size in printed pages is estimated by the Publisher. If the estimate is higher than 16 printed pages, the authors are advised that they may expect a page charge, the exact amount of which is fixed after the definite length of their paper is known.

As an approximate guide to authors for judging the length of their paper, the following estimations may be used:

2 type-written pages	= 1 printed page
2 'average' figures + legends	= 1 printed page
3 'average' tables	= 1 printed page
25 references	= 1 printed page

Manuscripts. Manuscripts should be written preferably in English and be accompanied by a list of 6–8 **key words** and a **summary** of about 200 words for **Research Reports** and 50–70 words for **Short Communications**, on a separate page. French and German articles are also acceptable if accompanied by an English summary. Manuscripts must be submitted in four copies in **double-spaced** typing with at least a 4 cm margin on pages of uniform size.

As a rule full length papers and review articles should be **divided into sections** headed by a caption (e.g. introduction, materials, methods, experimental, results, discussion, acknowledgements, etc.).

In order to ensure rapid publication, no revisions or up-datings will be incorporated into a Short Communication after the manuscript has been accepted and sent to the Publisher.

Authors' full names, academic or professional affiliations, and **complete addresses** should be included on a separate title page. The name and address of the author to whom proofs and correspondence are to be sent should be given.

Literature references. Citation of literature reference in the text should be given at the appropriate places by numbers as superscripts without parentheses. All references cited in the text should be listed at the end of the paper on a separate page (also double-spaced) arranged in alphabetical order of first author and numbered consecutively. All items in the list of references should be cited in the text and, conversely, all references cited in the text must be presented in the list.

Literature references must be complete, including initials of the authors cited, title of paper referred to, abbreviated title, volume, year, and first and last page numbers of the article in a periodical. The abbreviations of journal titles should conform to those adopted by *World Medical Periodicals*, 3rd edition 1961. (See example 2 below.)

(continued on inside back cover)

BRAIN RESEARCH

BRAIN RESEARCH

SUBJECT INDEX

VOLUMES 160-180 (1979)

(Including Brain Research Reviews)



Digitized by the Internet Archive
in 2026

BRAIN RESEARCH

INTERNATIONAL MULTIDISCIPLINARY JOURNAL
DEVOTED TO FUNDAMENTAL RESEARCH IN THE BRAIN
SCIENCES

EDITORIAL BOARD

W. R. Adey (Loma Linda, Calif.)
G. K. Aghajanian (New Haven, Conn.)
B. W. Agranoff (Ann Arbor, Mich.)
K. Akert (Zurich)
P. Andersen (Oslo)
R. Balázs (London)
G. Bartholini (Paris)
M. V. L. Bennett (Bronx, N.Y.)
A. Björklund (Lund)
T. W. Blackstad (Oslo)
F. E. Bloom (San Diego, Calif.)
M. Brightman (Bethesda, Md.)
J. Bureš (Prague)
P. Buser (Paris)
B. Cohen (New York, N.Y.)
W. M. Cowan (St. Louis, Mo.)
M. Cuénod (Zurich)
J. E. Desmedt (Brussels)
J. J. Dreifuss (Geneva)
B. Droz (Gif-sur-Yvette)
F. Fonnum (Kjeller)
L. B. Geffen (Bedford Park)
H. M. Gerschenfeld (Paris)
J. Glowinski (Paris)
M. H. Goldstein Jr. (Baltimore, Md.)
S. Grillner (Stockholm)
A. Hamberger (Göteborg)
K. P. Hoffmann (Ulm)
T. Hökfelt (Stockholm)
J. Hughes (London)
D. H. Ingvar (Lund)
M. Ito (Tokyo)
L. Iversen (Cambridge)
S. Iversen (Cambridge)
E. Jankowska (Göteborg)

G. A. R. Johnston (Sydney)
E. G. Jones (St. Louis, Mo.)
P. Karli (Strasbourg)
R. Katzman (Bronx, N.Y.)
J. S. Kelly (Cambridge)
W. P. C. Koella (Basel)
M. J. Kuhar (Baltimore, Md.)
H. G. J. M. Kuypers (Rotterdam)
J. LaVail (San Francisco, Calif.)
R. Levi-Montalcini (Rome)
J. Liebeskind (Los Angeles, Calif.)
H. D. Lux (Munich)
B. S. McEwen (New York, N.Y.)
E. G. McGeer (Vancouver, B.C.)
R. Y. Moore (La Jolla, Calif.)
P. Morell (Chapel Hill, N.C.)
W. T. Norton (Bronx, N.Y.)
K. H. Pfenninger (New York, N.Y.)
T. P. S. Powell (Oxford)
W. Precht (Frankfurt/Main)
D. P. Purpura (Bronx, N.Y.)
G. Raisman (London)
P. Rakic (New Haven, Conn.)
E. Roberts (Duarte, Calif.)
R. W. Ryall (Cambridge)
A. Sato (Tokyo)
R. F. Schmidt (Kiel)
J. H. Schwartz (New York, N.Y.)
S. H. Snyder (Baltimore, Md.)
C. Sotelo (Suresnes)
H. Thoenen (Munich)
R. F. Thompson (Irvine, Calif.)
S. Waxman (Palo Alto, Calif.)
V. J. Wilson (New York, N.Y.)
R. Wurtman (Cambridge, Mass.)
W. Zieglgänsberger (Munich)

SUBJECT INDEX – VOLUMES 160–180 (1979)



ELSEVIER/NORTH-HOLLAND BIOMEDICAL PRESS – AMSTERDAM

COPYRIGHT © 1980 BY ELSEVIER/NORTH-HOLLAND BIOMEDICAL PRESS, AMSTERDAM
PRINTED IN THE NETHERLANDS

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without permission in writing from the publisher.

Submission to this journal of a paper entails the author's irrevocable and exclusive authorization of the publisher to collect any sums or considerations for copying or reproduction payable by third parties (as mentioned in article 17, paragraph 2 of the Dutch Copyright Act of 1912 and in the Royal Decree of June 20, 1974 (S. 351) pursuant to article 16b of the Dutch Copyright Act of 1912) and/or to act in or out of Court in connection therewith.

ABBREVIATIONS

AC	Adenylate cyclase	JOR	Jaw-opening reflex
ACh	Acetylcholine	K	Potassium
AChE	Acetylcholinesterase	LC	Locus coeruleus
ACTH	Adrenocorticotrophic hormone	LGN	Lateral geniculate nucleus
AMP	Adenosine monophosphate	LH	Luteinizing hormone
Ca	Calcium	LH-RH	LH-releasing hormone
cAMP	Cyclic AMP	MSH	Melanocyte stimulating hormone
ChAT	Choline acetyltransferase	MSR	Monosynaptic response
CNS	Central nervous system	n	Nucleus, nuclei
COMT	Catechol-O-methyltransferase	Na	Sodium
Con A	Concanavalin A	NA	Noradrenaline (Norepinephrine)
CSD	Cortical spreading depression	NGF	Nerve growth factor
CSN	Carotid sinus nerve	NRGC	Nucleus reticularis gigantocellularis
DA	Dopamine	NRPG	Nucleus reticularis paragigantocellularis
DBH	Dopamine- β -hydroxylase	6-OHDA	6-Hydroxydopamine
2-DG	2-Deoxyglucose	PAG	Periaqueductal gray
5,6-DHT	5,6-Dihydroxytryptamine	PG	Prostaglandin
DOCA	Deoxycorticosterone	6-PGDH	6-Phosphogluconate dehydrogenase
DOPA	Dihydroxyphenylalanine	PNMT	Phenylethanolamine-N-methyltransferase
DRG	Dorsal root ganglia	PNS	Peripheral nervous system
EAE	Experimental allergic encephalomyelitis	POA	Preoptic area
ECS	Electroconvulsive shock	PRL	Prolactin
EEG	Electroencephalogram	PSP(s)	Postsynaptic potentials(s)
EJP(s)	Excitatory junctional potential(s)	PTcell	Pyramidal tract cell
EM	Electron microscopy	REM	Rapid eye movement
EMG	Electromyography	RNA	Ribonucleic acid
EPSP(s)	Excitatory postsynaptic potential(s)	SCN	Suprachiasmatic nucleus
ERG	Electroretinogram	S-NAT	Serotonin N-acetyltransferase
GABA	γ -Aminobutyric acid	TEA	Tetraethylammonium
GAD	Glutamate decarboxylase	TH	Tyrosine hydroxylase
GH	Growth hormone	TRH	Thyrotropin releasing hormone
G6PD	Glucose-6-phosphate dehydrogenase	VIP	Vasoactive intestinal polypeptide
5-HIAA	5-Hydroxyindoleacetic acid	VMH	Ventromedial hypothalamus
HRP	Horseradish peroxidase	VOR	Vestibulo-ocular reflex
5-HT	5-Hydroxytryptamine (Serotonin)		
5-HTP	5-Hydroxytryptophan		
HVA	Homovanillic acid		
IPSP(s)	Inhibitory postsynaptic potential(s)		

SUBJECT INDEX

A

Acetylcholine

- aortic depressor nerve and peripheral chemoreception, 179, 176
- current, slow K-dependent in molluscan neuron, 171, 355
- receptors
 - in hippocampus and corpus striatum, 160, 363
 - localization, synaptic potentials, correlation, 166, 185
 - of mammalian muscle, and neostigmine, 172, 378
- release
 - effect of somatostatin on, 165, 166
 - inhibition by physostigmine, 178, 596
 - in interpeduncular n., 164, 334
- responses of molluscan neurons, biphasic, 167, 426
- sensitive neurons, in lateral hypothalamus, 163, 253
- synthesis
 - in fascia dentata, 163, 263
 - in neostriatal slices, 176, 401

Acetylcholinesterase

- axonal transport in peripheral nerves, 160, 196
- in CSF, and electrical stimulation, 177, 445
- collagenase-induced alteration, 170, 568
- in projections from basal forebrain to amygdaloid complex, 165, 271

N-Acetyltransferase, pineal

- control by retinohypothalamic tract and SCN, 174, 245
- stimulation by taurine, 166, 65

Acoustic nerve response, and cochlear nerve response during acoustic habituation, 173, 562

Acquisition

- of behavior, brain metabolism and, 166, 349
- changes in, dorsal bundle extinction, 166, 341

Actin, axonal transport of, slow component b, 171, 401

Action potential

- in pars intermedia, effect of 5-HT, 178, 584
- of spinal neurons, effect of phenytoin, 171, 511

Adenohypophysis, enkephalins in, 168, 457

Adenosine

- depressive effect on evoked potentials in hippocampal slices, 172, 186
- inhibition on PSP of olfactory cortex, superior

colliculus, and cAMP, 160, 368

transneuronal transfer in hippocampus, 168, 419

Adenosine monophosphate, cyclic (*see* Cyclic AMP)

Adenylate cyclase

coupled to β_1 , β_2 adrenergic receptors, 179, 305

DA-sensitive

activity, 179, 171

interaction of LSD and hallucinogens, 162, 77

presynaptic, in substantia nigra, 167, 355

DA-stimulated

in denervation supersensitivity, mesolimbic, 173, 572

interaction with morphine, etorphine, enkephalins, 160, 105

posterior pituitary, 166, 422

in hippocampus, effect of embryonic implants, 179, 77

Adrenal

growth, effect of hypothalamic hemi-islands, 162, 33

paraneurons, characterization, 178, 555

Adrenalectomy, in prevention of hyperglycemic response, 173, 350

Adrenaline

in brain stem areas, after immobilization, 160, 271

developmental changes in levels, 169, 398

effects of PNMT inhibitor, 166, 283

sensitive brain sites, mapping, 172, 101

turnover and release, effect of clonidine, 176, 197

Adrenaline synthesizing enzyme, alteration by neonatal corticosteroid, 166, 426

Adrenergic receptors

α -changes with precocious puberty, 167, 195

β -

action of taurine via, 166, 65

changes with precocious puberty, 167, 195

coupled to AC in cortex, cerebellum, hippocampus, 179, 305

decrease in density by noradrenergic hyperinnervation, 166, 194

mediated cAMP increase in brain slices, 177, 515

in striatum after kainic acid, 178, 589

visualization of, 160, 533

Adrenergic responses, β -, decrease by estrogen, 171, 147

- Adrenoceptors, α -, in NA regulation of pain transmission, 174, 333
- Adrenoceptors, β -, sensitivity, changes by cocaine and D-amphetamine, 175, 119
- Adrenocorticotrophic hormone
4-10, effects in social interaction test of anxiety, 171, 157
secretion, after heat stress, 178, 459
- Adrenocorticotrophic hormone-like neurotropic peptides in cAMP regulation, 168, 565
- Adriamycin-induced neuronal perikaryon lesions, 171, 41
- Aequorin emissions, effect of TEA, 169, 91
- Afferents
contralateral joint, 160, 529
group Ia, on α -motoneurone, anatomy, 160, 347
- Afterhyperpolarization, long-lasting and γ -motoneurons, 172, 349
- Age, effects on brain oxidative metabolism, 165, 235
- Aggregating cell cultures
of fetal brain, morphological differentiation, 160, 117
neurotransmitter synthesis, storage and release, 162, 89
- Aggression
DA levels in hypothalamus, differences, 166, 211, 171, 381
interspecies, role of diagonal band of Broca, 175, 327
social, electrically elicited and self-stimulation, 171, 374
- Aging, effects on
cerebral metabolism after bilateral carotid ligation, 170, 368
synaptic density in frontal cortex, 163, 181
unusual catecholamine-containing structures, 169, 335
- Agonistic behavior, role of LC in, 169, 411
- Akinesia in lateral hypothalamic rat, recovery, 164, 237
- β -Alanine conductance changes in giant interneurons of lamprey spinal cord, 173, 287
- Algesic, chemical, stimulation of skeletal muscle, 160, 549
- Aluminum-induced experimental neurofibrillary degeneration, 163, 235
- Amacrine cells, catecholamine-containing in retina, 169, 261
- Amines
biogenic in cerebral cortex, 160, 217 (*see also* specific amines)
trace in mammalian CNS, 164, 347
- Amino acid(s)
acidic
antagonists, effect on synaptic transmission, 164, 177
excitotoxic properties, hippocampal lesions, 175, 366
analgesic effects of, and endorphin system differences, 177, 583
antagonism
by α -aminoadipate on PT neurons, 166, 217
induced excitation of spinal neurons, 169, 83
brain, elevation by hyperosmolality, 161, 293
efflux from retina, 163, 307
in neostriatum, alteration by kainic acid, 167, 107
transmitters
in cerebellum, effect of kainic acid, 167, 345
depth distribution in olfactory cortex, 171, 552
release and peripheral sensory stimulation, 171, 55 (*see also* Transmitters)
- α -Aminoadipate amino acid antagonism, on PT cells, 166, 217
- γ -Aminobutyric acid
accumulating neurons in n. raphe dorsalis, and PAG, 170, 279
action on hypothalamo-neurohypophysial axons, 171, 453
agonists and potential agonists related to muscimol, 177, 395
and benzodiazepine receptors, 179, 390
bidirectional movement of, in cerebral cortex slices, 165, 261
binding in CNS, distribution, 178, 580
binding in human brain, analysis, 163, 77
concentrations in brain and CSF, 167, 297
effects on neuronal response pathway in cochlear n., 172, 179
efflux from dorsal medulla, 178, 467
inhibition
in chick embryo, analysis of, 172, 487
postsynaptic, in spinal cord neurons, anti-convulsant action, 167, 323
on PSP of olfactory cortex, superior colliculus, and cAMP, 160, 368
interactions with benzodiazepines in cerebellar cortex, 162, 358
intraventricular, and pituitary hormone release, 162, 69
localization in olfactory bulb, 167, 221
potentiation of effects by pentobarbitone, 171, 113
in primary afferent depolarization, 161, 183, 163, 180
receptors
evidence for two classes, 172, 566
in GABA-induced release of DA, localization, 175, 383
kinetic and pharmacologic characterization, 161, 79
mediating vasodilation of cerebral arteries, 173, 89
release
from cerebral cortex slices, and penicillin, 170, 157
from cochlear n. slices, 162, 338
effects of veratridine and K depolarization, 167, 337
in suppression of retinal spike discharge by dipropylacetate, 175, 271, 177, 603
transport
($\pm$)-aminocyclohexane carboxylic acid as

- inhibitor, 176, 285
- in vitro in neurohypophysis with diabetes insipidus and osmotic stimulation, 174, 341
- unilateral, effects on circling behavior, 167, 307
- uptake
- in embryo neuroretinas, 162, 179
 - by filum terminale, 172, 259
- valproic acid and, postsynaptic inhibition, 170, 558
- γ -Aminobutyric acid-ergic ligands, modulation of benzodiazepine binding sites, 167, 422
- γ -Aminobutyric acid-ergic projection from substantia nigra to ventromedial thalamus and superior colliculus, 176, 273
- ($\pm$)-Aminocyclohexane carboxylic acid uptake and localization in retina, 176, 285
- 4-Aminopyridine, increase of intramembranous particles in presynaptic active zone after, 174, 207
- 4-Aminopyridine, ultrastructural effects of, on presynaptic membrane, 163, 1
- Ammonia, brain, elevation by hyperosmolality, 161, 293
- D-Amphetamine
- central β -adrenoceptor sensitivity, 175, 119
 - dose-dependent changes of electrochemical signals, 173, 369
 - effects
 - cerebral protein synthesis inhibition and discrimination learning, 177, 401
 - correlation with effects of cAMP, 168, 408
 - increased HVA levels, 167, 206
 - induced activity, effects of NGF, 176, 297
 - induced circling behavior, effects of GABA, 167, 307
 - sensitization to, and n. accumbens and medial frontal cortex, 176, 412
 - striatal DA receptor binding sites, changes with acute and chronic treatment, 161, 173
 - in striatal DA turnover, effects of PCPA, 164, 217
- Amphibian neurons, Ca action potentials, 161, 555
- Amygdala
- AChE, ChAT in projections from basal forebrain to, 165, 271
 - AC, DA-stimulated, interaction with morphine, etorphine and enkephalins, 160, 105
 - anterior commissure to, distribution, 162, 331
 - basal, excitatory influence from substantia innominata on, 177, 361
 - denervation supersensitivity to 5-HT, 178, 479
 - medial, identification of substance P in, 173, 360
 - in morphine withdrawal syndrome, 177, 19
 - neurogenesis in, 165, 348
 - neurotension neuronal pathway from, 161, 522
 - somatostatin regional distribution, 174, 172
- Amygdaloid-kindling, post-ictal behavioral depression in, 167, 435
- Analgesia
- D-amino acids, genetic differences in endorphins, 177, 583
 - electrical activity in PAG, effect of morphine, 176, 202
 - hypertension-induced, changes in pain sensitivity, 160, 170
 - opiate, role of n. raphe magnus, 170, 95
 - by peripheral conditioning stimulation, and naloxone, 173, 295
 - stimulation by excitatory connection between PAG and n. raphe magnus, 170, 85
 - stimulation producing, 5-HT structures in, 164, 317
 - substance P-induced, 171, 556
- Analgesics, opioids
- effects on A- C-fiber-evoked activity in ascending axons, 171, 573
 - probable mechanisms of action, 169, 406
- Androgen receptor, in brain, assays and properties, 161, 267
- Anesthetics, local, and K⁺-selective electrode, 165, 171
- Angiotensin II
- binding in ventricular system and midbrain, 166, 139
 - drinking
 - and catecholaminergic nerve fibers, 174, 229
 - subfornical organ independence, 178, 507
- Anion permeability in spreading depression, 173, 567
- Ankle displacements, tibialis anterior response, 173, 303
- Anoxia, cerebral, effect on protein synthesis, 161, 481
- Anterior commissure to amygdaloid complex, distribution, 162, 331
- Anterior root ganglia, myelin, neurotogenic and chemical properties, 171, 239
- Antibody to DBH, uptake and retrograde flow, 167, 65
- Anticonvulsant action
- GABA-mediated postsynaptic inhibition in spinal cord, 167, 323
 - in vivo binding of benzodiazepines, 179, 149
- Antidromic activation inhibition of LC neurons, 165, 343
- Antidromic compound action potential of hypothalamo-neurohypophysial tract, 171, 437
- Antidromic invasion latencies, excitability changes of dorsal inspiratory neurons, 161, 25
- Antiserum
- myelination inhibition in vitro, 177, 105
 - to white matter
 - effects on myelin and lipid synthesis in brain prisms, 173, 513
 - stimulation of myelin lipid synthesis, 172, 557
- Anxiety
- role of LC in, 169, 411
 - social interaction test of, effect of ACTH, 171, 157
- Aortic baroreceptors, influence on neurosecretory neurons of supraoptic n., 170, 259
- Aortic depressor nerve, ACh and peripheral chemoreception, 179, 176

- Aplysia**
 effects
 of cyclic nucleotides on neurons, 168, 643
 of TEA on light emission from, 169, 91
 gill withdrawal response, L_9 modulation of
 L_7 elicited, 163, 207
 heart of, cAMP mediation of 5-HT effect, 177,
 388
 histamine receptors and membrane hyper-
 polarization, 162, 281
 post-tetanic potentiation of EPSP RC1-R15,
 173, 225
- Arcuate n. region**, α -MSH-containing cells in, 178,
 55
- Area 4 efferents**, terminations in spinal cord, 171,
 1
- Area dentata**, commissural afferents to, 160, 203
- Area subpostrema** projection of vagus nerve to,
 161, 335
- Ascorbic acid**, rotational behavior, neurotoxicity
 of, 161, 371
- Aspartate**
 changes of content, radioactivity in spastic
 spinal cord, 162, 344
 uptake
 by high-affinity cortical synaptosomes, 160,
 85
 and metabolism, alterations, thiamine defi-
 ciency, 171, 489
- Aspartic acid release** from cochlear n. slices, 162,
 338
- Associative**
 latency changes, separation from non-associ-
 ative, 167, 129
 learning, auditory-visual, auditory cortex le-
 sions, 176, 375
 memory elements in hippocampal formation,
 175, 233
- Astrocytes**
 cultured
 glutamate uptake in, 177, 407
 neuronal cues regulate uptake in, 170, 190
 localization of glutamine synthetase, 161, 303
 viable, preparation from developing cerebellum,
 161, 503; 168, 219
- Astrocytic scars**, grafted, penetration by regenerat-
 ing optic nerve axons, 164, 61
- Astroglia**
 glycolipid hydrolase activities in, 161, 179
 primary cultures, cation transport and mem-
 brane potential properties, 177, 533
 SITS-inhibitable Cl^- transport and Na^+ -depen-
 dent H^+ production, 173, 111
 -specific GFA protein in clonal cell lines from
 G26 mouse glioma, 163, 353
- Asymmetric behavior** after substantia nigra pars
 posterior lesions, 178, 545
- Asymmetric hemispheric involvement** in discrimi-
 nation performance, 175, 150
- Atonia**, muscular, during paradoxical sleep, 176,
 233
- Atrophy** of sensory and motor fibers, 178, 347
- Audiogenic seizure**, susceptibility relationship to
 muscarinic cholinergic receptors, 162, 231
- Auditory cortex**
 lesions and auditory-visual associative learning,
 176, 375
 mapping, binaural columns in, 161, 342
- Auditory input**, peripheral, to midbrain limbic
 area, 167, 1
- Auditory nerve activity**, development in kittens,
 173, 554
- Auditory responses**, peripheral and central, develop-
 ment, 163, 49
- Autoimmune alterations** in neurohypophysis after
 immunization with vasopressin, 177, 265
- Autoradiography**
 of chick brain after imprinting, 168, 361
 distribution of estrogen target cells in forebrain,
 170, 43
 DA receptors in frontal cortex, 177, 279
 DA uptake in periglomerular cells, 165, 149
 localization
 of [^3H] GABA in olfactory bulb, 167, 221
 of [^3H] spiperone, 169, 1
 study of projection from vestibular n. to infe-
 rior olive, 165, 189
- Aversion**, conditioned to brain stimulation reward,
 170, 523
- Avoidance**
 behavior, cerebellar n. lesions, and, 166, 27
 learning, NA and, 161, 321
 training, passive, and synaptosomal glyco-
 proteins, 179, 343
- Axo-axonal synapses** reciprocal, between excita-
 tory and inhibitory neurons, 174, 324
- Axon**
 collaterals of medial rectus motoneurons, 174,
 153
 initial segment
 of mitral cell of olfactory bulb, 169, 570
 new type neuron with, 163, 151
 myelinated, and protein synthesis, 174, 95
 removal, Schwann cell preparation, 165, 119
 rerouted from normal visuotectal projections,
 179, 373
 sprouting of, after nerve transection, 167, 185
 terminals
 to catecholaminergic neurons, substance P
 and enkephalin localization in, 160, 387
 degeneration in cerebellar deep n., 168, 75
 sprouting, motor, in intact muscles, 170,
 187
 transport
 of AChE, 160, 196
 of actin, 171, 401
 bulbosplinal projections to laminae IX, X
 and intermediolateral column, 170, 165
 in early experimental diabetes, 173, 315
 extra-axonal diffusion, 179, 69
 fast, use of labeled acylating probe in, in
 vivo study, 177, 208
 of [^3H] fucose, [^{35}S] sulfate-labeled macro-
 molecules in visual system, 176, 255
 involvement of smooth endoplasmic reticu-
 lum in, 174, 315
 midbrain projections to trigeminal, facial
 and hypoglossal n., 168, 493

- nerve terminal proteins of visual relay n, identification by, 168, 97
- of nucleosides, nucleotides, 4S RNA in neonatal visual system, 169, 343
- role in regulation of enzyme activity in sympathetic ganglia, 171, 415
- retrograde, absence, NGF in CNS and, 168, 473
- of 4S RNA in sciatic nerves, 166, 95
- of taurine along optic axons, 166, 221
- Axoplasmic transport, fast, in nerve ligation and adriamycin-induced neuronal perikaryon lesions, 171, 41
- Axoplasmic transport, multiwire proportional chamber study of, in sciatic nerve, 161, 237
- Axosomatic synapses loss in dentate gyrus, 168, 485
- Axotomy
- 5,7-DHT-induced, central adrenergic axon regeneration, 171, 271
 - motoneuron, neuron regeneration and, 178, 519
 - retinal ganglion cell response to, 171, 197, 177, 35
 - in sympathetic ganglia, effects of 6-PGDH, 161, 560
- B**
- Barbiturate tolerance, development, effect of selective lesions of NA systems on, 176, 327
- Baroreceptor (*see also* Aortic baroreceptor; Carotid baroreceptor)
- activation, effect on spontaneous activity in sweat glands and nictitating membrane, 178, 411
- Barrel cortex
- functional organization in, 165, 327
 - morphology of Golgi-stained neurons in, 161, 143
- Basal ganglia alteration in TH, GAD, ChAT, 169, 401
- Bed nucleus of stria terminalis, substance P, stimulation by, 166, 206
- Behavior
- acquisition of (*see* Acquisition)
 - aggressive (*see* Aggression)
 - arousal, raphe unit activity and, 163, 135
 - avoidance and cerebellar n. lesions, 166, 27
 - changes related to neuronal changes in medicinal leech, 167, 215
 - circling, amphetamine-induced, effects of GABA, 167, 307
 - conditioned appetitive, neuronal activity in, 166, 9
 - correlation
 - of brain changes with, and cycloheximide, 167, 200
 - of catecholamine concentrations and turnover, 166, 199
 - display, species-typical, role of paleostriatum in, 172, 229
 - effects of D-amphetamine on, 168, 408
 - maternal, effects of transection neural connections in medial preoptic area, 169, 369
 - response to nociceptive response suppression, 167, 417
 - rotational (*see* Rotational behavior)
 - sexual (*see* Sexual behavior)
 - synaptically identified hippocampal slow potentials during, 161, 211
 - timing, prefrontal and cingulate unit activity during, 171, 213
 - variability in laboratory reared molluscs, 173, 179
- Benzodiazepine
- and GABA receptors, 179, 390
 - binding sites
 - in CNS, distribution, 178, 580
 - modulation by endogenous factor and GABAergic ligands in cortex, 167, 422
 - reduction of, and kainic acid, 170, 563
 - blockade of increase in DA turnover induced by stress, 168, 585
 - interactions with GABA in cerebellar cortex, 162, 358
 - in vivo binding and anticonvulsant action, 179, 147
 - receptor, alterations in Huntington's diseased brain, 165, 183
- Beta-adrenergic receptors (*see* Adrenergic receptors, β -)
- BG-G units, temporal output properties of, in retina, 166, 233
- Bicuculline
- induced seizures, effects of reduced cerebral blood flow during, 177, 115
 - influence on reversal properties of EPSPs in cerebellar Purkinje cells, 173, 577
- Binaural columns in auditory cortex of cat, 161, 342
- Binocular
- interaction
 - in bilateral strabismic kittens, 170, 359 in LGN, 168, 633
 - properties of cortical cells in central, para-central visual field projections, 171, 541
- Binocularity requirements for disruption in visual cortex, 171, 536
- Blink reflex of man, facial afferents in, 161, 347
- Blood-brain barrier
- of *Anolis carolinensis*, 169, 221
 - development, intercellular junctions and, 168, 227
 - effect of hyperglycemia on brain capillary permeability, 170, 509
 - permeability to mannitol after 2450 MHz microwave irradiation, 174, 109
 - protein movement across, in hypervolemia, 169, 610
 - transport at, after portocaval anastomosis, 160, 69
- Blood flow, cerebral
- influence of sympathetic system, 164, 81
 - oxygen consumption during ethanol withdrawal, 173, 259
 - reduced, effects on EEG pattern, extracellular

- K, and energy metabolism during bicuculline seizures, 177, 115
 regional, visual stimulation increases, 161, 55
 Blood pressure control, role of CNS catecholamines, 178, 161
- Brain**
 androgen receptors in, 161, 267
 carbon dioxide content, measurement, 166, 413
 catecholamine distribution and experimental hypertension, 171, 101
 catecholaminergic neurons in circadian rhythm of plasma corticosterone in, 169, 519
 cells, bulk isolated, studies, 171, 225
 cell nuclei
 in developing cerebellum, 170, 443
 estradiol, sex differences in, 178, 207
 long-term retention of estradiol by, 173, 355
 changes in myelin of undernourished and protein malnourishment, 161, 227
 changes with postnatal cycloheximide and behavior, 167, 200
 cAMP regulation, 168, 565
 DA receptor localization, 169, 209
 drug entry into, 172, 354
 edema (*see* Edema, brain)
 effects of thyroxine on postnatal cell acquisition, 172, 57
 elevation of amino acids, ammonia, idiogenic osmoles by hyperosmolality, 161, 293
 endorphins in, repeated ECS and, 177, 273
 enkephalin, regional distribution, 168, 200
 epinephrine levels, developmental changes in, 169, 398
 epinephrine synthesizing enzyme activity, 166, 426
 estradiol synthesis in, 175, 165
 estrogen receptor systems
 perinatal development of, 178, 129
 postnatal development of, 178, 143
 female, estrogen-sensitive progesterin binding sites, 164, 165
 GABA
 concentrations in, 167, 297
 receptors in, evidence for 2 classes, 176, 266
 hexokinase, binding potential to mitochondrial membrane, 175, 169
 histamine, association with cerebral microvessels in, 168, 323
 human
 GABA binding analysis, 163, 77
 prenatal development of isocitrate and G6PD, 176, 180
 TH immunohistochemistry, 165, 333
 5-HT
 concentration in, 160, 281
 receptors in, ontogenesis of, 168, 195
 release monitoring by voltammetry, 171, 85
 immunoreactive sites for NGF in, 172, 561
 iontophoretic point source in, diffusion from, 169, 580
 mammalian
 GABA receptive sites in, 161, 79
 immunohistochemical demonstration of COMT, 167, 241
 α -MSH-like immunoreactive peptides in, 176, 101
 membrane antigens, comparison, 168, 119
 metabolic mapping, after imprinting, 172, 539
 metabolism
 acquisition of new behaviors, protein secretion in extracellular fluid, 166, 349
 transport at blood-brain barrier after portocaval anastomosis, 160, 69
 Met-enkephalin and β -endorphin immunoreactivity, 171, 261
 myelin, relative synthesis in regions, 162, 103
 NA, DBH, TH development in after 6-OHDA treatment, 166, 293
 nuclear triiodothyronine receptors in, 177, 551
 opiate receptors, alterations in Parkinson's disease, 173, 378
 oxidative metabolism, effects of age, 165, 235
 peptidases degrading LH-RH, TRH, distribution, 166, 321
 primate, interaction of LSD, hallucinogens with DA-sensitive AC, 162, 77
 prisms, effect of anti-white matter serum, 173, 513
 progesterin receptors, cytoplasmic, 169, 481
 proteins, differential effects of endogenous phosphorylation on electrophoretic mobility, 170, 313
 size, after malnutrition, 169, 121
 slices
 cAMP increase, 177, 515
 preparation, morphology and cyclic nucleotides, 173, 373
 synthesis and release of 5-HT, 172, 461, 172, 471
 sphingomyelinase, distribution, 168, 543
 stimulation, excitation-modulation by anodal pulses, 168, 638
 TH development in, after 6-OHDA, 166, 293
 TRH immunoreactivity in, 171, 161
 TRH, LH-RH degrading enzymes, 168, 553, 166, 321
 tubulin microheterogeneity in, 171, 171
 VIP-containing neurons in, development, 177, 437
- Brain stem**
 catecholamine
 levels in, after immobilization, 160, 271
 synthesizing enzymes in, 163, 277
 catecholaminergic neurons, projecting to thoracic spinal cord, 160, 353
 enkephalin-containing cell bodies, fibers and nerve terminals, 166, 75
 explants, co-culture with hippocampal explants, 161, 431
 implants, dentate gyrus from, synaptogenesis, 167, 391
 intracranial self-stimulation to, effects of morphine, 168, 425

- intranuclear projection and trigeminal nociceptive neurons, 170, 547
- lower, spinal projections from, 173, 383; 176, 215
- neurotensin-containing cell bodies, fibers, nerve terminals in, 167, 77
- nuclei, adrenaline levels in, effects of PNMT inhibitor, 166, 283
- projections to somatic motoneuronal cell groups and autonomic cell groups, 171, 329
- reticular activation, postsynaptic changes in sensorimotor cortical neurons, 163, 156
- stimulation and locomotion, 177, 204
- Brightness discrimination, partial interocular transfer of, by split-brain cats, 163, 61
- Bulbectomy, effect on depth distribution of amino acid transmitters in olfactory cortex, 171, 552
- Bulbo-spinal indoleaminergic pathway in frog, 172, 277
- α -Bungarotoxin
- ACh receptor appearance in cultured sympathetic ganglia, 161, 131
 - receptor
 - hypothalamic, immunologic similarities with nicotinic cholinergic receptor, 178, 381
 - loss in deafferented optic lobe, 167, 273
 - recovery during optic nerve regeneration, 166, 57
- C**
- Cadmium inhibition of striatal muscarinic receptors, 168, 216
- Calcium
- action potentials, block by low pH, 161, 555
 - dependent regenerative responses in muscle spindle, 175, 160
 - depression of spontaneous transmitter release, 169, 111
 - effect on capsaicin activity of AC, 179, 401
 - effects on voltage-dependent conductances in photoreceptors, 176, 369
 - entry, temperature sensitivity in presynaptic terminals, 170, 543
 - extracellular, hippocampal long-term potentiation, 169, 103
 - induced disruption of neurofilaments, 168, 299
 - ion transport in retinal subcellular fractions, effects of taurine, 172, 131
 - levels, effects of neuronal stimulation and ouabain, 160, 544
- Calcium-complexing agents, opiate-like excitatory effects of, 160, 295
- Callosal projection neurons, distribution, 173, 532
- Callosal terminals in posterior neocortex, 176, 33
- Cannula, use in HRP labeling, 168, 221
- Capsaicin, effect of Ca on AC activation, 179, 401
- Capsaicin-evoked release of substance P from primary sensory neurons, 170, 209
- Carbon dioxide in brain tissue, measurement, 166, 413
- Carbonic anhydrase C localization in glial cells of CNS, 160, 47
- Cardioinhibitory mechanism
- around inferior olivary n., 177, 373
 - in gigantocellular reticular n. of medulla oblongata, 178, 221
- Carnosinase, distribution in olfactory tissues, 173, 99
- Carnosine
- binding in olfactory bulb, 174, 81
 - in olfactory tissues, distribution, 173, 99
- Carnosine synthetase, distribution in olfactory tissue, 173, 99
- Carotid
- baroreceptors, influence on neurosecretory neurons of supraoptic n., 170, 259
 - baroreceptor sympathetic reflex, escape of sympathetic activity, 168, 404
 - body
 - reciprocal modulation of TH activity in, 172, 572
 - type 1 cells, voltage noise of, 167, 189
 - sinus nerve, stimulation of, PSPs from medullary neurons after, 162, 261
- Catalepsy, spiperone-induced, increase by estrogen, 172, 360
- Catecholamine(s)
- cell group A5
 - projections to intermediolateral cell column, 174, 309
 - as vasomotor center, evidence, 178, 196
 - CNS, role in control of blood pressure and drinking, 178, 161
 - concentration and turnover
 - behavioral correlation, 166, 199
 - effects of suckling on, 176, 125
 - containing amacrine cells in retina, 169, 261
 - containing structures, unusual, and aging, 169, 335
 - convulsions and, 170, 497
 - depressant effects on bulbar respiratory mechanisms, 160, 57
 - distribution in brain and experimental hypertension, 171, 101
 - DOCA-salt hypertension and, 179, 121
 - endorphins and, 179, 85
 - estrogen-induced efflux in hypothalamus, 178, 499
 - LH peaks and prolactin, 179, 271
 - modulation of nociception, route for, 163, 333
 - in sexual behavior, and sensorimotor responsiveness, 172, 505
 - synthesizing enzymes
 - in brain regions of genetically obese rat, 171, 560
 - in brain stem and hypothalamus during development of renovascular hypertension, 163, 277
 - terminals, source of, in n. tractus solitarii, 172, 372
- Catecholaminergic innervation of subthalamic n., 173, 364

- Catecholaminergic nerve fiber in angiotensin II-induced drinking, 174, 229
- Catecholaminergic neurons
innervation of hippocampal explants, 161, 431
participation in circadian oscillation of plasma corticosterone, 169, 519
substance P, enkephalin localization in axon terminals, 160, 387
- Catecholaminergic pathways, cholinergic influence on, in anterior and medial/basal hypothalamus, 173, 47
- Catechol-O-methyltransferase in brain, 167, 241
- Cations
alkaline earth, and effect on cultured spinal neurons, 173, 168
-dependent phosphorylation of proteins, 162, 303
transport of primary astroglial cultures, 177, 533
- Caudate nucleus
activity, interference by potassium chloride, evidence for 'moving' engram, 172, 577
amphetamine dose-dependent changes of electrochemical signals in, 173, 369
DA release, by unilateral nigral glycine and GABA-related compounds, 175, 259
effects of reserpine on DAergic receptor function, 160, 553
neurons
development of responses to stimulation of cortex, thalamus and substantia nigra, 173, 471
frontal cortical ablations, effects on firing, 165, 23
function of, during limb movements, 173, 489
morphine, sensitivity to, 162, 363
responses evoked by cortical stimulation, and indirect corticothalamic pathway, 173, 331
5-HT, effect of nerve activity on release, 169, 317
- Caudate-putamen complex, medial lateral, organization of cells of projections of, 169, 381
- Caudate-putamen neurons, excitation, after stimulation of dorsal raphe n., 175, 356
- Cell generation in hippocampus, and undernutrition, 168, 186
- Centralis superior, afferent connections of, 166, 1
- Central nervous system
cholecystokinin, localization and heterogeneity, 165, 201
control of pattern generators in stomatogastric ganglion, 177, 598
distribution of GABA and benzodiazepine binding sites, 178, 580
effect on Na/K pump in hypokalemia, 178, 175
of genetically obese mice, 165, 249
mammalian, trace amines in, 164, 347
non-amphetamine stimulant of, NAergic neuron response, 166, 331
outgrowth of, into nerve root entry zone, 177, 219
proteins transported in tracts of, comparison, 176, 407
regeneration, model for, explant culture of retina, 161, 39
retinal ON, OFF responses, information to, 160, 145
substance P in, during development, 171, 166
- Cerebellar auricle, convergence of common and specific sensory afferents to, 168, 619
- Cerebellar deep n. axon terminal degeneration, 168, 75
- Cerebellar dentothalamic connection, 169, 168
- Cerebellar intermediate cortex, cooling, hyperflexion and interlimb coordination of locomotion, 166, 405
- Cerebellar neuronal activity, modulation by raphe stimulation, 169, 565
- Cerebellar n., lesions, avoidance and ascending anatomical connections, 166, 27
- Cerebellar n. medial, spinal cord projections from, 171, 383
- Cerebellopontine axon terminals in opossum, 165, 1
- Cerebellopulvinar projection, by HRP, 171, 131
- Cerebellum
amino acid transmitters, effect in kainic acid, 167, 345
anterior, vernal, injury to, postural control changes, 164, 269
developing
brain cell n., identification and characterization, 170, 443
preparation of viable astrocytes from, 161, 503, 168, 219
sequential effects of thyroxine, 161, 469
development
delay with fetal alcohol intoxication, 177, 347
in Staggerers, Purkinje cell defects, 178, 443
distribution of hypertrophied LC projection to, 172, 23
opiate receptors in lagomorphs, 168, 311
regional variation and absence of large neurons in, of Staggerer mouse, 172, 1
subcellular fractionation of, 164, 153
thymidine kinase in, distribution, 168, 393
toxic effects of kainic acid, tissue culture, 161, 253
- Cerebral cells in culture, binding of flunitrazepam, 177, 418
- Cerebral microvessels, association of histamine with, 168, 323
- Cerebral neurons, viable with synaptic complexes, preparation, 171, 225
- Cerebral peduncle, retrothalamic system of collateral fibers from, 170, 1
- Cerebral vascular bed, and sympathetic system, 164, 81
- Cerebrospinal fluid
AChE in, and electrical stimulation, 177, 445
GABA concentrations in, 167, 297
gastrin in, 176, 189
human, cholesterol esterifying enzyme in, 162, 353
ventricular, HVA levels in, 167, 206
- Cerebrovascular abnormalities and seizure suscepti-

- bility, 173, 147
- Cervical control of posture and movements, 169, 615
- Cervical ganglion, superior
- deafferentation, effect on protein synthesis, 168, 414
 - decentralization in neonates, iris innervation impairment, 168, 13
 - effect of preganglionic nerve stimulation on TH activity in, 164, 137
 - preganglionic fibers projecting onto, 172, 139
- Chlorpromazine action at isolated cholinergic synapse, 164, 227
- Cholecystokinin
- in CNS and PNS, localization and heterogeneity, 165, 201
 - in vivo, in vitro effects on gonadotropin, PRL, GH, and thyrotropin release, 172, 295
- Cholera toxin, effect on choroid plexus, 167, 119
- Cholesterol esterifying enzyme in CSF, 162, 353
- Choline
- administration and ChAT, striatal, activity, 165, 358
 - high affinity
 - development of uptake of, 163, 263
 - uptake in developing fascia dentata, 164, 207
- Choline acetyltransferase
- alteration in, after herpes simplex inoculation, 169, 401
 - cholinergic neuron trophic factors and neurite outgrowth, 173, 29
 - distribution and origin in ventral pallidum and basal forebrain regions, 177, 325
 - effects of olfactory bulb removal, and GAD in olfactory tubercle, 178, 185
 - in projections from basal forebrain to amygdaloid complex, 165, 271
 - striatal, increase after choline, 165, 358
- Cholinergic binding sites in hippocampal formation, 166, 245
- Cholinergic cells in neostriatum, neurotransmitter synthesis, release and binding, 170, 71
- Cholinergic innervation, lesion of n. cuneiformis, effect of, 170, 113
- Cholinergic mechanism in posterior hypothalamic n. hypertensive response by, 165, 295
- Cholinergic neurons
- striatal, activity, effect of estrogen, 169, 215
 - survival and development in K-enriched media, 173, 549
 - survival and development in skeletal muscle-conditioned media, 173, 543
- Cholinergic nicotinic-like sites during optic nerve regeneration, 166, 57
- Cholinergic projections from septal-diagonal band area to habenular n., 176, 391
- Cholinergic receptor sites (*see also* Muscarinic, Nicotinic)
- dendroaxonic transmission and, 169, 433
- Cholinergic reinnervation, stimulated by perforant path lesion in hippocampus, 173, 57
- Cholinergic synapse, action of chlorpromazine at, 164, 227
- Cholinergic synaptic vesicles, lipid, protein content of, from electric organ, 161, 447
- Choroid plexus
- effect of cholera toxin and PGs, 167, 119
 - 5-HT-containing neurons in, 169, 590
- Ciliary ganglia, effects of innervation by, on developing muscle, 175, 87
- Circadian rhythm
- development, effect of neonatal SCN lesions, 164, 17
 - expression of, wheel-running and sleep in, 163, 121
 - of feeding, drinking, analysis of role of SCN in, 160, 307
 - of plasma corticosterone
 - catecholaminergic neurons in, 169, 519
 - locomotor activity and, PCPA and 5,6-DHT, 169, 531
 - 5-HT, effect of photoperiods, modulation by pinealectomy, melatonin and estradiol, 176, 311
- Clarke's column, morphometrical synaptology of, 178, 233
- Clastrum, visual cortical projections to, 178, 107
- Claw opener muscle contraction in absence of motoneuron activity, 162, 129
- Cloned cell lines
- from CNS, glutamate transport in, 167, 210
 - from G26 mouse glioma, GFA in, 163, 353
- Clonidine, effect on utilization and K-evoked release of adrenaline, 176, 197
- Cobalt-glucose oxidase method, and coupled oxidation method for HRP, 175, 341
- Cobalt ions, selective degeneration of neurons by, 177, 214
- Cocaine, changes in central β -adrenoceptor sensitivity, 175, 119
- Cochlear nerve response, comparison with acoustic nerve response during acoustic habituation, 173, 562
- Cochlear nucleus
- dorsal, projections to laminae, 160, 131
 - effects of glycine and GABA on neuronal response patterns in, 172, 179
 - projections, identification by removal of HRP, 177, 165
 - slices, release of glutamic acid, aspartic acid, and GABA, 162, 338
- Colchicine, effect on transport and distribution of TH, DBH, NA, 168, 331
- Collateral fibers, retrothalamic system of, from cerebral peduncle, 170, 1
- Collaterals, axon (*see* Axon collaterals)
- Collateral sprouting
- amphibian visual systems, evidence, 168, 382
 - effect on density of innervation of normal target sites, 175, 37
- Colliculus
- inferior
 - coding of fine frequency information by echo-ranging neurons, 171, 530
 - separation of associative from non-associative latency changes, 167, 129

- superior
 - GABAergic projection from substantia nigra, 176, 273
 - frontal eyefields and, stimulation of, 179, 162
 - histogenesis of, 164, 39
 - inhibition of PSP of, 160, 368
 - laminar origins of superficial layers, 173, 1
 - tactile neurons of, input and physiological properties of, 174, 19
- Colliculus-pretectum, superior, lesions, deficits in luminous flux discrimination, 173, 217
- Color opponent cells, temporal output properties, 166, 233
- Color vision and removal of striate and preoccipital cortex, 179, 379
- Commissural afferents to area dentata, cells of origin of, 160, 203
- Commissural system, ventral hippocampal, functional analysis, 167, 168
- Computer analysis of spike train data, 175, 183
- Concanavalin A, effect on glutamate potential and EJP, 161, 493
- Conditioned behavior, appetitive, pulvinar neuronal activity in, 166, 9
- Conditioning
 - classical, neuronal plasticity from hippocampus, 163, 339
 - compensation to neglect due to 6-OHDA lesions of substantia nigra, 167, 139
 - differential, separation of associative and non-associative latency changes, 167, 129
 - operant of precentral neurons, 171, 29, 174, 188
 - operant of vertical eye movements without visual feedback, 169, 421
 - stimulation, peripheral, analgesia produced by, and naloxone, 173, 295
- Conduction, effects of magnesium ions on, 177, 410
- Convulsions
 - and catecholamines, 170, 497
 - clonic, effect of 6-OHDA on, 169, 189
 - decapitation, role of LC in, 177, 83
- Cornea, sensory fibers, response to mechanical and thermal stimulation, 177, 571
- Corpus callosum
 - asymmetry in strabismic cats, 167, 176
 - connections, effects of dark-rearing, 167, 172
- Corpus Luysii, unilateral kainic acid lesions in, and hemiballism, 171, 577
- Corpus striatum, ACh receptors in, 160, 363
- Cortex
 - abnormal organization in mutant Japanese quail, 177, 183
 - α -, β -adrenergic receptors, changes with precocious puberty, 167, 195
 - afferents, trigeminal segregation, to ventrobasal complex, 161, 527
 - anisotropy in, 177, 61
 - anterior cingulate
 - DAergic and NAergic innervation, 164, 328
 - unit activity during timing behavior, 171, 213
 - area 4, efferents, terminations in spinal cord, 171, 1
 - barrel (*see* Barrel cortex)
 - benzodiazepines and GABA, interactions, 162, 358
 - benzodiazepine binding sites, modulation, 167, 422
 - cells in central and 'paracentral visual field projections, 171, 541
 - development after malnutrition, 169, 121
 - frontal
 - contralateral projections to dorsal thalamus from, 166, 166
 - DA receptors in, 177, 279
 - human, synaptic density in, and aging, 163, 195
 - polysensory, role in limb movement guidance, 169, 183
 - receptor binding sites in, 177, 241
 - inferior temporal, role in interhemispheric transfer, 167, 259
 - insular-temporal
 - bilateral ablation, temporal pattern discrimination, 173, 337
 - stimulation and substantia innominata stimulation, 177, 361
 - intracortical distribution of NA, DA, 5-HT, 177, 499
 - ipsilateral, decrease in 2-DG uptake by LC stimulation, 172, 387
 - left, lesion, and soleus muscle sarcomere number, 167, 408
 - length, enrichment-isolation and Rank Order Effect, 178, 89
 - maturation and hypothyroidism, 162, 315
 - medial frontal, sensitization to amphetamine and stress, 176, 412
 - modulation of benzodiazepine binding sites, 167, 422
 - monoamines, distribution, concentrations and in vivo synthesis rates, 168, 133
 - motor
 - distal forelimb in double representation, 167, 412
 - effect of specific and non-specific stimuli, 170, 61
 - frontal lobe inputs to, 4 somatotopically organized 'premotor' areas, 177, 176
 - motor readjustment and input-output relationship after cross-section forearm muscles, 177, 566
 - peripheral input pathways projecting to, 172, 197
 - primary and supplementary, arm areas of, projections to neostriatum, 172, 150
 - primate, intracellular synaptic potentials of, during voluntary movement, 163, 33
 - pyramidal tract cells, slow, fast, 178, 251
 - thalamic projections to, 172, 209
 - receptive fields of, 172, 217
 - neuronal perikarya from, subcellular fractions, 169, 65

- NAergic, DAergic innervation, effects of 6-OHDA, 166, 309
 olfactory (*see* Olfactory cortex)
 P_2 -fractions, properties of glial cells, 170, 203
 parietal, responses of neurons in area 7 of, 169, 194
 partial cooling at lobules V, IV of intermediate part, effects, 160, 559
 patterns of habituation to electrical stimulation of, 173, 557
 postcentral neurons, activity during conditioned movements of, 172, 427
 posterior, representations of visual field, 161, 539
 precentral, effects of reciprocal wrist torques, 172, 329
 prefrontal unit activity during timing behavior, 171, 213
 release of GABA from, penicillin and, 170, 157
 role for biogenic amines in, 160, 217
 S1, modality and submodality information in, 166, 409
 sensorimotor
 activity during conditioned movements, 172, 427
 neurons, postsynaptic changes, 163, 156
 somatic, functional changes in, during short-term epidural blocks, 177, 379
 slices, bidirectional movement of GABA, 165, 261
 somatosensory
 conductivity in, cortical anisotropy, 177, 61
 projections to, from ventrobasal complex, 178, 275
 stimulation
 caudate neuronal responses by, 173, 331
 development of caudate neuronal responses, 173, 471
 striate
 cells encoding horizontal image movements and squint, 170, 182
 cells sustained and transient responses to stationary flashing light and dark bars, 170, 362
 difference in autoradiographic patterns after monocular stimulation, 170, 353
 neurons, loss with inverted vision, 170, 177
 ocular dominance columns in, 166, 386
 suprasylvian
 bilateral ablation of, temporal pattern discrimination, 173, 337
 synaptic vesicles from, characterization, 178, 297
 synaptosomes, high-affinity, aspartate uptake, 160, 85
 temporal, visual areas in, 178, 363
 transplanted, efferent fibers from, 165, 338
 valproate action on single neurons, 171, 182
 visual (*see* Visual cortex)
 Cortical connections, laminar origins and terminations of, 179, 3
 Cortical spreading depression-induced feeding, ipsilateral attenuation, 160, 327
 Cortical topography, gyral impressions as guide, 160, 505
 Cortico-cortical interconnections within visual cortex, 162, 201
 Corticofugal projections in neonatal cat, 161, 399
 Corticospinal neurons, identification of spinal axon collaterals of, 164, 279
 Corticosteroid
 neonatal, alteration of brain activity of adrenaline synthesizing enzyme, 166, 426
 periodicity restoration in obese rats, 171, 67
 Corticosterone, plasma, circadian rhythm catecholaminergic neuron participation, 169, 519
 effects of PCPA and 5,6-DHT on, 169, 531
 Corticostriatal terminals, glutamate release in vitro from, 176, 185
 Corticosubthalamic projection, EM study, 163, 319
 Corticotectal projections in neonatal cat, 161, 399
 Corticothalamic pathway, indirect, in caudate neuronal responses, 173, 331
 Corticotrope function, vasopressin, oxytocin and neurophysins and, 168, 275
 Cortisone, effect on kindling, 169, 303
 Cranial nerve, central projections of, 167, 163
 Cross-depression, binocular competition in visual cortex, 168, 190
 Cultures, dissociated hippocampal electrophysiology of, 169, 247
 morphology, 169, 231
 Cuneate nucleus
 convergence of joint, cutaneous and muscle afferents onto, 175, 347
 loci of joint cells in, 167, 385
 Curare, intracellular presynaptic effect of, 169, 199
 Current-voltage relationships of repetitively firing neurons, 164, 69
 Cyclic AMP
 accumulation in peripheral nerve by PG, 162, 159
 β -adrenergic receptor-mediated increase of, 177, 515
 brain, regulation, ACTH-like neurotropic peptides, 168, 565
 effects of D-amphetamine on, 168, 408
 mediation of excitatory effect of 5-HT, 177, 388
 Cyclic GMP, in glioblasts, glia maturation factor increase by, 166, 436
 Cyclic nucleotide(s)
 in brain slices, 173, 373
 effect on L-glutamate, taurine uptake, 166, 113
 effects on neurons in Aplysia, 168, 643
 perfusion studies and, 179, 111
 Cyclic nucleotide phosphodiesterase, biochemical characterization of postsynaptic localization, 177, 301
 2',3'-Cyclic nucleotide 3'-phosphohydrolase activity in EAE, 169, 620

- Cycloheximide postnatal, correlation of brain changes with behavior, 167, 200
- Cytochalasin B, effect on transport and distribution of TH, DBH, NA, 168, 331
- Cytochrome oxidase histochemistry, changes in visual system, 171, 11
- Cytoplasmic laminated bodies
 - in LGN, lack of, 168, 623
 - in visual cortex, 161, 544

D

- Dark-rearing, effect on visual callosal connections, 167, 172
- Deafferentation
 - hyperactivity in spinal trigeminal n., 161, 549
 - monocular, of LGN, activity after, 166, 259
- Decapitation convulsions, role of LC in, 177, 83
- Decerebration, ischemic, effect on escape of sympathetic activity in baroreceptor reflex, 168, 404
- Dehydration, induced changes in vasopressin levels, 169, 585
- Deiter, ascending tract of, head velocity signal conveyance to medial rectus motoneurons, 170, 172
- Deiter's nucleus, stimulation, effect on timing of fictive locomotor rhythm induced by DOPA, 177, 588
- Dementia, senile, Alzheimer type, neurotransmitter related enzymes in, 171, 319
- Demyelinating serum factor, immunochemistry, 160, 489
- Dendritic development postnatal, in visual cortex, 168, 21
- Dendritic spines, effect of monocular deprivation on, 161, 156
- Dendro-axonic transmission
 - evidence, 169, 433
 - sites of synthesis, binding and release of neurotransmitters in DAergic and cholinergic dendrites, 170, 71
- Dendrodendritic synaptic circuit, computer simulation of, 175, 377
- Denervation
 - changes in muscle G6PD after, 177, 145
 - supersensitivity
 - in mesolimbic system, and AC, 173, 572
 - to 5-HT in forebrain, 178, 479
 - syndromes, DA antagonist binding increases in, 170, 381
- Dentate gyrus
 - from brain stem implants, synaptogenesis in, 167, 391
 - granule cells (*see* Granule cells)
 - loss of axosomatic synapses in, 168, 485
 - perforant path-granule cell synapse, short-term plasticity at, 178, 41
- Dentatohalamic connection, cerebellar, 169, 168
- Deoxycorticosterone (*see* DOCA)
- 2-Deoxyglucose
 - demonstration of orientation columns with, 173, 538
- in metabolic mapping of chick brain after imprinting, 172, 539
- transport in DRG cells, NGF action on, 163, 89
- uptake
 - in ipsilateral cerebral cortex, decrease in, LC stimulation, 172, 387
 - regional changes in, after neocortical and hippocampal destruction, 175, 392
- Depakene (*see* Dipropylacetate)
- Depolarization, in striatal synaptosomes, regulation of DA synthesis, 170, 299
- Depolarization-induced fluorescence intensity decrease in quinacrine-binding nerves, 166, 121
- Depressants
 - central reduction of S-NAT, 160, 381
 - effects of catecholamines on bulbar respiratory mechanisms, 160, 57
- Depression
 - behavioral post-ictal, endogenous opioids and, 167, 435
 - spreading
 - anion permeability in, 173, 567
 - cortical, circulation around electrically stimulated areas and epileptic foci, 173, 209
- Diabetes, early experimental, axonal transport, 173, 315
- Diabetes insipidus and in vitro GABA transport in neurohypophysis, 174, 341
- Diagonal band of Broca, role in interspecies aggression, 175, 327
- Diazepam
 - effects on unit activity of limbic system neurons, 166, 149
 - pretreatment before kainic acid, reduction in distant brain damage, 165, 362
- 3,4-Dihydroxyphenylacetic acid increase in substantia nigra by haloperidol, 175, 178
- 5,7-Dihydroxytryptamine
 - effect on circadian rhythm of locomotor activity and plasma corticosterone, 169, 531
 - effect on PRL releasing action of quipazine and D-fenfluramine, 174, 71
 - induced axotomy, regeneration of central adrenergic axons, 171, 271
 - substance P level decrease after, 174, 362
- Diphenylhydantoin (*see* Phenytoin)
- Dipropylacetate suppression of retinal spike discharge by, 175, 271, 177, 603
- Discrimination
 - of brightness (*see under* Brightness)
 - learning, cerebral protein synthesis inhibition and effects of D-amphetamine, 177, 401
 - of movement (*see under* Movement)
 - pattern learning, lack of interocular transfer, 171, 339
 - performance, asymmetric hemisphere involvement, 175, 150
- Display behavior, species-typical, role of paleostriatum, 172, 229
- Diuretic hormone activity, changes in, of neurosecretory cell bodies, 161, 459

- DOCA—salt hypertension and catecholamines, 179, 121
- Dogfish, spiny, retinofugal pathways in, 162, 219
- L-DOPA, effects on dorsal horn cell responses to innocuous skin stimulation, 173, 271
- Dopamine
- AC stimulation, inhibited by morphine, etorphine, enkephalins, 160, 105
 - antagonist binding increases, striatal denervation syndromes, 170, 381
 - in brain reinforcement mechanisms, 169, 499
 - cell group, diencephalic A11, major spinal projection from, 177, 170
 - high affinity transport system for, 171, 545
 - in hypothalamus, differences in levels with aggression, 166, 211, 171, 381
 - intracortical distribution in cerebral cortex, 177, 499
 - levels in brain stem areas after immobilization, 160, 271
 - metabolism, effect of embryonic implants, 179, 77
 - modulatory role in cerebral cortex, 160, 217
 - neuron, giant, spike activity and histofluorescence in, 170, 231
 - neurons, nigrostriatal, influence of activating and immobilizing stimuli, 176, 385
 - newly synthesized in striatal slices, GABA receptors in GABA-induced release of, 175, 383
 - pathway nigrostriatal, reconstruction, 177, 555
 - posterior pituitary AC stimulation, 166, 422
 - receptors
 - behavioral model for studies on, 170, 485
 - binding sites, amphetamine treatments, 161, 173
 - blockade with pimozide, effect of GABA, 162, 69
 - dendro-axonic transmission and, 169, 433
 - in frontal cortex, 177, 279
 - function, effects of reserpine on, 160, 553
 - localization in rat brain, 169, 209
 - localization of [³H] spiperone, 169, 1
 - in perifornical lateral hypothalamus, 172, 115
 - release from caudate n. by GABA-related compounds and glycine, 175, 259
 - sensitive brain sites, mapping of, 172, 101
 - stimulated AC in denervation supersensitivity in mesolimbic system, 173, 572
 - synthesis
 - in stomatogastric nervous system, 161, 99
 - in medial basal hypothalamus, and PRL, 160, 431
 - regulation of, in striatal synaptosomes during depolarization, 170, 299
 - transmitter role of, in hippocampus, 165, 161
 - turnover
 - increase in, blockade by benzodiazepine, 168, 585
 - striatal, effects of PCPA, 164, 217
 - uptake in periglomerular cells of olfactory bulb, 165, 149
- Dopamine- β -hydroxylase
- alterations of, in spontaneously hypertensive rats, 162, 184
 - antibody to, uptake, flow by CNS NAergic neurons, 167, 65
 - immunocytochemical localization in LC and hypothalamus, 162, 55
 - rates and distribution, characterization by neuro-toxins, 168, 331
 - reduces rate of biosynthesis in LC, 160, 174
 - regional development in brain after 6-OHDA treatment, 166, 293
- Dopaminergic agents, effects on spontaneous activity of globus pallidus, 178, 425
- Dopaminergic cells
- A9 and catecholaminergic innervation of subthalamic n., 173, 364
 - dendrites of, in substantia nigra, 170, 71
- Dopaminergic drugs, activity of striatal cholinergic neurons, 169, 215
- Dopaminergic innervation
- in anterior cingulate cortex, 164, 328
 - of cerebral cortex, effect of 6-OHDA, 166, 309
 - of globus pallidus by collaterals from nigrostriatal pathway, 172, 169
- Dopaminergic neurons
- mesocortical, DA turnover increase by stress, 168, 585
 - nigrostriatal, functional ontogeny, 169, 545
- Dopaminergic-NAergic interaction, NAergic ventral bundle projection sites, 172, 87
- Dopaminergic systems, relationship of sphingomyelinases to, 168, 543
- Dorsal bundle, extinction effect, 166, 341
- Dorsal horn cell responses to innocuous skin stimulation, effects of L-DOPA, 173, 271
- Dorsal horn neurons
- C fiber response
 - effect of morphine on, pretreatment with PCPA, 176, 337
 - influence of naloxone on, 176, 355
 - effects of substance P on, 166, 273
 - lamina V, nociceptive response of, inhibition by enkephalins and NA, 177, 384
 - substance P depletion, 168, 247
- Dorsal medulla, efflux of GABA from, 178, 467
- Dorsal root axons in lumbosacral spinal cord, 172, 407
- Dorsal root ganglion
- dissociates, NGF action on 2-DG transport in, 163, 89
 - membrane properties in cell culture, effect of high K, 178, 529
 - NGF-mediated increase of substance P, 170, 198
- Dorsal tegmental bundle lesions, LC after, 166, 381
- Dorsolateral funicular lesions and sympathetic hyperactivity and hypertension, 167, 402
- Drinking
- control, role of CNS catecholamines, 178, 161
 - subfornical organ receptors, mediating independence, 178, 507
- Drugs

- effect on retrograde transport of NGF, 171, 461
 entry into brain, 172, 354
 Duodenum, substance P in, during development, 171, 166
 Dysmyelination of Quaking mutant, 177, 287
 Dystrophy, muscular, axonal transport of AChE in peripheral nerves of, 160, 196
- E**
- Echo-ranging neurons, coding of fine frequency information by, 171, 530
 Ectomammillary nucleus, formation of, retinal afferents and, 165, 127
 Ectosylvian gyrus, posterior, visually directed behavior and, 178, 606
 Edema, brain, effect of intracerebral ouabain on composition of fluid, 175, 279
 Efferent fibers from transplanted cerebral cortex, 165, 338
 Efferent projections of parabigeminal n., 168, 1
 Electrical stimulation
 of cerebral cortex, patterns of habituation to, 173, 557
 effect of AChE concentration in CSF, 177, 445
 nociceptive response suppression by, 167, 417
 Electric organ of *Torpedo marmorata*, 161, 447
 Electroconvulsive shock
 effects of, modification by naloxone, 177, 414
 repeated, brain content endorphins, 177, 273
 Electroencephalogram
 hippocampal, effects of median raphe lesions, 163, 223
 pattern, effects of reduced cerebral blood flow, 177, 115
 Electrolytic lesioning, central NAergic pathway remodelling, 171, 77
 Electron microscope
 identification of cerebellopontine axon terminals, 165, 1
 serial section of neuromuscular terminals, 161, 377
 study of
 corticosubthalamic projection, 163, 319
 neurons of LGN, 178, 213
 spinal α -motoneurons, 162, 189
 Electrophoresis, two-dimensional gel, 168, 97
 Electrophysiological indices of opiate action, 161, 162
 Electroretinogram, goldfish retina and, 169, 178
 Electroshock seizure, maximal, effect of 6-OHDA on clonic convulsion, 169, 189
 Embryo, chick
 analysis of GABA-mediated inhibition in, 172, 487
 new α -bungarotoxin-ACh receptors in sympathetic ganglia of, 161, 131
 Embryonic cell death, reduction by grafting of additional periphery, 178, 403
 EMG stretch responses, quantitative association with Parkinsonian rigidity, 162, 169
 Emission tomography, brain tissue CO₂ measurement, 166, 413
 Emotion, vocal expression, role of PAG, 167, 367
 Encephalomyelitis, experimental allergic
 2',3'-cyclic nucleotide 3'-phosphohydrolase activity, 169, 620
 failure of 5-HT to increase lumbar MSR amplitude, 177, 157
 myelin degradation in, 169, 357
 radiometric assessment of, 174, 273
 Endorphins
 brain content and repeated ECS, 177, 273
 disappearance of brain catecholamines, 179, 85
 effect on single myenteric neurons, 165, 57
 genetic differences and analgesic effects of D-amino acids, 177, 583
 human, characterization of Leu analogue, 165, 311
 immunoreactivity, distribution in brain and pituitary, 171, 261
 level, decrease by long-term morphine treatment, 174, 357
 perinatal development of, 179, 93
 Endoplasmic reticulum
 filamentous contacts in LGN containing, 177, 49
 involvement in axonal transport, 174, 315
 organization in supraoptic neurons, 170, 247
 Energy metabolism in cortex, effects of reduced cerebral blood flow, 177, 115
 Engram 'moving', evidence for, 172, 577
 Enkephalins
 -containing cell bodies, fibers and nerve terminals in brain stem, mapping, 166, 75
 DA-stimulated AC of amygdala, interaction, 160, 105
 excitation of neurons of NRPG, 169, 406
 haloperidol accelerated biosynthesis of, 160, 192
 inhibition of nociceptive response of lamina V neurons, 177, 384
 leucine, effects on spinal neurons, 167, 53
 localization in axon terminals related to dendrites of catecholaminergic neurons, 160, 387
 mechanism and site of action on single myenteric neurons, 165, 67
 in median eminence and adenohypophysis, 168, 457
 methionine
 effects on spinal neurons, 167, 53
 immunoreactivity, regional distribution, 171, 261
 visual deprivation decrease, 166, 191
 perinatal development of, 179, 93
 regional distribution in bovine brain, 168, 200
 Enrichment-isolation, cortex length and Rank Order Effect, 178, 89
 Enteric neurons, release of 5-HT and its binding protein, 174, 55
 Enzymatic activity
 changes in CNS cell membranes during early myelination, 171, 295

- regulation, role of axonal transport in, 171, 415
- Epidural blocks, reversible, somatic sensory-motor cortex, changes in, 177, 379
- Epilepsis spiking, muscarinic cholinergic regulation of, 178, 117
- Epileptic behavior, model with dendritic Ca conductance reproducing, 173, 243
- Epileptic foci
in neocortex and spreading depression circulation, 173, 209
non-burst firing patterns of neurons in, 169, 173
sodium outflux and influx within nerve terminals from, 175, 71
- Epileptiform activity in hippocampal transplants in oculo, 176, 135
- Epileptogenic lesions, secondary after kainic acid, 165, 362
- Epinephrine (*see* Adrenaline)
- Escape behavior, central gray and medial hypothalamic stimulation, 170, 459
- Estradiol
brain cell nuclear, sex differences in, 178, 207
long-term retention by brain cell nuclei, sexual behavior, 173, 355
- Estril synthesis in brain and pituitary, 175, 165
- Estrogen
effect, on changes in striatal cholinergic neuron activity, 169, 215
effective brain area, neural networks among, and lordosis, 169, 287
efflux of endogenous catecholamines from hypothalamus, 178, 499
receptors
in neonatal neocortex, 178, 201
perinatal development in brain, 178, 129
postnatal development in brain, pituitary, 178, 143
sensitive progesterin-binding sites, 164, 165
spiperone-induced catalepsy, spiperone brain levels, 172, 360
target cells in forebrain, distribution, 170, 43
treatment, chronic, decrease in β -adrenergic responses, 171, 147
- Estrous cycle, radioligand binding studies on hypothalamic NAergic receptors, 168, 652
- Ethanol withdrawal, cerebral blood flow and oxygen consumption during, 173, 259
- Etorphine, DA-stimulated AC of amygdala, interaction, 160, 105
- Excitability
changes of dorsal inspiratory neurons, 161, 25
of neurons in medial hypothalamus, midbrain stimulation, 174, 39
- Excitation-modulation by anodal pulses in brain stimulation, 168, 638
- Excitatory activity, central, enhancement by morphine derivatives, 174, 263
- Excitatory junctional potentials, distinction with glutamate potential by Con A at neuromuscular junction, 161, 493
- Excitatory neurons, reciprocal axo-axonal synapses with inhibitory neurons, 174, 324
- Excitatory postsynaptic potentials
in AH (type 2) neurons of myenteric plexus, 163, 349
la motoneurons, fluctuations in time of onset, 160, 514
RC1-R15 in Aplysia, 173, 225
reversal properties in cerebellar Purkinje cells, and bicuculline and picrotoxin effect, 173, 577
single-fiber, in amphibian motoneurons, 160, 519
unmasking by penicillin, 168, 205
ventrolateral, recurrent in large PT cells, 160, 37
- Explant culture of adult goldfish, CNS regeneration, 161, 39
- Extinction
dorsal bundle effect, 166, 341
NA and, 165, 47
- Extrahypothalamic area, projections to, α -MSH-containing cells in arcuate n., 178, 55
- Extraocular muscles, otolith responses of, 160, 150
- Eye
movements, vertical, operant conditioning without visual feedback, 169, 421
parietal, second class of neurons in retinas, 168, 615
- F
- Facial afferents in blink reflex, 161, 347
- Facial lobe, tactile input to, of carp, 177, 479
- Facial nerve regeneration, effects of morphine, 175, 315
- Facial nucleus
incorporation of L-lysine, effect of morphine, 171, 307
midbrain projections to, 168, 493
- Fascia dentata, high affinity choline uptake, ACh synthesis and, 163, 263
lesion-induced plasticity of, 164, 207
- Fastigial nucleus, projections on ventralis lateralis thalamic nucleus, 168, 169
- Fear, NA and, 165, 47
- Feeding behavior, changes by VMH-procainization, 174, 184
- Feeding suppression
characterization of perifornical hypothalamic DA receptors, 172, 115
by DA and epinephrine-sensitive brain sites, 172, 101
- D-Fenfluramine, PRL-releasing action, effect of midbrain raphe lesion on 5,7-DHT, 174, 71
- Fetal brain, morphological differentiation of, 160, 117
- Fibers, group Ib, inhibition in humans, 166, 176
- Field potential responses, augmented in olfactory bulb, 163, 21
- Filum terminale, morphology and uptake of GABA, 172, 259
- Firing patterns

- of forebrain neurons, 165, 23
 - non-burst, in chronic epileptic foci, 169, 173
 - Firing rate**
 - behavior of human motor units during isometric voluntary contractions, 171, 349
 - in limbic system, effects of morphine, diazepam, and neuroleptic agents, 166, 149
 - Firing repetitive model, with dendritic Ca conductance reproducing, in neocortical pyramidal cells, 173, 243**
 - Fixed Ratio schedules, instrumental learning on, 161, 356**
 - Flocculus**
 - contralateral optic activities to, 172, 393
 - olivocerebellar projections to, 161, 389
 - Flunitrazepam binding to differentiating cerebral cells, 177, 418**
 - Fluorescence**
 - β -adrenergic blocker probes, 160, 533
 - glyoxylic acid-induced, brain stem catecholaminergic neurons, 160, 353
 - histochemical, of indoleaminergic cell component of LC, 168, 43
 - retrograde double-labeling
 - cells of projections of caudate-putamen complex, 169, 381
 - efferent projections of substantia nigra, 174, 1
 - transmitter-specific, spinal cord projection from A11 DA cell group, 177, 170
 - Flux discrimination, luminous, deficits in and lesions of superior colliculus-pretectum, 173, 217**
 - Forebrain**
 - basal**
 - AChE and ChAT in projections from, to amygdaloid complex, 165, 271
 - facilitation of reflex swallowing in cat, 174, 119
 - GAD, ChAT distribution in, 177, 325
 - bundle, medial, stimulation and interactions of septal-evoked responses, 172, 439
 - estrogen target cells in, 170, 43
 - neurons, spontaneous firing patterns of, 165, 23
 - Forelimb**
 - coordination, relationship to movement asymmetries, 164, 352
 - distal, double representation in motor cortex, 167, 412
 - Fornix**
 - origin in squirrel monkey, 160, 401
 - stimulation, interactions of septal-evoked responses to, 172, 439
 - Freeze-fracture, study of blood-brain barrier, 169, 221**
 - Frontal eye fields and superior colliculus, stimulation of, 179, 162**
 - Frontal lobe inputs to motor cortex, 'premotor' areas, 177, 176**
 - Frontal polysensory cortex (see under Cortex)**
 - Fucose, axonal transport and metabolism of, in visual system, 176, 255**
 - Fusimotor action on response of spindle primary endings to sinusoidal stretches, 169, 45**
 - Fusimotor axons, skeleton, histophysiological observations on, 164, 53**
 - Fusimotor neurons, dynamic, of triceps surae, excitation, 160, 529**
 - Fusimotor static and dynamic interaction in muscle spindle, 173, 21**
- G**
- GABA (see γ -Aminobutyric acid)**
 - β -Galactosidase activity in neurons, astroglia and oligodendroglia, 161, 179**
 - Gastrin, in human CSF, 176, 189**
 - Gastrointestinal quinacrine-binding nerves, 166, 121**
 - Geniculate nucleus, lateral (see Lateral geniculate n.)**
 - Gigantocellular reticular nucleus, cardioinhibitory mechanism, 178, 221**
 - Gill withdrawal response, L_7 modulation of L_7 elicited in Aplysia, 163, 207**
 - Glia**
 - GABA release, effects of veratridine and K depolarization, 167, 337
 - glutaminase, glutamine synthetase activities in, 160, 539
 - maturation factor, increase in cGMP in glioblasts, 166, 436
 - Glial cells**
 - carbonic anhydrase C, specific localization, 160, 47
 - cell-type-specific markers for distinguishing classes of, 174, 283
 - L-glutamate and taurine, high affinity uptake in, 166, 113
 - in hippocampal slice, recordings from, 161, 533
 - incorporation of [3 H] leucine into, 172, 521
 - preparation, filum terminale of frog spinal cord, 172, 259
 - (Na^+-K^+)-ATPase, kinetic properties of, 165, 87
 - Glial fibrillary acidic protein, localization, 170, 392**
 - Glial particles, properties, in P_2 -fractions of cerebral cortex, 170, 203**
 - Glioma cells**
 - cultured, lithium ion accumulation by, 171, 365
 - G26, from, GFA protein in, 163, 353
 - tubulin microheterogeneity in, 171, 171
 - Globus pallidus**
 - DAergic innervation of, 172, 169
 - frontal cortical ablations, effects on firing of, 165, 23
 - effects of interruption of nigrostriatal pathway and DAergic agents on, 178, 425
 - internal segment, role in execution of goal-directed movement, 175, 362
 - ventral, GAD and ChAT distribution in, 177, 325
 - Glomus cells, carotid body, voltage noise of,**

- 167, 189
- Glucocorticoids**
 binding protein of in brain cytosol, 179, 181
 hippocampal enzyme activity and, 166, 172
 modulation of protein metabolism in hippocampal slices, 165, 37
- Glucose**
 metabolism, local, in brain, effect of scopolamine, 177, 337
 as precursor for glutamate, 168, 513
- Glucose-6-phosphate dehydrogenase**
 in muscle, changes after denervation, 177, 145
 neurotrophic regulation and, 170, 572
 prenatal development in human brain, 176, 180
- Glutamate**
 alterations in uptake and metabolism and thiamine deficiency, 171, 489
 as CNS transmitter
 evaluation of glucose and glutamine as precursors for, 168, 513
 regulation of synthesis in releasable pool, 168, 531
 potential, effect of Con A at neuromuscular junction, 161, 493
 receptor types on junctional membrane of locust muscle fibers, 171, 360
 release from corticostriatal terminals in vitro, 176, 185
 spinal motoneurone, sensitivity to, 160, 95
 synaptic depolarization in Purkinje cells, 170, 377
 transport in cloned cell lines from CNS, 167, 210
 uptake in astrocytes, 177, 407
 uptake in glial and neuroblastoma cells, 166, 113
- Glutamic acid**, release from cochlear n. slices, 162, 338
- Glutamic acid decarboxylase**
 activity in chick embryo neuroretinas, 162, 179
 alteration in, after herpes simplex inoculation in neostriatum, 169, 401
 distribution and origin in ventral pallidum and basal forebrain regions, 177, 325
 in olfactory tubercle, effects of olfactory bulb removal, 177, 200, 178, 185
- Glutaminase activity** in synaptosomes, glia and neurons, 160, 539
- Glutamine as precursor for glutamate**, 168, 513
- Glutamine synthetase**
 activity in synaptosomes, glia, neurons, 160, 539
 structural localization in astrocytes of brain, 161, 303
- Glycemia**, changes by VMH-procainization, 174, 184
- Glycine**
 effects on neuronal response patterns in cochlear nucleus, 172, 179
 spinal motoneurons, sensitivity, 160, 95
 symmetric bilateral changes in DA release from caudate n., 175, 259
- Glycogen synthesis in liver**, regulation by hypothalamic neurons, 163, 253
- Glycolipid hydrolases**, activity in neurons and astroglia and oligodendroglia, 161, 179
- Glycoprotein**
 composition of synaptic functions, 168, 151
 synaptic membrane of, reaction with lectins, 165, 283
 synaptosomal, passive avoidance training and, 179, 343
 synaptosomal, turnover and molecular weight, 179, 329
- Golgi-EM method**, striatonigral neuron characterization, 178, 3
- Golgi-impregnated**
 neurons in cortical barrels, vibrissae damage and, 161, 143
 substantia nigra, small local circuit neurons in, 172, 160
- Golgi study of primary afferent complexes in laminae II, III**, 166, 161
- Gonadotropins**, serum
 blockade by 6-OHDA intrahypothalamic implant, 170, 475
 neuroregulation, reversible action of N-methylaspartate on, 176, 165
 release, effects of cholecystokinin on, 172, 295
- GO-NO GO schedules**, instrumental learning on, 161, 356
- Granule cells**
 activity during learning, 169, 29
 output, temporodentate pathway activation, 162, 21
- Gravity receptor systems of statocysts of cephalopods**, 160, 261
- Group Ib fibers**, inhibition in humans, 166, 176
- Growth hormone**
 failure to influence naloxone, 168, 210
 release, effect of cholecystokinin, 172, 295
- Guanylate cyclase activity** increase after kainic acid lesion of striatum, 171, 567
- Gyri**, impressions of, in skull, as guide to cortical topography, 160, 505
- ## H
- Habenular nuclei**, cholinergic projections from septa-diagonal band area, 176, 391
- Habenular projections**, data on, 168, 375
- Habenulo-interpeduncular pathway stimulation**, ACh release and, 164, 334
- Habituation**
 acoustic, comparison of acoustic nerve and cochlear nerve responses, 173, 562
 monosynaptic in frog spinal cord, 174, 329
 patterns of, to electrical stimulation of cerebral cortex, 173, 557
- Habituation-like changes in transmission in temporodentate pathway**, 162, 21
- Hair cell polarization in gravity receptor system**, 160, 261
- Hallucinogens**, interaction with DA-sensitive AC in

- brain, 162, 77
- Haloperidol
 - 3,4-dihydroxyphenylacetic acid increase in substantia nigra, 175, 178
 - enkephalin biosynthesis, acceleration of, 160, 192
 - induced alteration of DA release and, 179, 165
 - induced changes in striatal DA turnover, effects of PCPA, 164, 217
- Heart, of Aplysia, cAMP mediation of effect of 5-HT, 177, 388
- Heat stress, PRL and ACTH secretion after, 178, 459
- Hemiballism, experimental by unilateral kainic acid lesions in corpus Luysii, 171, 577
- Herpes simplex inoculation in neostriatum, alteration in TH, GAD, ChAT, 169, 401
- Hexokinase, brain, binding potential to mitochondrial membrane, 175, 169
- Hexose uptake in ganglionic cells, Na dependence of NGF, 172, 303
- Hibernation and cerebral serotonin, 170, 387
- Hippocampal formation
 - anatomical correlates of rhythmical slow wave activity in, 161, 199
 - cholinergic binding sites in, 166, 245
 - in vitro, effects of acidic amino acid antagonists, 164, 177
 - specificity of reactive synaptogenesis, 170, 427
 - synapses as associative memory elements, 175, 233
- Hippocampus
 - ACh receptors in, 160, 363
 - acute dendrotoxic changes in, 176, 91
 - CA1 region of, orthodromic activation of, 176, 49
 - CA3 pyramidal cells, recordings during repetitive activation of mossy fibers, 168, 377
 - cell generation in, and undernutrition, 168, 186
 - dissociated cultures of
 - electrophysiology of, 169, 247
 - morphology of, 169, 231
 - EEG of, effects of median raphe lesions, 163, 223
 - enzyme activity in, and glucocorticoids, 166, 172
 - explants of, innervation by central catecholaminergic neurons, 161, 431
 - hypothalamic connection, inhibitory monosynaptic, 162, 137
 - IPSPs, blocked by penicillin, 168, 205
 - lesions, differences between excitotoxic properties of acidic amino acids, 175, 366
 - long-term potentiation, and extracellular Ca concentrations, 169, 103
 - neurons
 - specific and non-specific actions of opioids on, 163, 295
 - spontaneous miniature synaptic potentials in, 177, 194
 - penicillin-induced epileptogenic foci, 172, 35
 - plasticity, neuronal, recorded from, 163, 339
 - pyramidal cells of, IPSPs in dendrites, 175, 59
 - slices
 - depressive effect of adenosine on evoked potentials, 172, 186
 - glucocorticoid modulation of protein metabolism in, 165, 37
 - recordings from presumed glial cells in, 161, 533
 - slow-wave potentials during behavior, 161, 211
 - stimulation-dependent release of transmitters from, 160, 372
 - synaptosomes, ACh release, effect of somatostatin, 165, 166
 - transmitter role of DA in, 165, 161
 - transneuronal transfer of adenosine and 5'-nucleotidase activity, 168, 419
 - transplants in oculo, excitatory response to opioid peptides in, 176, 135
 - valproate action on single neurons in, 171, 182
 - ventral, commissural system, functional analysis of, 167, 168
- Histamine
 - cerebral microvessels, association with, 168, 323
 - receptors, membrane hyperpolarization and, 162, 281
- Histofluorescent study
 - of kainic acid-induced neurotoxicity in striatum, 169, 513
 - spike activity in giant DA neurons and, 170, 231
- D,L-Homocysteine induced seizures and cerebral activity, 179, 129
- Homovanillic levels in primate ventricular CSF after amphetamine, 167, 206
- Horizontal canal input to extraocular motoneurons, 177, 231
- Hormone activity changes, of single neurosecretory cell bodies, 161, 459
- Horseradish peroxidase
 - anterograde transport, cerebello-pulvinar projections by, 171, 131
 - application of coupled oxidation method to EM demonstration of, cobalt-glucose oxidase method, 175, 341
- axonal transport, retrograde
 - afferent and efferent connections of parabigeminal n., 161, 187
 - afferents and efferents of ventral tegmental-A10 region, 178, 17
 - cells of origin of spinocerebellar tract, 173, 185
 - to identify origin of fornix system, 160, 401
 - neurons in LGN, 178, 213
 - olivocerebellar projections to flocculus, paraflocculus mapping, 161, 389
 - spino-olivary neurons in lumbo-sacral cord, 168, 176
 - trigeminal n. caudalis, neurons of, 166,

- 391
- axon trajectories of Renshaw cells in lumbar spinal cord, 167, 157
- cortex synaptic vesicle uptake, penicillin effect on, 161, 361
- in dual projections of single neurons, 165, 321
- effluent projections of parabigeminal n., 168, 1
- group Ia afferents on α -motoneurons, 160, 347
- histochemistry, brain stem catecholaminergic neuron, 160, 353
- iontophoretic labeling of cultured Purkinje cells, 173, 527
- labeling by injection through implanted cannula, method to avoid diffusion into injured fibers, 168, 221
- LGN organization in *Galago senegalensis*, 174, 193
- localization of lumbar epaxial motoneurons, 170, 23
- oculomotor n. afferents demonstration, 160, 1
- organization in medullary reticulospinal systems, 174, 161
- origin of descending afferents to rostral part of dorsal cap of inferior olive, 172, 393
- origins of reticulospinal tracts, and funicular trajectories, 173, 383
- pellets and slow-release gels, techniques using, 168, 595
- preganglionic fibers projecting to superior cervical ganglion and inferior mesenteric ganglion, 172, 139
- projections
- afferent, to attack sites in pontine tegmentum, 164, 103
 - from vestibular n. to inferior olive, 165, 189
- properties of stalked cells of substantia gelatinosa, 164, 285
- removal of, identification of cochlear n. projection, 177, 165
- sensory afferents to cerebellar auricle, 168, 619
- spinal axon collaterals in corticospinal neurons, 164, 279
- spinal projections from lower brain stem, 176, 215
- tegmentoreticular projections, 176, 233
- terminal primary axonal arborization in layer II of substantia gelatinosa of Rolando, 175, 335
- thalamic projections
- to feline motor cortex, 172, 209
 - from lateral reticular n., 168, 609
- Hunger, lateralized, ipsilateral attenuation of CSD-induced, feeding, 160, 327
- Huntington's chorea
- benzodiazepine receptor alterations, 165, 183
 - distribution of VIP, 173, 174
- 6-Hydroxydopamine
- age-dependent effects on locomotor activity, 164, 195
 - blockade of progesterone induced increase of LH-RH and serum gonadotrophins, 170, 475
- dissociation of active from immobility components of sexual behavior by, 172, 505
- distribution of hypertrophied LC projections to cerebellum after, 172, 23
- effect on
- clonic convulsion in maximal electroshock seizure, 169, 189
 - distribution of TH, DBH, NA, 168, 331
 - NAergic and DAergic innervation of cerebral cortex, 166, 309
- intracerebral, somatosensory inattention and, 177, 311
- intraventricular
- effects on central monoaminergic innervation, 160, 461
 - effects on sleep-waking cycles, 160, 445
- lesions of substantia nigra, neglect compensation, 167, 139
- neonatal treatment, NA, DBH, TH development, 166, 293
- NA depletion by, seizure sensitivity, 166, 418
- into substantia nigra, CSD-induced feeding, 160, 327
- 5-Hydroxyindoleacetic acid, brain and spinal, changes in levels after morphine administration, 175, 291
- Hydroxyindole-O-methyltransferase, control by retinohypothalamic tract, 174, 245
- 5-Hydroxytryptamine (see Serotonin)
- 5-Hydroxytryptophan
- failure to increase lumbar MSR amplitude with EAE, 177, 157
 - increase of motor activity by, 169, 393
- Hyperflexion by cooling of cerebellar intermediate cortex, 166, 405
- Hyperglycemia, effect on brain capillary permeability, 170, 509
- Hyperglycemic response prevention by phenolamine or adrenalectomy, 173, 350
- Hyperosmolality, brain amino acids, ammonia and idiogenic osmoles elevation, 161, 293
- Hyperpolarization, membrane, by histamine receptors, 162, 281
- Hyperstriatal neurones, electrophysiological effects of visual experience on, 162, 142
- Hyperstriatum accessorium, morphological effects of visual experience, 162, 148
- Hypertension
- experimental and catecholamine distribution in brain, 171, 101
 - renovascular, development, TH and PNMT activities, 163, 277
 - spontaneous, effects on PNMT inhibitor, adrenaline levels, 166, 283
 - spontaneous, PNMT and DBH in, 162, 184
 - spontaneous, pressor effects of intracisternal sodium ions, 169, 605
 - in spontaneously hypertensive rats, despite dorsolateral funicular lesions, 167, 402
- Hypertension-induced analgesia, changes in pain sensitivity, 160, 170
- Hypertensive response by cholinergic mechanism

- in posterior hypothalamic n., 165, 295
 - Hypertonicity, modification of perineurium permeability to sucrose by, 173, 503
 - Hypervolemia, protein movement across blood-brain barrier, 169, 610
 - Hypoglossal nucleus
 - midbrain projections to, 168, 493
 - somatotopic organization of, 170, 533
 - Hypoglycemia, effect on protein synthesis in brain, 161, 481
 - Hypokalemia, CNS effect on muscle Na/K pump, 178, 175
 - Hypothalamo-hippocampal connection, 162, 137
 - Hypothalamo-neurohypophyseal axons, action of GABA, 171, 453
 - Hypothalamo-neurohypophyseal tract, antidromic compound action potential of, 171, 437
 - Hypothalamus
 - α -, β -receptors, changes in with precocious puberty, 167, 195
 - catecholamine synthesizing enzymes in, 163, 277
 - central grey and medial stimulation, correlation between escape behavior and unit activity, 170, 459
 - cholinergic influence on catecholaminergic pathways, 173, 47
 - circadian rhythms of 5-HT in, effects of photoperiods, 176, 311
 - deafferentations
 - frontal and ovulation, 169, 155
 - origin of vasoactive intestinal peptide, 165, 79
 - dehydration induced changes in vasopressin, 169, 585
 - DA levels and aggression, 166, 211, 171, 381
 - effects of testosterone on unit activity in, 172, 165
 - electrical stimulation, sexual behavior elicited, 177, 127
 - estrogen-induced efflux of catecholamines, 178, 499
 - hemi-islands, effect on compensatory adrenal growth, 162, 33
 - incorporation of leucine into, 172, 521
 - lateral
 - damage, recovery from akinesia by, 164, 237
 - latency of activation of neurons in, during feeding, 164, 121
 - lesions of, sensory neglect, after, 178, 329
 - localization of DBH in, 162, 55
 - LH-RH-degrading activity localization in, 174, 221
 - medial basal, effect of PRL on DA synthesis, 160, 431
 - medial, influence of midbrain stimulation on excitability of neurons, 174, 39
 - neurons in long-term culture, phasic firing, 177, 95
 - neurons in metabolic control, chemical coding, 163, 253
 - NAergic receptors, radioligand binding studies, during estrous cycle, 168, 652
 - nuclei, serotonergic innervation of, 162, 45
 - perifornical lateral, characterization of DA receptors, and feeding suppression, 172, 115
 - posterior, cholinergic mechanism in, hypertensive response, 165, 295
 - potentials evoked by optic chiasma stimulation, 177, 593
 - reinforcing site of morphine, 168, 351
 - 5-HT-accumulating nerve cell group in, 160, 231
 - synaptosome-enriched fractions of, release of immunoreactive α -MSH, 175, 247
 - TRH immunoreactivity in, 171, 161
 - trace elements in, sex-related and cyclic variation, 171, 503
 - ventromedial, procainization and changes in insulinemia, glycemia, feeding behavior, 174, 184
 - Hypothyroidism, cerebral cortex maturation and, 162, 315
 - Hypoxia^a cerebral, effect on protein synthesis, 161, 481
- I**
- Imipramine, effect on α -, β -receptor binding, 160, 186
 - Immune lesions of central NAergic neurons, 173, 65
 - Immunoization against 2.5S NGF, effects on PNS, 176, 79
 - Immunochemical studies on demyelinating serum factor, 160, 489
 - Immunocytochemical method, localization of DBH, 162, 55
 - Immunohistochemical
 - demonstration of COMT in brain, 167, 241
 - localization of enkephalins in median eminence and adenohypophysis, 168, 457
 - mapping
 - of enkephalin in brain stem, 166, 75
 - neurotension in brain stem, 167, 77
 - method, carbonic anhydrase C, localization, 160, 47
 - TH in human brain, 165, 333
 - Immunoperoxidase technique, carbonic anhydrase C, localization, 160, 47
 - Imprinting
 - autoradiography of chick brain after, 168, 361
 - metabolic mapping of chick brain after 2-DG, 172, 539
 - Indoleaminergic cell component in LC, description, 168, 43
 - Indoleaminergic pathway, bulbo-spinal, 172, 277
 - Inferior olive
 - cardioinhibitory mechanism around, 177, 373
 - projection from vestibular nuclei to, 165, 189
 - rostral part of dorsal cap of, descending afferents, 172, 393

- Inferior pulvinar projections to primary visual cortex, 167, 19
- Inferior temporal cortex, role in interhemispheric transfer, 167, 259
- Infrared and tactile units in sensory trigeminal system, 170, 372
- Inhibitory neurons, reciprocal axo-axonal synapses with excitatory neurons, 174, 324
- Inhibitory postsynaptic potentials
in dendrites, significance in hippocampal pyramidal cells, 175, 59
disynaptic, in relay-cells of thalamic ventro-basal n. complex, 163, 171
hippocampal, blocked by penicillin, 168, 205
lingually induced in masseteric motoneurons, 168, 648
- Inhibitory responses, ipsilateral, in cat lateral superior olive, 177, 189
- Initial segment, axon, neurons, new with, 163, 151
- Injury, relationship of Schwann cell migration in vitro to, 169, 443
- Innervation, lack of peripheral transmedian, in mandibular canine teeth, 179, 362
- Input signal transients, frequency coding, 160, 155
- Inspiratory neurons, dorsal, excitability changes of, 161, 25
- Inspiratory neuronal region of ventrolateral n. of tractus solitarius, 171, 135
- Insulin, plasma, effects of electrical stimulation of hepatic vagus nerve on, 164, 314
- Insulinemia changes by VMH-procainization, 174, 184
- Intercellular junctions in *Manduca sexta*, 168, 227
- Interhemispheric transfer
of brightness and movement discrimination, 163, 61
role of inferior temporal cortex in, 167, 259
- Interictal spike, spontaneous, discharge at hippocampal penicillin foci, 172, 35
- Intermediolateral cell column
bulbospinal projections to, 170, 165
projections from A5 catecholamine cell group to, 174, 309
- Interocular transfer of pattern discrimination learning, 171, 339
- Interpeduncular nucleus
ACh release in, 164, 334
effects of substance P, 176, 395
- Interpositus nucleus
direct afferents to, triggering movement, 177, 367
sensitivity of, to neck afferent stimulation, 168, 180
- Interstitiospinal tract, excitation of neck flexor motoneurons by, 160, 358
- Intertectal crossing of optic axons after tectal fusion, 178, 99
- Intracranial electrical stimulation, excitation-modulation by anodal pulses, 168, 638
- Intralaminar nuclei, third ascending vestibular pathway and, 171, 523
- Intranasal irrigation with mitotic inhibitors, effects on olfactory behavior, 168, 31
- Intraneuronal labels, two different and compatible, for synaptically related cells, 173, 201
- Intraspinal sympathetic preganglionic pathway, 162, 13
- Iodinated binding probe for muscarinic cholinergic receptor, 168, 261
- Ionophores, cationic, effect on synthesis and release of 5-HT, 172, 461
- Iontophoresis
amino acids, neuronal responses to, 161, 549
of LSD, effects on visual cortex neurons, 161, 167
point source, diffusion from in brain, 169, 580
of trace amines in CNS, 164, 347
- Iris innervation, development, superior cervical ganglion decentralization, 168, 13
- Isocitrate dehydrogenase, prenatal development in human brain, 176, 180
- Isthmo optic nucleus, embryonic cell death in, reduction, 178, 403
- ## J
- Jaw-opening motoneurons, PSPs in, 163, 161
- Jaw-opening muscles, differentiation of tension receptors of, 171, 142
- Jaw-opening reflex, NRGc in morphine suppression of, 160, 377
- Joint afferents
contralateral, excitation of dynamic fusimotor neurons to triceps surae, 160, 529
convergence, onto cuneate n., 175, 347
- Joint cells in cuneate and external cuneate n., 167, 385
- Junctional membrane, L-glutamate receptors in, 171, 360
- ## K
- Kainic acid
 β -adrenergic receptors in striatum, 178, 589
alteration of amino acids in neostriatum, 167, 107
effects on amino acid neurotransmitters in cerebellum, 167, 345
intra-amygdaloid, and repetitive generalized convulsive seizures, 163, 176
intra-striatal, selectivity of neuronal degeneration, 177, 577
neostriatum lesions, effects of taurine on, 161, 367
neostriatum susceptibility to damage by, age dependence, 176, 192
neurotoxicity
strain differences and, 166, 431
in striatum, 169, 513
preservation of trapezoid body fibers, 173, 156
reduction of benzodiazepine binding sites,

- 170, 563
- resistance of sensory cells of mesencephalic trigeminal n., 172, 552
- rotational behavior and, behavioral model for studies on intact DA receptors, 170, 485
- secondary epileptogenic lesions after, 165, 362
- striata, injections into, RNA and protein synthesis in, 163, 289
- striatal lesions, guanylate cyclase activity increase, 171, 567
- toxic effects on cerebellum in tissue culture, 161, 253
- treatment, acute dendrotoxic changes in hippocampus, 176, 91
- unilateral lesions, in corpus Luysii and experimental hemiballism, 171, 577
- Ketamine-induced rotation, interaction with naloxone, 172, 191
- Kindling
 - influences of pituitary-adrenal hormones on, 169, 303
 - muscarinic cholinergic regulation of epileptic spiking, 178, 117
- L
- Laminae
 - I-III
 - ameboid receptive fields of cells in, 177, 376
 - in spinal neurons, neurotension excitation, 169, 600
 - II, III
 - primary afferent complexes in, 166, 161
 - responses of single units in, 160, 245
 - V neurons, nociceptive response of, inhibition by enkephalins and NA, 177, 384
 - IX, X, bulbospinal projections to, 170, 165
 - projections to, in dorsal cochlear n., 160, 131
- Laminar organization, terminations of cortical connections of occipital lobe and, 179, 3
- Laminar origins from superficial layers of superior colliculus, 173, 1
- Lampreys
 - central projections of eighth cranial nerve, 167, 163
 - primary trigeminal projections, 163, 323
 - spinal cord maps of identified neurons in, 163, 181
- Lanthanum in neuromuscular junctions in tissue culture, 167, 379
- Lateral geniculate body, laminar organization of, 170, 538
- Lateral geniculate nucleus
 - binocular interaction in, 168, 633
 - cytoplasmic laminated bodies, lack of, 168, 623
 - dorsal
 - projections of, comparison with inferior pulvinar and adjacent lateral pulvinar to visual cortex, 167, 19
 - slices, presence and nature of inhibition in, 168, 388
 - EM study of neurons in, 178, 213
 - filamentous contacts containing subjunctional dense lattice and tubular smooth endoplasmic reticulum, 177, 49
 - interneurons, proportion of, 164, 304
 - monocular deafferentation of, activity, 166, 259
 - neuronal activity during conditioned appetitive behavior, 166, 9
 - organization of, in *Galago senegalensis*, 174, 193
 - response properties of units in, 167, 281
 - ventral
 - denervation supersensitivity to 5-HT, 178, 479
 - study of efferent projection, 170, 349
 - third ascending vestibular pathway and, 171, 523
- Lateral neural connections of medial preoptic area, effect of transection on maternal behavior, 169, 369
- Lateral reticular nucleus, thalamic projections from, 168, 609
- Lateral terminal nucleus of accessory optic tract, 177, 461
- Latero posterior nucleus, projections to three lateral peristriate areas, 173, 137
- Learning
 - activity of dentate granule cells during, 169, 29
 - associative (see Associative learning)
 - avoidance, NA and, 161, 321
 - discrimination (see Discrimination learning)
 - instrumental on Fixed Ratio and GO-NO GO schedules, 161, 356
 - pattern discrimination, lack of interocular transfer of, 171, 339
- Lecithin synthesis from phosphatidylethanolamine, 179, 319
- Lectins, synaptic membrane glycoproteins, reaction with, 165, 283
- Leech, medicinal, neuronal changes related to behavior, 167, 215
- Leucine
 - analogous, of human β -endorphin, characterization, 165, 311
 - anterograde transport method, 178, 17
 - enkephalin (see Enkephalin, leucine)
 - incorporation into hypothalamic nerve and glial cells, 172, 521
- Light
 - effect of PCPA and 5,6-DHT on circadian rhythms, 169, 531
 - emission, effect of TEA on, 169, 91
 - response of pineal S-NAT to, 167, 431
- Lighting
 - effect of maturation of neural elements controlling biorhythm of sleep, wakefulness and paradoxical sleep, 166, 359
 - environmental, cyclic changes in, effect on melatonin excretion, 163, 111
- Limb

- mechanical properties and human arm movement, 162, 366
 - movements
 - function of caudate neurons during, 173, 489
 - guidance, role of frontal polysensory cortex, 169, 183
 - Limbic system neurons unit activity, effects of morphine, diazepam, and neuroleptic agents, 166, 149
 - Lipid synthesis
 - effects of anti-white matter serum on, 173, 513
 - myelin (*see under* Myelin)
 - Lithium
 - accumulation by cultured glioma cells, 171, 365
 - effect on α , β -receptor binding, 160, 186
 - Lobules, V IV, effects of partial cooling of cerebellar cortex at, 160, 559
 - Locomotion
 - central, programming, 168, 57
 - evoked by brain stem stimulation, 177, 204
 - human, adaptation to speed in, 165, 177
 - interlimb co-ordination of changes by cooling of cerebellar intermediate cortex, 166, 405
 - motorneuronal control of, 179, 231
 - Locomotor activity
 - age-dependent effects of 6-OHDA, 164, 195
 - circadian rhythm, effects of PCPA and 5,6-DHT on, 169, 531
 - initiation by picrotoxin microinjections into ventral tegmental area, 161, 311
 - Locomotor rhythm, fictive, induced by DOPA, effects of Deiter's n. and medial longitudinal fasciculus stimulation, 177, 588
 - Locus coeruleus
 - brain NAergic neurons in, inhibition by blood volume load, 172, 174
 - DBH reduced rate of biosynthesis in, 160, 174
 - implants in and functional reinnervation of rat hippocampus, 170, 409
 - indoleaminergic cell component in, 168, 43
 - inhibition following anti- and orthodromic activation, 165, 343
 - localization of DBH in, 162, 55
 - observations on after dorsal tegmental bundle lesions, 166, 381
 - projection, hypertrophied, distribution to cerebellum after neonatal 6-OHDA, 172, 23
 - role in anxiety and agonistic behavior, 169, 411
 - role in decapitation convulsions, 177, 83
 - stimulation, decrease in 2-DG uptake in ipsilateral cerebral cortex, 172, 387
 - stimulation, NAergic metabolite levels in spinal cord increase, 166, 180
 - TH induction and retrograde transport absence with NGF, 168, 473
 - Long-term potentiation, hippocampal and Ca concentrations, 169, 103
 - Lordosis behavior, estrogen and progesterone
 - effective brain areas, neural networks, 169, 287
 - Lordosis reflex, medullary reticular formation lesions, 171, 334
 - Lumbar epaxial motoneurons, localization, 170, 23
 - Lumbo-sacral cord, spino-olivary neurons in, 168, 176
 - Lumbo-sacral spinothalamic neurons (*see* Spinothalamic, lumbo-sacral)
 - Lung inflations, excitability changes of dorsal inspiratory neurons during, 161, 25
 - Luteinizing hormone
 - peaks, catecholamines and prolactin, 179, 271
 - secretion by pars tuberalis, 166, 49
 - Luteinizing hormone-releasing hormone
 - degradation
 - enzymes in brain, 168, 553
 - subcellular distribution of brain peptidases, 166, 321
 - degrading activity in hypothalamus, localization of, 174, 221
 - hypothalamic blockade by 6-OHDA, 170, 475
 - inhibitory effects on neurons on organum vasculosum lamina terminalis, 169, 204
 - Lysergic acid diethylamide
 - interaction with DA-sensitive AC, 162, 77
 - iontophoresis of, effects on responses of single cortical neurons to visual stimulation, 161, 167
 - L-Lysine incorporation by facial n. neurons, effects of morphine treatment, 171, 307
- ## M
- Magnesium ions, effects on conduction and synaptic activity in isolated spinal cord, 177, 410
 - Malnutrition, rehabilitation following, body weight, brain size and cerebral cortex development, 169, 121
 - Mammalian brain (*see* Brain)
 - Manganese, effects on synaptic activity in motoneurons, 160, 524
 - Mannitol, permeability of blood-brain barrier to, 174, 109
 - Mauthner axon, rRNA in, 174, 95
 - Mauthner cell anterior VIII nerve excitability inputs to, 174, 319
 - Mauthner neuron, functional properties of afferents which synapse on, 176, 148
 - Maytansine treatment in vivo, neurofibrillary degeneration induction, 163, 9
 - Medial geniculate, separation of associative from non-associative latency changes in, 167, 129
 - Medial longitudinal fasciculus effects on timing of fictive locomotor rhythm induced by DOPA, 177, 588
 - Median eminence
 - enkephalins in, localization, 168, 457
 - lack of high affinity transport system for DA in, 171, 545

- Medulla, activity of reticular formation neurons in, 179, 49
- Medulla oblongata
- A1, A2 groups, NAergic neurons of, induction of TH, 176, 169
 - cardio-inhibitory mechanism in, 178, 221
- Medullary neurons, PSPs from, after CSN stimulation, 162, 261
- Medullary swallowing neurons, inputs from peripheral afferent fibers, 178, 567
- α -Melanocyte stimulating hormone
- distribution in brain, 178, 55
 - like immunoreactive peptides, 176, 101
 - release
 - inhibition in neurointermediate lobe, 171, 425
 - by synaptosome-enriched fraction of hypothalamic homogenates, 175, 247
- Melatonin
- excretion, effects of cyclic changes in environmental lighting, temperature on rhythm of, 163, 111
 - production, stimulation by taurine, 166, 65
- Membrane
- antigens, of brain, comparison, 168, 119
 - CNS cell, changes during early myelination, 171, 295
 - enzymes of PNS, distribution, 170, 123
 - potential, properties of primary astroglial cultures, 177, 533
- Memory consolidation
- effect of oxytocin and vasopressin on, 175, 303
 - of, by vasopressin, 172, 73
- Memory deficit, vasopressin deficiency, 162, 174
- Mesenteric ganglion, inferior, preganglionic fibers projection onto, spinal origin of, 172, 139
- Mesencephalic extero-lateral posterior n. of teleosts, 178, 179
- Mesolimbic DA neurons, collateral sprouting in, 160, 17
- Mesolimbic supersensitivity, evidence for, neuroleptic treatment and, 175, 49
- Mesolimbic system denervation supersensitivity and DA-stimulated AC, 173, 572
- Metabolism
- brain (*see* Brain, metabolism)
 - cerebral, effects of aging following bilateral carotid ligation, 170, 368
 - increase by visual stimulation in goldfish, 161, 55
 - oxidative
 - of brain, effects of age on, 165, 235
 - sustained potential shifts in spinal cord, 162, 113
- Methionine-enkephalin (*see* Enkephalin, methionine)
- 5-Methoxytryptamine occurrence in brain, 173, 79
- N-Methylaspartate, reversible action on gonadotrophin neuroregulation, 176, 165
- Methylazoxymethanol, effects of fetal treatment on neocortex, 170, 135
- Microiontophoretic study
- glutamate, glycine sensitivity of spinal motoneurons, 160, 95
 - role for biogenic amines in cerebral cortex, 160, 217
- Micturition centre, pontine, descending projections from, 172, 533
- Midbrain
- angiotensin binding and pressor activity, 166, 139
 - caudal, intracranial self-stimulation in relation to ascending NAergic systems, 177, 423
 - limbic area, peripheral auditory input to, 167, 1
 - projections to trigeminal, facial, and hypoglossal n., 168, 493
 - reticular formation lesion, effect of, on cholinergic innervation, 170, 113
 - stimulation, influence on excitability of neurons in medial hypothalamus, 174, 39
- Midpontine pretrigeminal vertical eye movements, operant conditioning, 169, 421
- Mitochondria
- heterogeneity, in fractionated cerebellum, 164, 153
 - membrane, binding potential of brain hexokinase to, 175, 169
- Mitosis inhibitors, intranasal irrigation with, 168, 31
- Mitral cell of olfactory bulb
- axon initial segment, 169, 570
 - response to odor, effect of drugs, 167, 180
 - synaptic excitation and long-lasting inhibition, 172, 155
- Molluscan neurons, biphasic ACh responses of, 167, 426
- Monoamine
- brain, effects of NGF on, 176, 297
 - in cerebral cortex, regional distribution, concentrations, and in vivo synthesis rates, 168, 133
 - neurotoxins, intraventricular, asymmetric action of, 174, 345
- Monoamine-independent rotation, saline-ascorbate intracerebral, 161, 371
- Monoamine oxidase
- brain, fetal development of, effects of maternal progesterone, 170, 194
 - type B activity towards β -phenylethylamine, distribution in hypothalamic n., 176, 175
- Monoaminergic innervation, central, effects of intraventricular administration of 6-OHDA, 160, 461
- Monoaminergic synapses in somatosensory cortex, 178, 69
- Monocular deafferentation of LGN, activity after, 166, 259
- Monocular deprivation, effect of, on dendritic spines in visual cortex, 161, 156
- Monocular lid sutures, effect on retinal X- and Y-cells, 172, 545
- Monocular paralysis and cortical ocular dominance, 164, 290
- Monocular stimulation, difference in autoradiographic patterns in striate cortex, 170, 353
- Monocular vision, inverted, ocular dominance

- prevention, 164, 294
- Monosynaptic habituation (*see* Habituation)
- Monosynaptic response, lumbar, failure of 5-HT to increase with EAE, 177, 157
- Morphine
- analgesia, role of n. raphe magnus, 170, 95
 - depressive effect on C fiber response of dorsal horn neurons, 176, 337
 - derivatives with diminished opiate receptor potency, enhanced central excitatory activity, 174, 263
 - development of tolerance to effects of, 176, 202
 - DA-stimulated AC of amygdala and, 160, 105
 - effects
 - on A, C fiber-evoked activity, 171, 573
 - on incorporation of L-lysine by facial n. neurons, 171, 307
 - on intracranial self-stimulation to brain stem loci, 168, 425
 - on process of facial nerve regeneration, 175, 315
 - on tryptophan and 5-hydroxyindoleacetic acid, 175, 291
 - on unit activity in limbic system, 166, 149
 - excitation of neurons of NRPG, 169, 406
 - long-term decrease in endorphin levels, 174, 357
 - nociceptive response, suppression by, 167, 417
 - in PAG, release of 5-HT, 171, 176
 - in the photosensitive baboon, 170, 333
 - positive reinforcing properties of, 168, 351
 - serotonin, NA, effect on antinociceptive effects of, 160, 180
 - suppression of JOR, NRCG in, 160, 377
 - tolerance and dependence, 162, 363
 - withdrawal syndrome, structures located within amygdaloid complex and striatum and, 177, 19
- Morphological differentiation of fetal brain, 160, 117
- Mossy fibers, repetitive activation, hippocampal CA3 pyramidal cell recordings, 168, 377
- Motoneurons
- alpha, frequency coding of input signal transients, 160, 155
 - amphibian, single-fiber EPSPs in, 160, 519
 - axotomy, neuronal regeneration, 178, 519
 - contraction of crayfish claw opener muscle in absence of, 162, 129
 - facial, excitation by 5-HT, 169, 11
 - group Ia
 - afferents on, HRP anatomy of, 160, 347
 - EPSPs, fluctuations in time on onset, 160, 514
 - horizontal canal input to, extraocular, 177, 231
 - jaw-opening PSPs in, 163, 161
 - long-lasting afterhyperpolarization, 172, 349
 - lumbar epaxial, localization of, 170, 23
 - lumbar, synaptic response to chemical algesic stimulation of skeletal muscle, 160, 549
 - masseteric, properties of lingually induced IPSPs in, 168, 648
 - medial rectus
 - ascending tract of Deiter's, head velocity signal to, 170, 172
 - axon collaterals of, 174, 153
 - of m. gastrocnemius medialis, rhythmic properties of, 160, 159
 - neck flexor, excitation by interstitiospinal tract, 160, 358
 - responsiveness of, in cockroach, 178, 600
 - somatic, cell groups, brain stem projections to, 171, 329
 - spinal
 - glutamate, glycine, sensitivity to, 160, 95
 - intracellular recording and identification method, 163, 328
 - spontaneous phagocytosis of C-type synaptic terminals by, 162, 189
 - synaptic activity of immature spinal cord in vitro, 160, 524
- Motor activity increase by 5-HTP below complete cord transection, 169, 393
- Motor area, supplementary activity during maintained precision grip, 172, 315
- Motor axon terminal sprouting in intact muscles, 170, 187
- Motor cortex (*see* Cortex, motor)
- Motor fibers, differential atrophy after section of peripheral nerves, 178, 347
- Motor units firing rates, during isometric voluntary contraction, 171, 349
- Mouse-killing, effect of dietary tryptophan on, 169, 139
- Movement(s)
- asymmetries and forelimb coordination, 164, 352
 - cervical control of, 169, 615
 - conditioned, of deafferented limb, activity of postcentral cortical neurons, 172, 427
 - discrimination, partial interocular transfer, 163, 61
 - eye (*see* Eye movements)
 - goal directed, and role of internal pallidal segment, 175, 362
 - human arm, dependence on limb mechanical properties, 162, 366
 - limb, function of caudate neurons during, 173, 489
 - triggering and direct afferents to interpositus n., 177, 367
 - voluntary (*see* Voluntary movement)
- Multiple sclerosis, immunochemical studies on demyelinating serum factor, 160, 489
- Multiterminal innervation, non-uniform density along single lobster muscle fiber, 160, 163
- Multiwire proportional chamber, axoplasmic transport in sciatic nerve, 161, 237
- Muricide, inhibition of, role of dorsal and median raphe n., 160, 341
- Muscarinic cholinergic receptors
- development, heterogeneity, and audiogenic seizure susceptibility, 162, 231

- iodinated binding probe for, 168, 261
 - levels, decrease by organophosphate, 174, 351
 - regulation of epileptic spiking in kindling, 178, 117
 - striatal
 - direct competition and indirect influences on, 171, 473
 - inhibition in vivo by cadmium, 168, 216
 - Muscarinic receptor binding and axotomy in sympathetic ganglia, 161, 560
 - Muscimol, GABA agonists and potential antagonists related to, 177, 395
 - Muscle
 - afferents, convergence, into cuneate neurons, 175, 347
 - developing, effects of innervation by ciliary ganglia on, 175, 87
 - extraocular, otolith responses, 160, 150
 - facial, tonic stretch reflexes in, 178, 311
 - fibers
 - locust, junctional membranes, L-glutamate receptors, 171, 360
 - motoneurons innervating in m. gastrocnemius medialis, 160, 159
 - multiterminal innervation, non-uniform density along, 160, 163
 - forearm, cross-connection, motor readjustment and input-output relationship of motor cortex and, 177, 566
 - G6PD changes after denervation, 177, 145
 - human arm, reflex response of, 170, 214
 - intact, motor axon terminal sprouting, 170, 187
 - mammalian,
 - activation, optimal motor patterns, 175, 372
 - cultured, agonist-action of neostigmine on ACh receptors, 172, 378
 - skeletal (*see* Skeletal muscles)
 - Na/K levels in hypokalemia CNS effects on, 178, 175
 - spindle
 - afferent nerve terminal, Ca-dependent regeneration, 175, 160
 - afferent responses during voluntary tracking, 166, 401
 - primary endings, fusimotor action on response of, 169, 45
 - striated, axolotl, regression of synapses, 173, 451
 - Myelin
 - anterior and posterior root, neuritogenic and chemical properties of, 171, 239
 - composition in spinal cord in culture and in vivo, developmental comparison, 167, 251, 175, 188
 - degradation in EAE, 169, 357
 - deposition in optic system, 164, 338
 - effects of anti-white matter serum on, in brain prism, 175, 513
 - effects of undernutrition and protein malnutrition on, 161, 227
 - lipid synthesis, stimulation in vitro by white matter antiserum, 172, 557
 - proteins in PNS, distribution, 170, 123
 - reactivation of P₂ protein activity from, 175, 387
 - relative synthesis in different brain regions, postnatal undernourishment, 162, 103
 - removal, purified Schwann cells preparation, 165, 119
 - Myelination (*see also* Dysmyelination)
 - early, phosphatidylcholine, changes in enzymatic activity in CNS cell membranes during, 171, 295
 - inhibition, antiserum induced in vitro without complement, 177, 105
 - Myelinogenesis, control of oligodendrocyte myelination by regenerating peripheral axons, 162, 273
 - Myenteric plexus
 - effect of endorphins on, 165, 57
 - enkephalin, mechanism and site of action, 165, 67
 - EPSPs in AH (type 2) neurons of, 163, 349
 - vasoactive intestinal polypeptide excites neurons of, 175, 174
- N
- Naloxone
 - effects on aversive trigeminal and thalamic stimulation and peripheral nociception, 178, 609
 - ECS, modification of effects, 177, 414
 - GH, PRL secretion, failure to influence, 168, 210
 - influence on analgesia by peripheral conditioning stimulation, 173, 295
 - influence on C fiber response of dorsal horn neurons and inhibitory control by raphe magnus stimulation, 176, 355
 - interaction with ketamine, 172, 191
 - in the photosensitive baboon, 170, 333
 - Narcotic microinjection, inhibition of spinal cord interneurons, 172, 243
 - Neck
 - afferent stimulation, sensitivity of interpositus neurons to, 168, 180
 - flexor motoneurons, excitation by interstitio-spinal tract, 160, 358
 - rotation, sinusoidal, frequency response of vestibulospinal neurons during, 173, 344
 - stimulation, neuronal responses to, in anterior suprasylvian gyrus, 165, 139
 - Neocortex
 - adult, effects of fetal treatment with methyl-azoxymethanol, 170, 135
 - circuitry, development of monoaminergic synapses of, 178, 69
 - epileptic foci in, spreading depression circulation, 173, 209
 - neonatal, estrogen binding, 178, 201
 - NAergic innervation, development, 162, 243
 - posterior, callosal terminals in, distribution, 176, 33
 - pyramidal cells, 173, 243

Neostigmine

- ACh release and, 178, 596
- agonist action of, on ACh receptors, 172, 378

Neostriatum

- amino acids in, alteration by kainic acid, 167, 107
- cholinergic dendrites in, neurotransmitter synthesis, binding, and release in, 170, 71
- herpes simplex inoculation in, 169, 401
- kainic acid-injected, protein, RNA synthesis, 163, 289
- kainic acid lesions, effects of taurine, 161, 367
- projections to
 - from arm areas of primary and supplementary motor cortices, 172, 150
 - from cat precruciate cortex, 170, 393
- slices, ACh synthesis in, 176, 401
- spiny neurons, projections to substantia nigra, Golgi-EM, 178, 3
- susceptibility to damage by kainic acid, age dependence, 176, 192

Nerve

- activity, effect on in vivo release of 5-HT, 169, 317
- VIIIth anterior, excitatory inputs to Mauthner cell properties and distribution, 174, 319
- ligation, analysis of fast axoplasmic transport in, 171, 41
- roots, spinal, human and bovine, study of, 177, 219
- stimulation, prolonged and Rosenblueth phenomenon, 179, 37
- terminal
 - afferent of muscle spindle, Ca-dependent regeneration in, 175, 160
 - proteins of visual relay n., 168, 97
 - sodium outflux and influx in, from chronic epileptogenic foci, 175, 71

Nerve growth factor

- accumulation in sympathetic neurons, reduction by reserpine, 178, 389
- action on 2-DG transport in DRG dissociates, 163, 89
- antiserum, retinal ganglion cell response to, 177, 35
- in CNS, absence of axonal transport and TH induction in LC and substantia nigra, 168, 473
- effects on D-amphetamine-induced activity and brain monoamines, 176, 297
- effect of increased levels of sympathetic ganglia, 177, 523
- in goldfish brain, pheochromocytoma cell assay, 162, 164
- immunization of adult rats against, effects on PNS, 176, 79
- immunoreactive sites in goldfish brain, 172, 561
- mediated increase of substance P of DRG, 170, 198
- polydipsia produced by ventral diencephalic application, 161, 351

- receptors, localization in cultured sympathetic neurons, 168, 602
- retinal ganglion cell response to, in regenerating visual system, 171, 197

retrograde transport, effect of drugs on, 171, 461

sodium dependence of, regulated hexose uptake, 172, 303

Nervous mutants, fate of presynaptic afferents to Purkinje cells in, 175, 11

Nest building, effects of transecting neural connections of medial POA, 169, 369

Network interactions, single cell isolation, 179, 219

Neural oscillation, 179, 207

Neural systems, interaction, control of nutritional balance, 161, 411

Neuroanatomical organization in CNS of genetically obese mice, 165, 249

Neuroblastoma**cells**

compartments of tubulin and tubulin-like proteins in, 174, 135

L-glutamate and taurine, high affinity uptake in, 166, 113

NBD-2 translocation of protein kinase into n., TH induction, 171, 481

tubulin microheterogeneity, 171, 171

Neurofibrillary degeneration after treatment with maytansine, 163, 9

Neurofilaments

characterization in experimental neurofibrillary degeneration, 163, 235

peripheral nerve, Ca-induced disruption, 168, 299

Neurogenesis in amygdaloid n. complex, 165, 348

Neurohypophyseal hormones, neuropeptides related to, 172, 367

Neurohypophysis

autoimmune alterations in, after immunization against vasopressin, 177, 265

in vitro GABA transport in, 174, 341

Neurointermediate lobe, MSH-release inhibiting elements in, identification, 171, 425

Neuroleptic agents, effects on unit activity of limbic system neurons, 166, 149

Neuroleptic receptors, localization of spiperone, 169, 1

Neuroleptic treatment, chronic, enhancement of self-stimulation, 175, 49

Neuromuscular junction

development of presynaptic function and structure, 167, 379

effect of phenytoin on transmitter release, 160, 479

EJPs and glutamate potentials at, difference between, 161, 493

transmitter release at, depression by Ca, 169, 111

Neuromuscular terminals, correlation between presynaptic dense bodies and transmitter output, 161, 377

Neuronal changes related to behavior changes,

- 167, 215
- Neuronal perikarya, isolation and lipid composition, 169, 65
- Neuronal stimulation effects on extracellular K^+ , Ca^{2+} levels in sympathetic ganglia, 160, 544
- Neuro-neuronal synapses, peptide-containing vesicles within, 169, 55
- Neuronotrophic factors, cholinergic, survival, neutrite outgrowth and ChAT activity, 173, 29
- Neurons
- AH (type 2) of myenteric plexus, 163, 349
 - GABA release, effects of veratridine and potassium depolarization, 167, 337
 - cell-type-specific markers for distinguishing and studying, 174, 283
 - cortical, relationships of dendritic growth and ontogeny of reflex control, 179, 21
 - degeneration
 - intrastratial kainic acid and, 177, 577
 - selective, by cobalt ions, 177, 214
 - glutaminase and glutamine synthetase activity in, 160, 539
 - glycolipid hydrolase activities in, 161, 179
 - latency of activation in lateral hypothalamus and substantia innominata, 164, 121
 - layer V, quantitative comparison of spines in, 179, 385
 - medullary (see Medullary neurons)
 - molluscan
 - biphasic ACh responses, 167, 426
 - K-dependent ACh current in, 171, 355
 - NAergic, immune lesions produced by antibodies to DBH, 173, 65
 - regeneration
 - after motoneuron axotomy, 178, 519
 - through preformed tissue space, 178, 573
 - repetitively firing, current-voltage curves, 164, 69
 - in sea lamprey spinal cord, variability in maps, 163, 181
 - single, dual projections of, visualization simultaneously, 165, 321
- Neurophysins infundibular localization, corticotrope function and, 168, 275
- Neurophysin vesicles in neuro-neuronal synapses, 169, 55
- Neuroregulation, gonadotrophin reversible action of N-methyl-aspartate on, 176, 165
- Neuroretinas, chick embryo, uptake of GABA, GAD activity in, 162, 179
- Neurosecretory cell bodies, single changes in hormone activity of, 161, 459
- Neurosecretory neurons, in supraoptic n., influence of carotid and aortic baroreceptors, 170, 259
- Neurotensin
 - in cell bodies, fibers, nerve terminals in brain stem, 167, 77
 - pathway from amygdala through stria terminalis, 161, 522
 - spinal neurons in laminae I-III excitation, 169, 600
- Neurotoxins, monoamine, intraventricular, asymmetric action of, 174, 345
- Neurotoxins, use to characterize rates and distributions of DBH, TH, NA, 168, 331
- Neurotransmitter (see also Specific neurotransmitters; Transmitters)
 - amino acid in cerebellum, effects of kainic acid, 167, 345
 - complement-mediated release, brain membrane antigens, 168, 119
 - effect of curare on, 169, 199
 - receptor binding sites in substantia nigra and striatum, 177, 241
 - related enzymes in senile dementia of Alzheimer type, 171, 319
 - sites of synthesis, binding and release in DA and ACh dendrites, 170, 71
 - stimulated phospholipid metabolism, 168, 287
 - synthesis, storage, release by aggregating cell cultures of brain, 162, 89
- Neurotrophic regulation and G6PD, 170, 572
- Neurotrophic substance affecting tetrodotoxin sensitivity, 175, 109
- Neutrite outgrowth and cholinergic neuronotrophic factors, ChAT activity, 173, 29
- Nicotinic cholinergic receptors
 - binding, loss in deafferented optic lobe, 167, 273
 - in brain synaptosomes, 172, 453
 - immunologic similarities with hypothalamic α -bungarotoxin receptor, 178, 381
 - recovery during optic nerve regeneration, 166, 57
- Nicotinic response, substance P and somatostatin as inhibitory modulators of, 178, 555
- Nictitating membrane, effects of baroreceptor activation on, 178, 411
- Nigral cells projecting to caudate-putamen, 169, 381
- Nigrostriatal dopamine pathway
 - activating and immobilizing stimuli, 176, 385
 - collaterals from, innervation of globus pallidus, 172, 169
 - functional ontogeny of, 169, 545
 - interruption of, effect on activity of globus pallidus neurons, 178, 425
 - reconstruction of, by intracerebral nigral transplants, 177, 555
- Nociception
 - catecholamine modulation, possible route for, 163, 333
 - peripheral, effects of naloxone on, 178, 609
- Nociceptive flexion reflex and pain, 179, 61
- Nociceptive neurons, trigeminal and brain stem intranuclear projection, 170, 547
- Nociceptive responses, suppression by electrical stimulation or morphine, 167, 417
- Non-amphetamine CNS stimulant, responses of NAergic neurons to, 166, 331
- Noradrenaline
 - avoidance learning and, 161, 321
 - development in brain after 6-OHDA neonatal treatment, 166, 293

- fear and extinction, 165, 47
inhibition of nociceptive response of lamina V neurons, 177, 384
intracortical distribution in cerebral cortex, 177, 499
levels in specific brain stem areas after immobilization, 160, 271
modulatory role in cerebral cortex, 160, 217
neuron innervation of neocortex, 162, 243
POA injections of, thermoregulatory effects, 174, 175
rates and distribution, characterization with neurotoxins, 168, 331
regulation of pain-transmission in spinal cord, 174, 333
spinal or cerebellar depletion with 6-OHDA, seizure susceptibility, 166, 418
terminals, mediate spinal antinociceptive effects of morphine, 160, 180
uptake and lipid diet, 179, 295
- Noradrenergic bundle, dorsal, terminals in memory consolidation by vasopressin, 172, 73
- Noradrenergic hyperinnervation, β -adrenergic receptors density increase, 166, 194
- Noradrenergic innervation of anterior cingulate cortex, 164, 328
- Noradrenergic innervation of cerebral cortex, effects of 6-OHDA on, 166, 309
- Noradrenergic metabolite levels increase by LC stimulation, 166, 180
- Noradrenergic neurons
in A1, A2 groups of medulla oblongata, induction of TH, 176, 169
of CNS, uptake and flow of antibody to DBH by, 167, 65
central normal terminal innervation regeneration after 5,7-DHT axotomy, 171, 271
immune lesions produced by antibodies to DBH, 173, 65
in LC, inhibition by blood volume load, 172, 174
responses of to non-amphetamine CNS stimulant, 166, 331
role in decapitation convulsions, 177, 83
- Noradrenergic pathway, central, remodelling, after electrolytic lesioning, 171, 77
- Noradrenergic receptors
hypothalamic, radioligand binding study in estrous cycle, 168, 652
inhibitory role, in oxytocin release, 169, 595
- Noradrenergic systems
ascending intracranial self-stimulation and, 177, 423
selective lesions, and development of barbiturate tolerance, 176, 327
- Noradrenergic transmission, sexual behavior, female, and, 166, 369
- Noradrenergic ventral bundle projection sites, mapping, 172, 87
- Nucleosides, axonal transport in neonatal visual system, 169, 343
- 5'-Nucleotidase activity correlation with trans-neuronal transfer of adenosine, 168, 419
- Nucleotide(s)
axonal transport in neonatal visual system, 169, 343
cyclic (*see* Cyclic nucleotides)
dependence of cycles of tubulin assembly, 172, 382
- Nucleus accumbens
self-stimulation of, 171, 247
sensitization to amphetamine and stress, 176, 412
- Nucleus cuneiformis lesion, effect on ACh innervation, 170, 113
- Nucleus dorsalis morphometrical synaptology of distal dendrites in, 178, 233
- Nucleus raphe magnus (*see* Raphe magnus, nucleus)
- Nucleus reticularis gigantocellularis
lesions and lordosis reflex, 171, 334
in morphine suppression of JOR, 160, 377
- Nucleus reticularis paragigantocellularis, excitation of neurons of, 169, 406
- Nucleus solitarius, vagal aortic afferents within catecholamine containing cell group in, 171, 187
- Nucleus tractus solitarii (*see* Tractus solitarii, nucleus)
- Nutritional balance, control of, interaction of neural systems, 161, 411
- Nystagmus, upward and downward, asymmetric velocity storage for, 176, 159
- ## O
- Obesity, genetical, catecholamine synthesizing enzymes in, 171, 560
- Octopamine, synthesis of, in stomatogastric nervous system, 161, 99
- Ocular dominance
columns
in striate cortex, 166, 386
in visual cortex, after enucleation, 176, 153
monocular paralysis and, 164, 290
prevention, inverted monocular vision, 164, 294
- Oculomotor nucleus afferents, HRP method, 160, 1
- Odor response by olfactory bulb mitral cell, 167, 180
- OFF, ON responses, retinal
asymmetry of, of blue-sensitive cones, 166, 39
different chromatic information to CNS, 160, 145
- Olfactory behavior, intranasal irrigation with mitotic inhibitor, 168, 31
- Olfactory bulb
augmented field potential responses in, 163, 21
L-carnosine binding in, 174, 81
dendrodendritic synaptic circuit for self- and lateral-inhibition in, 175, 377
DA uptake in periglomerular cells of, 165, 149

- mitral cell
 - axon initial segment of, 169, 570
 - response to odor stimulation, 167, 180
 - synaptic excitation and long-lasting inhibition, 172, 155
 - neurons, response to pheromone and testosterone, 164, 323
 - topographical relationship to olfactory tracts in carp, 173, 142
 - transmitter histochemistry of, 167, 221
 - Olfactory cortex
 - distribution of amino acid transmitters in and bulbectomy, 171, 552
 - PSP of, inhibition by adenosine, 5-HT, GABA, 160, 368
 - Olfactory nerve, garfish, slowly transported proteins in, 161, 115
 - Olfactory neuroepithelium cell suspensions, characterization, 161, 277
 - Olfactory tract
 - lateral, stimulation and effects of substantia innominata stimulation, 177, 361
 - topographical relationship to olfactory bulb, 173, 142
 - Olfactory tubercle
 - olfactory bulb removal
 - effects on, ChAT, GAD, 178, 185
 - GAD activity increase, 177, 200
 - Oligodendrocytes, cell culture, 179, 199
 - Oligodendrocyte myelination by regenerating peripheral axon, 162, 273
 - Oligodendroglia, glycolipid hydrolase activities in, 161, 179
 - Olive, inferior (*see* Inferior olive)
 - Olivocerebellar projections to flocculus and paraflocculus in cat and rabbit, 161, 389
 - ON, OFF responses, retinal (*see* OFF, ON responses)
 - Open loop control, evidence against, 171, 29
 - Opiate
 - action, electrophysiological indices of, 161, 162
 - like excitatory effects of steroid sulfates, Ca-complexing agents, 160, 295
 - like peptides, in photosensitive baboon, 170, 333
 - receptors, cerebellar, in lagomorphs, 168, 311
 - receptors in pigeon optic tectum, 175, 145
 - Opioids
 - analgesics
 - effect on A, C fiber-evoked activity, 171, 573
 - probable mechanism of, 169, 406
 - endogenous, post-ictal behavioral depression mediation, 167, 435
 - peptides, excitatory response to, in hippocampal transplants in oculo, 176, 135
 - receptors, autoradiography of, 179, 255
 - specific and non-specific actions on hippocampal neurons, 163, 295
 - Optic axons, axonal transport of taurine along, 166, 221
 - Optic chiasma, hypothalamic potentials evoked by, stimulation of, 177, 593
 - Optic lobe deafferented, loss of nicotine-cholinergic receptor binding, 167, 273
 - Optic nerve regeneration
 - increased tubulin mRNA in goldfish retina during, 168, 628
 - penetration of grafted astrocytic scars by, 164, 61
 - recovery of nicotinic cholinergic receptor sites, 166, 57
 - Optic system, myelin deposition in, 164, 338
 - Optic tectum
 - ablation and visual sensitivity and spatial summation, 171, 344
 - amphibian, degeneration and regeneration in, 168, 441
 - fusion in neonatal rats, 178, 99
 - neurons, critical period of development, 170, 219
 - nicotinic-cholinergic receptor recovery in, 166, 57
 - opiate receptors in pigeon, 175, 145
 - oxidative metabolism in, 169, 575
 - Optic tract descending, pathways of nucleus of, 173, 405
 - Optokinetic nystagmus, asymmetric velocity storage and, 176, 159
 - Organ of corti, efferent innervation of, 173, 152
 - Organum vasculosum lamina terminalis, effects of LH-RH on, 169, 204
 - Orientation columns, demonstration with 2-DG, 173, 538
 - Orthodromic activation, inhibition of LC neurons, 165, 343
 - Osmoreceptors, ventrobasal thalamus, neuron activation by, 168, 398
 - Osmotic stimulation and in vitro GABA transport in neuro-hypophysis, 174, 341
 - Otolith responses of extraocular muscles during sinusoidal roll rotations, 160, 150
 - Ouabain
 - effects of, on extracellular K^+ , Ca^{2+} levels in sympathetic ganglia, 160, 544
 - intracerebral, effect on composition of edema fluid isolated from cold-induced brain edema, 175, 299
 - Ovulation, dissociation of spontaneous and mating induced by frontal hypothalamic deafferentations, 169, 155
 - Oxidative metabolism (*see* Metabolism, oxidative)
 - Oxygen
 - consumption during ethanol withdrawal, 173, 259
 - tension local, as index of oxidative metabolism changes, 169, 575
 - Oxytocin
 - effect on memory consolidation, 175, 303
 - infundibular localization of, 168, 275
 - release, inhibitory role of β -NAergic receptors on, 169, 595
- P**
- Pacemaker cells in cultures of hypothalamic

- supraoptic area, 177, 95
- Pacemakers, multiple, and static and dynamic fusimotor interaction in muscle spindle, 173, 21
- Pain
- corneal stimulation and, 177, 571
 - nociceptive flexion reflex and, 179, 61
 - transmission, NA regulation mediated by α -adrenoceptors, 174, 333
- Paleostriatum, role in species-typical display behavior, 172, 229
- Parabigeminal nucleus
- afferent and efferent connections of, 161, 187
 - efferent projections of, 168, 1
- Parabrachial nucleus, cerebellar projection from, 172, 144
- Para-chlorophenylalanine
- effects on amphetamine-induced changes in striatal DA turnover, 164, 217
 - effects on circadian rhythm of locomotor activity and plasma corticosterone, 169, 531
- Paradoxical sleep
- effect of lighting on biorhythm control of, 166, 359
 - muscular atonia during, and tegmentoreticular projections, 176, 233
- Paraflocculus, olivocerebellar projections to, 161, 389
- Parasympathetic ganglia, vesical, study of facilitation in, 169, 388
- Parietal association area 7, distribution of visual and somatic functions in, 169, 561
- Parietal lesions, performance on visuospatial tasks, 161, 63
- Parietal nerve, central connections of, in lizard, 178, 577
- Parkinson's disease
- brain opiate receptor alteration, 173, 378
 - rigidity in, EMG stretch responses and, 162, 169
 - tibialis anterior response to sudden ankle displacements with, 173, 303
- Pars intermedia, effect of 5-HT on action potential, 178, 584
- Pars tuberalis, LH secretion, 166, 49
- Pattern discrimination, temporal and bilateral ablations of suprasylvian cortex and insular-temporal cortex, 173, 337
- Pattern generators in stomatogastric ganglia, CNS control, 177, 598
- Penicillin
- GABA release and, from cerebral cortex slices, 170, 157
 - effects on cortex synaptic vesicle uptake of HRP, 161, 361
 - hippocampal IPSPs blocked by, EPSPs unmasked, 168, 205
 - induced epileptogenic foci, in hippocampus and interictal spikes, 172, 35
- Pentobarbitone
- effect on efflux of γ -amino acids from retina, 163, 307
 - potentiation of effects of GABA, 171, 113
- Peptidases, brain, degrading LH-RH, TRH, 166, 321
- Perforant path differentiation, granule cell activity and, 169, 29
- Periaqueductal gray
- GABA accumulating neurons in, 170, 279
 - electrical activity in, analgesia and, effect of morphine, 176, 202
 - focal electrical stimulation in and spinal cord inter-neuron inhibition, 172, 243
 - morphine into, release of 5-HT from spinal cord, 171, 176
 - n. raphe magnus excitatory connection between, and analgesia, 170, 85
 - projection from, to n. raphe magnus, 176, 143
 - role in vocal expression of emotion, 167, 367
 - 5-HT, NA mediate antinociceptive effects of morphine in, 160, 180
- Periglomerular cells of olfactory bulb, DA uptake, 165, 149
- Perikaryon
- lesions, adriamycin-induced, axoplasmic transport in, 171, 41
 - neuronal from cerebral cortex, isolation and lipid composition, 169, 65
 - (Na⁺-K⁺)-ATPase, kinetic properties of, 165, 87
- Perineurium, modification of permeability of, to sucrose, 173, 503
- Peripheral auditory input to midbrain limbic area, 167, 1
- Peripheral axons regenerating, control of myelogenesis, 162, 273
- Peripheral cutaneous afferent units, slow-adapting and punctate, stimulation, 175, 155
- Peripheral nerve
- neurofilaments, Ca-induced disruption, 168, 299
 - prostaglandins and cAMP accumulation, 162, 159
 - purified populations of Schwann cells from cultures of, 165, 105
 - regeneration through preformed tissue space, 178, 573
 - single unit activity in, technique for recording, 166, 397
- Peripheral nervous system
- cholecystokinin, localization and heterogeneity of, 165, 201
 - effects of immunization against 2.5S NGF, 176, 79
 - myelin proteins and membrane enzymes, distribution, 170, 123
- Permeability, capillary, effect of hyperglycemia, 170, 509
- pH, low, block of Ca action potentials, 161, 555
- Phentolamine prevention of hyperglycemic response, 173, 350
- Phenylalaninemia, effect on synapses, 179, 195
- β -Phenylethylamine, type B monoamine oxidase activity towards, distribution, 176, 175

- Phenylethanolamine-N-methyltransferase
 activity, alteration by neonatal corticosteroid, 166, 426
 inhibitor, effects on spontaneous hypertension, 166, 283
 in spontaneously hypertensive rats, 162, 184
- Phenytoin, effects on
 action potentials of vertebrate spinal neuron, 171, 511
 transmitter release at frog neuromuscular junction, 160, 479
- Pheochromocytoma cells, assay for NGF, 162, 164
- Pheromone, olfactory bulb neuron response to, 164, 323
- Phosphatidylcholine turnover in CNS cell membrane during early myelination, 171, 295
- Phosphatidylethanolamine, synthesis of lecithin from, 179, 319
- Phosphodiesterase, cyclic nucleotide (*see under* Cyclic nucleotide)
- Phosphodiesterase inhibitors, effects on photoreceptors, 176, 365, 176, 369
- 6-Phosphogluconate dehydrogenase, effect of axotomy in sympathetic ganglia, 161, 560
- Phospholipid metabolism, neurotransmitter-stimulated, 168, 287
- Phosphorylation, endogenous, differential effects of brain state on electrophoretically separated proteins, 170, 313
- Photoperiods, effects of, on circadian rhythm of 5-HT, 176, 311
- Photoreceptors, ventral, phosphodiesterase inhibitors, 176, 365, 176, 369
- Physostigmine, ACh release inhibition, 178, 596
- Picrotoxin
 action on trigeminal subnucleus caudalis neurons, 171, 369
 influence on reversal properties of EPSPs in cerebellar Purkinje cells, 173, 577
 locomotor activity, microinfusions into ventral tegmental area, 161, 311
- Pimozide blockade of DA receptors, 162, 69
- Pineal gland
 N-acetyltransferase and melatonin production stimulation by taurine, 166, 65
 circadian rhythm of 5-HT in, effects of photoperiods, 176, 311
 S-NAT, response to light pulses at night, 167, 431
- Pituitary-adrenal hormones, influences on kindling, 169, 303
- Pituitary gland
 estriol synthesis in, 175, 165
 estrogen receptor systems, postnatal development, 178, 143
 female, estrogen-sensitive progestin binding sites, 164, 165
 Met-enkephalin and β -endorphin immunoreactivity in, 171, 261
 posterior
 activity assessment, antidromic action potential of hypothalamo-neurohypophysial tract, 171, 437
 AC stimulation by DA, 166, 422
 lack of high affinity transport system for DA, 171, 545
 trace elements in, sex-related and cyclic variation of, 171, 503
- Pituitary hormone release in response to intraventricular GABA, 162, 69
- Plasticity
 lesion-induced, functional effects of, 176, 65
 neurochemical GAD activity in olfactory tubercle after olfactory bulb removal, 177, 200
 neuronal, in chick brain, effects of visual experience, 162, 142, 148
 neuronal from hippocampus during classical conditioning, 163, 339
 short-term at perforant path-granule cell synapse, 178, 41
- Polyamines, effect on cell free protein synthesizing systems, 173, 125
- Polydipsia produced by ventral diencephalic application of NGF, 161, 351
- Pontine tegmentum
 afferent projections related to attack sites in, 164, 103
 dorsolateral, projections from, 176, 215
 intracranial self-stimulation, 177, 423
 micturition centre, descending projections from, 172, 533
- Pontospinal system, dorsolateral, 163, 333
- Portocaval anastomosis, transport of blood-brain barrier after, 160, 69
- Posterior nuclear group, trigeminal n. caudalis neurons projecting to, 166, 391
- Posterior parietal associative area 7, visual and somatic functions in, 169, 561
- Posterior root, myelin, neurotogenic and chemical properties, 171, 239
- Post-ictal behavioral depression, endogenous opioids and, 167, 435
- Postsynaptic changes in sensorimotor cortical neurons, 163, 156
- Postsynaptic inhibition in spinal cord neurons, GABA-mediated, 167, 323
- Postsynaptic potentials
 in jaw opening motoneurons, 163, 161
 from medullary neurons after CNS stimulation, 162, 261
 of olfactory cortex slices, inhibition by adenosine, 5-HT, GABA, 160, 368
- Post-tetanic potentiation of EPSP RC1-R15 in Aplysia, 173, 225
- Posture, cervical control of, 169, 615
- Potassium
 activity reduced by aliphatic anions, 179, 190
 concentrations, depolarizing, effect on efflux of GABA, 178, 467
 -dependent ACh current in molluscan neurons, 171, 355
 depolarization, effects on neuronal and glial GABA release, 167, 337
 DRG neurons, membrane properties and,

- 178, 529
enriched media, survival and development of cholinergic neurons in, 173, 549
extracellular
 cerebral, effects of reduced cerebral blood flow on, 177, 115
 effects of neuronal stimulation and ouabain on, 160, 544
 in spinal cord, 162, 113
 in primary afferent depolarization, 161, 183, 163, 180
Potassium chloride interference with caudate n. activity, evidence for 'moving' engram, 172, 577
Potassium ion
 effect on kinetic properties of (Na⁺-K⁺)-ATPase, 165, 87
 extracellular, enhancement during REM sleep, 174, 180
Potassium ion-selective electrode, effect of local anesthetics on, 165, 171
Potential shifts, sustained in spinal cord, oxidative metabolism and, 162, 113
Potentiation, long-term, in normal and lesion-induced temporo-dentate connections, 176, 65
P₂ protein from PNS myelin, reactivation, 175, 387
Precentral neurons, operant control of, 171, 29
 comparison of pyramidal and non-pyramidal tract neurons, 174, 188
 role of reinforcement schedules, 173, 341
Precision grip, maintained, activity of supplementary motor area neurons during, 172, 315
Preganglionic cell groups, autonomic, brain stem projections to, 174, 329
Preganglionic fibers projecting onto superior cervical ganglion and inferior mesenteric ganglion, 172, 139
Preganglionic nerve stimulation, effects on TH activity, 164, 137
'Premotor' areas in frontal lobe, 177, 176
Preoptic area
 medial, effects of transection of neuron connection on maternal behavior, 169, 369
 NA injections into, thermoregulatory effects, 174, 175
 stimulation, sexual behavior elicited by, 177, 127
Preoptic neurons, stria terminalis bed nucleus stimulation, 166, 206
Pressor activity in ventricular system and mid-brain, 166, 139
Pressor effects of intracisternal sodium ions, 169, 605
Presubiculum, inferior parietal lobule and cortical connections, 179, 157
Presynaptic active zone increase of large intramembranous particles in, 174, 207
Presynaptic dense bodies correlation with transmitter output, 161, 377
Presynaptic effect of curare on neurotransmission, 169, 199
Presynaptic function of neuromuscular junction, fast development, 167, 379
Presynaptic membrane, 4-aminopyridine, ultrastructural effects of, 163, 1
Presynaptic stabilization, fate of presynaptic afferents to Purkinje cells in Nervous mutant mouse, 175, 11
Primary afferent depolarization, GABA or K in, 161, 183, 163, 180
Primary sensory neurons degeneration, substance P release, 168, 247
Progesterone
 effective brain area, neural networks, for lordosis, 169, 287
 maternal, effects of fetal development of brain monoamine oxidase, 170, 194
Progestin-receptors
 estrogen-sensitive, in female brain and pituitary, 164, 165
 in guinea pig brain, sexual behavior and, 169, 481
 relationship to refractoriness in expression of female sexual behavior, 177, 489
Prolactin
 catecholamines and LH peaks, 179, 271
 effect on DA synthesis in medial basal hypothalamus, 160, 431
 levels, effects of suckling on, 176, 125
 release
 effect of cholecystokinin on, 172, 295
 by quipazine and D-fenfluramine, 174, 71
 secretion
 effects of transecting neural connections in medial POA, 169, 369
 failure of naloxone to influence, 168, 210
 heat exposure and, 178, 459
Prostaglandins
 cAMP accumulation to peripheral nerve, 162, 159
 effect on choroid plexus in vitro, 167, 119
Prostaglandin E₂, independence of cardiovascular and hyperthermic effects of, 173, 160
Protein(s)
 comparison, transportation in different tracts of CNS, 176, 407
 composition of synaptic junctions, 168, 151
 metabolism, glucocorticoid modulation of, in hippocampal slices, 165, 37
 movement across blood-brain barrier in hypervolemia, 169, 610
 phosphorylation, cation dependent in squid giant axon, 162, 303
 slowly transported, in garfish olfactory nerve, 161, 115
 synthesis
 in brain, in hypoxia, anoxia and hypoglycemia, 161, 481
 cerebral, inhibition and discrimination learning, effects of D-amphetamine, 177, 401
 in kainic acid-injected striata, 163, 289
 modification by deafferentation of sympathetic ganglion, 168, 414
 in myelinated axon, rRNA in Mauthner axon, 174, 95
Protein kinase, cytosol, translocation into nuclei in NBD-2 neuroblastoma cells, 171, 481

- Puberty, precocious, changes in α -, β -adrenergic receptors, 167, 195
- Pulvinar nucleus
adjacent lateral projections, organization of, 167, 19
inferior, projections, organization of, to primary visual cortex, 167, 19
- Pulvinar neuronal activity during conditioned appetitive behavior, 166, 9
- Pulvinar visual receptive fields of units in, 160, 413
- Pup retrieval, effects of transecting neural connections of medial POA, 169, 369
- Purkinje cells
amino acid antagonism, 166, 217
cerebellar, influence of bicuculline and picrotoxin on reversal properties of EPSPs in, 173, 577
cultured, HRP iontophoretic intracellular labeling, 173, 527
defects in Staggerer mutations, 178, 443
degeneration, axon terminal degeneration in cerebellar deep n., 168, 75
dendritic tree, effect of postnatal undernutrition on development of, 163, 165
glutamate and synaptic depolarization, 170, 377
presynaptic afferents to, fate of in Nervous mutant, 175, 11
- Pyramidal tract neurons
activity related to quick movement onset, 168, 435
amino acid antagonism by α -aminoadipate, 166, 217
excitation by opioid peptides in hippocampal formation transplants, 176, 135
operant control of precentral neurons and, 174, 188
slow and fast, characterization, 178, 251
spine distribution on apical dendrites, 164, 309
ventrolateral, recurrent EPSPs in, 160, 37
- Q
- Quaking mutant, dysmyelination in vivo and in vitro, 177, 287
- Quinacrine, gastrointestinal nerves, depolarization-induced fluorescence intensity decrease, 166, 121
- Quinuclidinylbenzilate binding to muscarinic cholinergic receptors, 171, 473
- Quipazine, PRL-releasing action, effect of midbrain raphe lesion of 5,7-DHT, 174, 71
- R
- Radioautography
indoleaminergic cell component in LC, 168, 43
of raphe n. centralis superior, 166, 1
of serotonin-accumulating nerve cell group in hypothalamus, 160, 231
- Radioligand binding studies on hypothalamic NAergic receptors, 168, 652
- Rank Order Effect, cortex length and enrichment-isolation, 178, 89
- Raphe cells projecting to caudate-putamen, 169, 381
- Raphe nucleus
centralis superior, afferent connections of, 166, 1
dorsal
GABA accumulating neurons in, 170, 279
role of, in inhibition of muricide, 160, 341
serotonergic innervation of hypothalamic n. by, 162, 45
stimulation of, and excitation of caudate-putamen neurons, 175, 356
magnus
PAG, excitatory connection between, and analgesia, 170, 85
projections from PAG to, 176, 143
role in opiate analgesia, 170, 95
stimulation, control of C fiber, and naloxone, 176, 355
median
effect of lesions on hippocampal EEG, 163, 223
role of, in inhibition of muricide, 160, 341
serotonergic innervation of hypothalamic n. by, 162, 45
midbrain lesion, PRL-releasing action of quipazine and D-fenfluramine, 174, 71
origin of 5-HT-containing neurons in choroid plexus, 169, 590
projections from, 176, 215
stimulation, modulation of cerebellar neuronal activity, 169, 565
- Raphe unit activity in freely moving cats, behavioral arousal correlation, 163, 135
- Rapid eye movement sleep, extracellular K activity in reticular formation enhancement during, 174, 180
- Receptive fields
ameboid, of cells in laminae I-III, 177, 376
tilt-constant, 163, 344
vertically orientated striate cortex neurons with, 170, 177
- Receptor binding α -, β -, 160, 186
- Receptors (*see* specific receptors)
- Reflex
control and dendritic growth of cortical neurons, 179, 21
oral activity in decerebrate rats of different ages, 175, 1
responses of human arm muscles to cutaneous stimulation of foot, 170, 214
- Reinforcement
mechanisms, DA involvement, 169, 499
schedules, role in operant control of precentral neurons, 173, 341
- Reinnervation, cholinergic, stimulated by perforant path lesion, 173, 57
- Relay cells of thalamic ventrobasal n. complex,

- 163, 171
- Renshaw cells, axon trajectories of, in lumbar spinal cord, 167, 157
- Reserpine
effect of DA receptor in substantia nigra and caudata n., 160, 553
reduction of accumulation of NGF in sympathetic neurons, 178, 389
- Respiratory centers, bulbar, catecholaminergic depressant effects, 160, 57
- Reticular formation, extracellular potassium ion activity in, enhancement during REM sleep, 174, 180
- Reticulospinal systems, medullary topographical organization, 174, 161
- Reticulospinal tract
involvement in spino-bulbo-spinal reflex, 172, 13
origins of, and funicular projections, 173, 383
- Retina
afferents, effects on ectomammillary n. formation, 165, 127
(±)-*cis*-3-aminocyclohexane carboxylic acid, uptake and localization, 176, 285
asymmetry of ON/OFF pathways of blue-sensitive cones, 166, 39
catecholamine-containing amacrine cells, morphology, 169, 261
effect of pentobarbitone on efflux of γ -amino acids from, 163, 307
ganglion cells
on-inhibition and off-excitation of surround response mechanism in, 160, 509
response to axotomy and NGF, in regenerating visual system, 171, 197
response to axotomy and NGF antiserum, in regenerating visual system, 177, 35
goldfish
ERG evidence for receptor interaction, 175, 135
explant culture of, CNS regeneration, 161, 39
spectral opponency and ERG, 169, 178
inner of mudpuppy, pathways and polarities of synaptic interactions, 161, 1, 13
mammalian, isolated cells from, 176, 208
ON, OFF responses, different information to CNS, 160, 145
of parietal eyes of *Iguana iguana* and *Anolis carolinensis*, second class of neurons in, 168, 615
pigment epithelium involvement in genesis of locus specificities during retinal regeneration, 162, 154
red sensitivity of, under dark-adapted conditions, 175, 140
regeneration involvement of retinal pigment epithelium during, 162, 154
subcellular fractions, effects of taurine on Ca^{2+} transport, 172, 131
temporal output properties of color opponent units in, 166, 233
TH, regulation of, 178, 191
tubulin mRNA in, during optic nerve regeneration, 168, 628
whole mounts, catecholamine-containing amacrine cells, 169, 261
X-cells, loss, 160, 134
X-, Y-cells in monocularly lid-sutured cats, 172, 545
- Retinofugal pathways in fetal, adult spiny dogfish, 162, 219
- Retinohypothalamic tract
control of pineal-N-acetyltransferase and hydroxyindole-O-methyltransferase, 174, 245
development, alteration by suprachiasmatic lesions, 164, 1
- Retinopulvinar projection, topographical origin and ganglion cell type of, 173, 419
- Retinoretinal pathway, aberrant, during early regeneration, 160, 139
- Retinotectal projections compressed and visual sensitivity and spatial summation with, 171, 344
- Retrograde axonal transport, HRP (*see under* Horseradish peroxidase)
- Retrograde reaction, biosynthesis of DBH in LC, 160, 174
- Retrograde transport
of NGF, effect of drugs on, 171, 461
of tetanus toxin through chain of two neurons, 165, 354
- Reward, brain stimulation and conditioned aversion, 170, 523
- Rhythm (*see also* Circadian rhythm)
melatonin excretion, effect of lighting and temperature on, 163, 111
- Ribonucleic acid
4S, axonal transport
in neonatal visual system, 169, 343
in normal and regenerating sciatic nerves, 166, 95
messenger, tubulin in goldfish retina, 168, 628
ribosomal in Mauthner axon, 174, 95
synthesis in kainic acid-injected striata, 163, 289
- Rosenbluth phenomenon, 179, 37
- Rotational behavior
drug-induced with saline-ascorbate, 161, 371
kainic acid lesions and, 170, 485
ketamine-induced, interaction with naloxone, 172, 191
- ## S
- Schwann cells
axon and myelin-free, in vivo method, 165, 119
migration in vitro, relationship to injury, 169, 443
studies on, from cultures of peripheral nerve, 165, 105
- Sciatic nerve
multiwire proportional chamber study of axoplasmic transport, 161, 237
4S RNA, axonal transportation in, 166, 95

- Scopolamine, effect on local glucose metabolism in brain, 177, 337
- Seizures
- amygdala-kindled, serotonergic inhibition of, 174, 337
 - D,L-homocysteine-induced and cerebral activity, 179, 129
 - maximal electroshock, effect of 6-OHDA on clonic convulsions, 169, 189
 - susceptibility
 - and cerebrovascular abnormalities, 173, 147
 - after NA depletion by 6-OHDA, 166, 418
- Self-stimulation
- electrically elicited social aggression and, 171, 374
 - enhancement after chronic neuroleptic treatment, 175, 49
 - intracranial,
 - effects of morphine, 168, 425
 - rate-independent and rate-dependent assessment of, 169, 499
 - in relation to ascending NAergic systems of pontine tegmentum and caudal midbrain, 177, 423
 - of n. accumbens and ventral tegmental area by spiroperidol, 171, 247
 - substantia nigra, modulation by neuropeptides related to neurohypophyseal hormones, 172, 367
- Semicircular canal, horizontal, primary neurons, development of function of, 167, 41
- Sensory afferents, common and specific to cerebellar auricle, convergence, 168, 619
- Sensory fibers, differential atrophy, after section of peripheral nerves, 178, 347
- Sensory neglect after lesions of substantia nigra and lateral hypothalamus, 178, 329
- Sensory neurons, primary
- capsaicin-evoked release of substance P from, 170, 209
 - degeneration, substance P release, 168, 247
- Sensory receptors, corneal, response to stimulation, 177, 571
- Sensory stimulation, peripheral and release of transmitter amino acids, 171, 55
- Septal-diagonal band area, ACh projections from, to habenular n., 176, 391
- Septal lesions, infant, functional consequences of, 175, 131
- Septo-hippocampal pathway for dentate theta production, 165, 13
- Septum
- effects of testosterone on unit activity in, 172, 165
 - evoked response of, 172, 439
- Serotonin
- accumulating nerve cell group in hypothalamus, 160, 231
 - brain, effect of dietary tryptophan on, 169, 139
 - cerebral, and annual hibernation, 170, 387
 - circadian rhythm, effects of different photoperiods on, 176, 311
 - concentration in cat's brain, 160, 281
 - containing neurons in choroid plexus, raphe origin of, 169, 590
 - denervation supersensitivity in forebrain, 178, 479
 - effect on action potential activity in pars intermedia cells, 178, 584
 - excitatory effect of, cAMP mediation, 177, 388
 - facial motoneuron excitation, 169, 11
 - inhibition of amygdala-kindled seizures, 174, 337
 - inhibition on PSP of olfactory cortex slices and superior colliculus, cAMP correlation, 160, 368
 - inputs to hypothalamic n., by raphe n., 162, 45
 - intracortical distribution in cerebral cortex, 177, 499
 - modulatory role in cerebral cortex, 160, 217
 - precursors, treatment with, (Na⁺-K⁺)-ATPase activity in brain cortex, 162, 348
 - receptors, ontogenesis in regions of brain, 168, 195
 - release
 - binding protein from enteric neurons and, 174, 55
 - in brain of freely moving unanaesthetized rats, 171, 85
 - formed from L-tryptophan in caudate n., effect of nerve activity, 169, 317
 - from spinal cord, by morphine into PAG, 171, 176
 - spinal, and spinal antinociceptive effects of morphine in PAG, 160, 180
 - spinothalamic tract neurons responses to, 164, 342
 - synthesis and release by brain slices
 - effect of ionic manipulations and cationic ionophores, 172, 461
 - independence of tryptophan, 172, 471
 - thiamine deficiency and, 179, 103
- Serotonin N-acetyltransferase
- nocturnal reduction by central depressants, 160, 381
 - pineal, response to light pulses at night, 167, 431
- Serotonergic structures in stimulation producing analgesia, map of, 164, 317
- Sexual behavior
- dissociation of active from immobility components of, by 6-OHDA, 172, 505
 - female, NAergic transmission and, 166, 369
 - female, refractoriness in expression, and cytoplasmic progesterin receptors, 177, 489
 - induction, relationships to cytoplasmic progesterin receptors, 169, 481
 - long-term retention of estradiol by brain cell n., 173, 355
 - male, elicited by electrical stimulation of preoptic and hypothalamic areas, 177, 127
- Sexual reflex control by spinal pacemaker, 171, 152, 175, 403
- Short latency changes, associative and non-associative, 167, 129

- Short-latency response, peripheral inputs to motor cortex, 161, 150
- Sinusoidal stretch, fusimotor effect during, 169, 45
- SITS inhibition of Cl^- transport and Na^+ -dependent H^+ production in astroglia, 173, 111
- Skeletal muscle
 conditioned media, survival and development of ACh neurons, 173, 543
 synapse elimination, difference in timing of, 169, 275
- Skeleto-fusimotor axons, histophysiological observations on, 164, 53
- Sleep
 effect of lighting on biorhythm control of, 166, 359
 expression of circadian rhythmicity and, 163, 121
 intracellular recording and identification of spinal motoneurons during, 163, 328
 medullary reticular formation neurons, 179, 49
 paradoxical (*see* Paradoxical sleep)
 REM (*see* Rapid eye movement sleep)
- Sleep-waking cycles, effects of intraventricular 6-OHDA, 160, 445
- Slow wave activity in hippocampal formation, 161, 199
- Slow-wave potential, hippocampal, synaptically identified during behavior, 161, 211
- Sodium
 dependence of NGF, regulated hexose uptake by ganglionic cells, 172, 303
 hepatic, activation of ventrobasal thalamic neurons, 168, 398
 influx and outflux within nerve terminals from chronic epileptogenic foci, 175, 71
 ions, intracisternal, pressor effects, 169, 605
 Sodium-di-*n*-propylacetate (*see* Valproic acid)
- ($\text{Na}^+\text{-K}^+$)-ATPase activity
 in brain cortex of malnourished rats, and serotonin precursors, 162, 348
 effects of K^+ on kinetic properties of, 165, 87
- Sodium-potassium pump, CNS effect on, in hypokalemia, 178, 175
- Soleus muscle sarcomeres and left cortical lesion, 167, 408
- Solitary nucleus (*see* Nucleus solitarius)
- Somatic functions in parietal associative area 7, 169, 561
- Somatic nerve, stimulation, responses in sympathetic nerves to, 165, 219
- Somatosensory inattention after DA-depleting intracerebral 6-OHDA, 177, 311
- Somatostatin
 distribution within amygdaloid complex, 174, 172
 effect on ACh release from hippocampal synaptosomes, 165, 166
 inhibitory modulators of nicotinic response, 178, 555
- Spastic spinal cord, changes in content and radioactivity of aspartate, 162, 344
- Spatial summation, compressed retinotectal projections and tectal ablation, 171, 344
- Speed, adaptation to, in human locomotion, 165, 177
- Sphingomyelinases, neutral, acid, somatotopographical distribution, 168, 543
- Spike
 activity and histofluorescence in giant DA neuron, 170, 231
 computer separation of, from whole-nerve recordings, 169, 455
 discharge, retinal, suppression by dipropylacetate involvement of GABA, 175, 271; 177, 603
 train data, quantitative method of computer analysis of, 175, 183
- Spiking, spontaneous interictal, muscarinic cholinergic regulation of, in kindling, 178, 117
- Spinal cord
 A,C fiber-evoked activity in ascending axons of, effects of morphine and opioid analgesics, 171, 573
 4-aminopyridine, ultrastructural effects of, on presynaptic membrane in, 163, 1
 conductance changes during bath application of β -alanine and taurine, 173, 287
 contused, vascular permeability changes in, 169, 163
 corticospinal axons identification, 164, 279
 dorsal horn neurons (*see* Dorsal horn neurons)
 filum terminale of, morphology and uptake of GABA, 172, 259
 interneurons, inhibition by narcotics, and focal electrical stimulation in PAG, 172, 243
 isolated, effects of magnesium ions on conduction and synaptic activity in, 177, 401
 laminae (*see* Laminae)
 lumbar, axon trajectories of Renshaw cells, 167, 157
 lumbosacral, dorsal root axon distribution, 172, 407
 myelin composition in, in culture and in vivo, 167, 251, 175, 188
 neurons, GABA-mediated postsynaptic inhibition, anti-convulsant action, 167, 323
 NA regulation of pain-transmission in, 174, 333
 NAergic metabolite levels increase by LC stimulation, 166, 180
 oxidative metabolism, extracellular potassium and sustained potential shifts in, 162, 113
 primary afferent complexes in laminae II, III, reconstruction of, 166, 161
 projection
 from diencephalic A11 DA cell group, 177, 170
 of low threshold venous afferent fibers to, 177, 561
 from medial cerebellar nucleus, 171, 383
 sea lamprey, maps of identified neurons, 163, 181
 5-HT release by morphine into PAG, 171, 176
 spastic, aspartate content, radioactivity changes

- in, 162, 344
 - synaptic activity in motoneurons, 160, 524
 - terminations, efferents of area 4, 171, 1
 - thoracic, brain stem catecholaminergic neurons projecting to, identification, 160, 353
 - ventral cervical, reduction of substance P after 5,7-DHT, 174, 362
- Spinal hemisection, mid-thoracic, effect on distribution of dorsal root axons in spinal cord, 172, 407
- Spinal motoneurons (*see* Motoneurons, spinal)
- Spinal neurons
 - antagonism of amino acid-induced excitation of, 169, 83
 - effects of alkaline earth cations on cultures, 173, 168
 - effects of Met-, Leu-enkephalins, 167, 53
 - in laminae I-III, neurotensin excitation, 169, 600
 - vertebrate, effect of phenytoin on action potential of, 171, 511
- Spinal pacemaker, sexual reflex control and, 171, 152, 175, 403
- Spinal pathways mediating sympathetic excitation and silent periods, 167, 396
- Spinal tracts, dorsal, section of and organization of somatic thalamus, 173, 431
- Spinal trigeminal nucleus
 - deafferentation hyperactivity in, 161, 549
 - localization of thermoreceptors in, 165, 144
- Spines, distribution on apical dendrites of PT cells, 164, 309
- Spino-bulbo-spinal reflex, reticulospinal tract involvement in, 172, 13
- Spinocerebellar tract, cells of origin of, 173, 185
- Spino-olivary neurons in lumbo-sacral cord, 168, 176
- Spinothalamic neurons
 - lumbosacral excitability changes in, 177, 253
 - responses to 5-HT, 164, 342
- Spiroperone
 - autoradiographic localization in brain, 169, 1
 - binding sites in substantia nigra, 167, 355
 - brain levels, increase by estrogen, 172, 360
 - DA and AC, effect of embryonic implants, 179, 77
 - induced catalepsy, increase by estrogen, 172, 360
- Spiroperidol
 - binding in substantia nigra, 169, 433
 - microinjections into n. accumbens, self-stimulation and, 171, 247
- Sprouting, motor axon terminal in intact muscles, 170, 187
- Squid giant axon, phosphorylation of proteins, 162, 303
- Squint (*see* Strabismus)
- Staggerer mutant
 - large neurons in cerebellum, variation, 172, 1
 - nature of Purkinje cell defects, implications for normal cerebellar development, 178, 443
- Status epilepticus, focal, model of, kainic acid and, 163, 176
- (*see also under* Epileptic)
- Stereotyped behavior, substantia nigra pars posterior lesion and, 178, 545
- Steroid injection, radioligand binding studies on hypothalamic NA receptors, 168, 652
- Steroid sulfates, opiate-like excitatory effects of, 160, 295
- Stomatogastric ganglion, CNS control of pattern generators in, 177, 598
- Stomatogastric nervous system, DA, octopamine synthesis, 161, 99
- Strabismus
 - bilateral interaction in, 170, 359
 - effects on striate cortex cells, 170, 182
- Strain differences and kainic acid neurotoxicity, 166, 431
- Stress and n. accumbens and medial frontal cortex, 176, 412
- Stretch, modification of perineurium permeability to sucrose by, 173, 503
- Stretch reflexes, tonic in lip, tongue and jaw muscles, 178, 311
- Stria terminalis
 - bed nucleus, stimulation on preoptic neurons, substance P and, 166, 206
 - neurotensin neuronal pathway through, 161, 522
- Striate cortex (*see under* Cortex)
- Striatonigral nucleus, substance P in, 173, 360
- Striatum
 - β -adrenergic receptors in, after kainic acid, 178, 589
 - guanylate cyclase activity increase after kainic acid, 171, 567
 - kainic acid-induced neurotoxicity in, 169, 513
 - localization of receptor binding sites, 177, 241
 - in morphine withdrawal syndrome, 177, 19
- Strobe light
 - effects on VOR, 164, 300
 - visual vestibular interaction during visual tracking, 165, 133
- Strychnine, effects on trigeminal subnucleus caudalis neurons, 168, 430
- Subcortical structures, monoamine distribution, concentrations, 168, 133
- Subfornical organ receptors, independence of and drinking, 178, 507
- Subjunctional dense lattice, filamentous contacts in LGN containing, 177, 49
- Substance P
 - capsaicin-evoked release, from primary sensory neurons, 170, 209
 - in CNS and duodenum during development, 171, 166
 - depletion in dorsal horn after section of peripheral processes, 168, 247
 - effects
 - on dorsal horn neurons, 166, 273
 - on neurons of brain regions in vitro, 176, 395
 - of synthetic form on testicular nociceptors, 170, 553

- excitatory action, stria terminalis bed nucleus stimulation, 166, 206
- induced analgesia, 171, 556
- as inhibitory modulators of nicotinic response, 178, 555
- level reduction in ventral cervical spinal cord, after intracisternal 5,7-DHT, 174, 362
- localization in axon terminals related to dendrites of catecholaminergic neurons, 160, 387
- NGF-mediated increase, of DRG, 170, 198
- in striatonigral and amygdaloid n., 173, 360
- visual deprivation decrease in forebrain structures, 166, 191
- Substantia gelatinosa**
- neurons, supraspinal linkage of, 175, 351
- properties of stalked cells, 164, 285
- terminal primary axonal arborizations in layer II, 175, 335
- Substantia innominata**
- excitatory influence from, on basolateral amygdaloid units, 177, 361
- latency of activation of neurons in, during feeding, 164, 121
- Substantia nigra**
- GABA into, effects on circling behavior, 167, 307
- GABAergic projection from, to ventromedial thalamus and to superior colliculus, 176, 273
- 3,4-dihydroxyphenylacetic acid increase in by haloperidol, 175, 178
- DA dendrites in, neurotransmitter release, synthesis and binding in, 170, 71
- DA-sensitive AC and spiperone binding sites, 167, 355
- effects of reserpine on DA receptor function, 160, 553
- efferent connections of, 175, 191
- Golgi-stained, existence of small local circuit neurons, 172, 160
- 6-OHDA into, lateralized hunger and, 160, 327
- 6-OHDA lesions of, neglect compensation by conditioning, 167, 139
- lesions of, sensory neglect after, severity and recovery of function, 178, 329
- localization of receptor binding sites in, 177, 241
- neurons, responses to noxious stimulation, 171, 121
- organization of efferent projections of, 174, 1
- pars posterior lesion, drug-induced stereotypes and asymmetric behavior, 178, 545
- projections of neostriatal spiny neurons, 178, 3
- retrograde transport and TH induction, absence with NGF, 168, 473
- self-stimulation, modulation by neuropeptides related to neurohypophyseal hormones, 172, 367
- stimulation, development of responses of caudate neurons to, 173, 471
- Subthalamic nucleus, catecholaminergic innervation of, rostral continuation of A9 DA cell group, 173, 364**
- Suckling**
- effects of, on serum PRL levels and catecholamine concentrations and turnover, 176, 125
- oxytocin release, inhibition, 169, 595
- response in decerebrate rats of different ages, 175, 1
- Sucrose modification of perineurium permeability to, by stretch and hypertonicity, 173, 503**
- Superior cervical ganglion (see Cervical ganglion, superior)**
- Superior colliculus (see Colliculus, superior)**
- Superior olive, lateral, ipsilateral inhibitory responses in, 177, 189**
- Suprachiasmatic nucleus**
- control of pineal-N-acetyltransferase and hydroxyindole-O-methyltransferase, 174, 245
- lesions
- effect on circadian rhythm development, 164, 17
- retinohypothalamic tract development, 164, 1
- role of, in circadian rhythms of feeding and drinking, 160, 307
- Supraoptic nuclei neurons**
- neurosecretory, influence of carotid and aortic baroreceptors, 170, 259
- phasically firing in long-term cultures of, 177, 95
- three-dimensional organization of endoplasmic reticulum, 170, 247
- Suprasylvian gyrus, anterior, vestibular and neck stimulation in neuronal responses, 165, 139**
- Surround response mechanism in retinal ganglion cells, 160, 509**
- Swallowing**
- medullary neurons, inputs from peripheral afferent fibers, 178, 567
- reflex, basal forebrain facilitation of, 174, 119
- Sweat glands, effects of baroreceptor activation on spontaneous activity in, 178, 411**
- Sympathetic activity escape of, in baroreceptor sympathetic reflex, 168, 404**
- Sympathetic excitation, splanchnic, pathways mediating, 167, 396**
- Sympathetic ganglia**
- cultured, appearance of new α -bungarotoxin-ACh receptors in, 161, 131
- effect of increased levels of endogenous NGF, 177, 523
- effects of neuronal stimulation and ouabain on extracellular K^+ , Ca^{2+} levels, 160, 544
- regulation of enzyme activity in, 171, 415
- Sympathetic hyperactivity in spontaneous hypertension despite dorsolateral funicular lesions, 167, 402**
- Sympathetic nerves, responses in, by somatic nerve stimulation, 165, 219**
- Sympathetic nervous system, effect of drugs on retrograde transport of NGF, 171, 461**
- Sympathetic neurons, cultured, NGF receptor**

- localization, 168, 602
- Sympathetic neurons, preganglionic, functional grouping in third thoracic segment of spinal cord, 179, 367
- Sympathetic preganglionic pathway, intraspinal, physiologic evidence for, 162, 13
- Sympathetic silent periods, spinal pathways mediating, 167, 396
- Sympathetic system influence on cerebral vascular bed, 164, 81
- Sympathoadrenal system, strain differences in regulation, 176, 380
- Synapse elimination differences in timing, in skeletal muscles, 169, 275
- Synapses
 - as associative memory elements in hippocampal formation, 175, 233
 - formed by foreign nerve in mature axolotl striated muscle, regression, 173, 451
 - indented, 173, 13
 - size and density, effect of hyperphenylalaninemia, 179, 195
- Synaptic activity, effects of magnesium ions, in isolated spinal cord, 177, 410
- Synaptic blocking agents in inner retina, synaptic interactions, 161, 1
- Synaptic complexes, viable cerebral neurons with, preparation, 171, 225
- Synaptic density in human frontal cortex, development changes, 163, 195
- Synaptic domains, regulation of size of, effect of collateral sprouting on density of innervation, 175, 37
- Synaptic interactions, pathways, polarities of, in inner retina of mudpuppy, 161, 1, 13
- Synaptic junctions, protein and glycoprotein composition of, 168, 151
- Synaptic membranes, brain, developmental alteration of, 165, 283
- Synaptic potentials
 - intracellular of primate motor cortex neurons during voluntary movement, 163, 33
 - spontaneous, miniature in hippocampal neurons, 177, 194
 - spontaneous in nerve and muscle cultures, ACh receptor localization and, 166, 185
- Synaptic terminals C-type, spontaneous phagocytosis of, by spinal α -motoneurons, 162, 189
- Synaptic transmission
 - effect of acidic amino acid antagonists on, 164, 177
 - plasticity at perforant path-granule cell synapse, 178, 41
 - temperature sensitivity of Ca entry in presynaptic terminals, 170, 543
- Synaptic vesicles
 - cholinergic, lipid and protein content of, from electric organ, 161, 447
 - in mammalian brain, characterization, 178, 297
 - uptake of HRP, effect of penicillin on, 161, 361
- Synaptically connected cells, two intraneuronal labels for, 173, 201
- Synaptogenesis
 - biochemical correlate with neurotransmitter-stimulated phospholipid metabolism, 168, 287
 - in dentate gyrus from brain stem implants, evidence, 167, 391
 - reactive, specificity of, in hippocampal formation, 170, 427
- Synaptology, morphometrical of Clark cells and of dendrites in n. dorsalis, 178, 233
- Synaptosomal populations, separation of, 164, 153
- Synaptosomal tubulin, subunit structure, 167, 93
- Synaptosomes
 - brain, nicotinic cholinergic receptors in, 172, 453
 - cortical, aspartate uptake by, 160, 85
 - glutaminase, glutamine synthetase activity, 160, 539
 - hippocampal, somatostatin, effect on ACh release, 165, 166
 - ($\text{Na}^+ - \text{K}^+$)-ATPase, kinetic properties of, 165, 87
 - striatal, regulation of DA synthesis during depolarization, 170, 299
- T
 - Tactile and infrared units in sensory trigeminal system, 170, 372
 - Tactile input to facial lobe of carp, 177, 479
 - Tactile neurons of superior colliculus, input and physiological properties, 174, 19
- Taurine
 - axonal transport along optic axons, 166, 221
 - conductance changes in giant interneurons of lamprey, 173, 287
 - effects on calcium ion transport in retinal subcellular fractions, 172, 131
 - effects on neurochemical indices in neostriatum, 161, 367
 - pineal N-acetyltransferase, and melatonin production, 166, 65
 - uptake in glial and neuroblastoma cells, effect of cyclic nucleotides, 166, 113
- Tectum (see Optic tectum)
- Tegmental area, ventral
 - A10 efferents and afferents of, 178, 17
 - efferent connections of, 175, 191
 - self-stimulation of, 171, 247
- Tegmentoreticular projections and muscular atonia during paradoxical sleep, 176, 233
- Teleost, torus semicircularis of, 178, 179
- Temperature
 - ambient, effect of cyclic changes on melatonin excretion, 163, 111
 - sensitivity of Ca entry in presynaptic terminals, 170, 543
- Temporodentate connections, lesion-induced, long-term potentiation in, 176, 65
- Temporodentate pathway, habituation-like changes in transmission, 162, 21

- Tension receptors, differentiation of, of jaw-opening muscles, 171, 142
- Testosterone
effects on unit activity in hypothalamus and septum, 172, 165
olfactory bulb neurons response to, 164, 323
serum, sex differences in during neonatal period, 178, 207
- Tetanus toxin, retrograde transport through chain of two neurons, 165, 354
- Tetraethylammonium, effect on light emission, 169, 91
- Tetrodotoxin
effects on synaptic activity in motoneurons of spinal cord, 160, 524
sensitivity of organ-cultured muscle, neurotrophic substance affecting, 175, 109
- Thalamus
cells projecting to caudate-putamen complex, 169, 381
dorsal, contralateral projections to, from frontal association cortex, 166, 166
neurons, frontal cortical ablations, effects on firing of, 165, 23
projections
to feline motor cortex, 172, 209, 217
from lateral reticular nucleus, 168, 609
somatic, organization with and without sections of dorsal spinal tracts, 173, 431
stimulation
development of responses of caudate neurons to, 173, 471
naloxone and, 178, 609
ventrobasal
hepatic sodium and osmoreceptors activate neurons in, 168, 398
nuclear complex of disynaptic IPSPs in relay cells of, 163, 171
ventrolateral nucleus
EPSPs in large PT cells, 160, 37
neurons, fastigial n. projections on, 168, 169
ventromedial, GABAergic projection from substantia nigra to, 176, 273
vestibular projections to, 177, 3
- Thermoreceptors, localization in spinal trigeminal n., 165, 144
- Thermoregulatory effects of POA injections of NA, 174, 175
- Theta activity (*see* Slow wave activity)
- Theta production, dentate, septo-hippocampal pathway for, 165, 13
- Thiamine deficiency
aspartate and glutamate and, 171, 489
serotonin and, 179, 103
- Thymidine, histogenesis of superior colliculus, 164, 39
- Thymidine kinase in cerebellum, developmental changes in distribution, 168, 393
- Thyrotropin release, effect of cholecystokinin on, 172, 295
- Thyrotropin releasing hormone
degradation
enzymes in brain, 168, 553
subcellular distribution of brain peptidases, 166, 321
immunoreactivity in hypothalamus and brain, 171, 161
- Thyrotropin releasing hormone-like immunoreactivity in pancreas, eye, pineals, placenta, 163, 101
- Thyroxine
effects on postnatal cell acquisition in brain, 172, 57
sequential effects on developing cerebellum, 161, 469
serum levels, reduction associated with fetal alcohol intoxication, 177, 347
- Tibialis anterior response to sudden ankle displacements in normal and Parkinsonian subjects, 173, 303
- Tilt-constant receptive fields in visual cortex, 163, 344
- Timing behavior, prefrontal and cingulate unit activity during, 171, 213
- Tissue culture, toxic effects of kainic acid on cerebellum, 161, 253
- Tortuosity, role in diffusion from iontophoretic point source, 169, 580
- Torus semicircularis, efferent connections, 178, 179
- Trace elements, sex-related and cyclic variation of, in hypothalamus and pituitary, 171, 503
- Tractus solitarius nucleus
effect on clonidine on K-evoked release of adrenaline from, 176, 197
source of catecholamine terminals in, 172, 372
ventrolateral, afferent projections to inspiratory neuronal region, 171, 135
- Transdural unit recording, chronic, gyral impressions as guide to cortical topography, 160, 505
- Transection, nerve, axonal sprouting after, 167, 185
- Transganglionic degeneration in trigeminal primary sensory neurons, 162, 1
- Transmitters (*see also* Neurotransmitters; specific transmitters)
amino acid (*see* Amino acid transmitters)
glutamate as
precursors for, 168, 513
regulation of synthesis, 168, 531
histochemistry in olfactory bulb, 167, 221
levels, endogenous, after intracellular recording, measurement of, 165, 156
output, correlation with presynaptic dense bodies at neuromuscular terminals, 161, 377
release at neuromuscular junction
depression by calcium, 169, 111
effect of phenytoin on, 160, 479
role of DA in hippocampus, evidence, 165, 161
stimulation-dependent release of, from hippocampal slices, 160, 372
- Transneuronal transfer of adenosine and 5'-nucleotidase activity, 168, 419

- Transport
 blood-brain barrier, after portocaval anastomosis, 160, 69
 retrograde (*see* Retrograde transport)
- Triceps surae, dynamic fusimotor neurons of, excitation by contralateral joint afferents, 160, 529
- Trigeminal nerves, stimulation, PSPs in jaw-opening motoneurons by, 163, 161
- Trigeminal nociceptive neurons, brain stem n. projections, 170, 547
- Trigeminal nucleus
 caudalis, neurons in marginal layer of, 166, 391
 mesencephalic, selective resistance of sensory cells to kainic acid-induced lesions, 172, 552
 midbrain projections to, 168, 493
 spinal
 deafferentation hyperactivity in, 161, 549
 localization of thermoreceptors in, 165, 144
- Trigeminal primary sensory neurons, observations on trans-ganglionic degeneration in, 162, 1
- Trigeminal projections, primary, in lampreys, determination, 163, 323
- Trigeminal stimulation and naloxone, 178, 609
- Trigeminal subnucleus caudalis neurons
 action of picrotoxin on, 171, 369
 effects of strychnine on, 168, 430
- Trigeminal system, infrared and tactile units in, 170, 372
- Trigeminohthalamic projection cells, distribution, 161, 515
- Triiodothyronine nuclear receptors in brain during maturation, 177, 551
- Trochlear nucleus, embryonic cell death in, reduction, 178, 403
- Tryptophan
 brain and spinal levels after morphine administration, 175, 291
 dietary, effects on mouse killing and brain 5-HT, 169, 139
 in 5-HT formation in caudate n., 169, 317
- Tubulin
 assembly, cycles of, nucleotide dependence of, 172, 382
 compartments, in differentiating neuroblastoma cells, 174, 135
 microheterogeneity in neuroblastoma and glioma cell lines, 171, 171
 mRNA in goldfish retina, increased, 168, 628
 synaptosomal, subunit structures, 167, 93
- Tyramine, effect of stress and L-DOPA on, 179, 186
- Tyrosine hydroxylase
 abnormal regulation in one catecholamine n., 173, 164
 activity in carotid body, reciprocal modulation of, 172, 572
 activity and distribution in A10 neurons, changes in, 160, 17
 alteration in, after herpes simplex inoculation in neostriatum, 169, 401
 immunohistochemistry in human brain, 165, 333
 induction, in LC and substantia nigra, NGF in CNS and, 168, 473
 induction and delayed activation in NAergic neurons of A1, A2 groups of medulla oblongata, 176, 169
 induction in NBD-2 neuroblastoma cells, 171, 481
 long-term effects of preganglionic nerve stimulation on, 164, 137
 rates and distribution, characterization by neurotoxins, 168, 331
 regional development in brain, after 6-OHDA neonatal treatment, 166, 293
 retinal, regulation of, 178, 191
 thyroidectomy and gonadectomy, effects of, 179, 396
- ## U
- Undernutrition, effect on cell generation in hippocampus, 168, 186
- ## Unit
- activity
 of limbic system neurons, 166, 149
 raphe, in freely moving cats, behavioral arousal, correlation with, 163, 135
 single, in peripheral nerves, technique for recording, 166, 397
 responses of
 in laminae 2, 3, of spinal cord, 160, 245
 in LGN, 167, 281
 visually driven in pulvinar, 160, 413
- ## V
- Vagal aortic afferents within catecholamine-containing cell group in n. solitarius, localization, 171, 187
- Vagus nerve
 hepatic, electrical stimulation, effects on plasma insulin, 164, 314
 projection of, to area subpostrema of cat, 161, 335
- Valproic acid
 action on single neurons in cerebral cortex and hippocampus, 171, 182
 GABA-mediated postsynaptic inhibition and, 170, 558
- Vascular afferents, low threshold, projection of, to spinal cord, 177, 561
- Vascular permeability changes in contused spinal cord, 169, 163
- Vasoactive intestinal polypeptide
 distribution in normal brain and Huntington's chorea, 173, 174
 -containing neurons, development of, in brain, 177, 437
 myenteric plexus neuron stimulation, 175, 174

- regional and subcellular distribution in brain, 165, 79
- Vasodilatation, GABA receptors mediating in cerebral cortex, 173, 89
- Vasomotor center, A5 catecholamine cell group as, evidence, 178, 196
- Vasomotor escape from sympathetic stimulation, 164, 81
- Vasopressin
- deficiency, 'memory deficit' evaluation in, 162, 174
 - immunization against, autoimmune alterations in neurohypophysis, 177, 265
 - infundibular localization of, corticotrope function and, 168, 275
 - levels, dehydration-induced changes in, 169, 585
 - memory consolidation by, 172, 73, 175, 303
- Ventralis lateralis nucleus of thalamus, fastigial n. projections on, 168, 169
- Ventricular system, angiotensin binding and pressor activity in, 166, 139
- Ventrobasal complex
- projections from, to somatosensory cortex, 178, 275
 - segregation of cortical, trigeminal afferents, 161, 527
 - thalamic, disynaptic IPSPs in relay cells of, 163, 171
 - trigeminal n. caudalis neurons projecting to, 166, 391
- Veratridine, effects on neuronal and glial GABA release, 167, 337
- Vermis, cerebellar injuries, changes in postural control after, 164, 269
- Vesical parasympathetic ganglia, study of facilitation in, 169, 388
- Vestibular afferents, primary, identification and synaptology of, 176, 3
- Vestibular interaction, visual, during visual tracking, 165, 133
- Vestibular neurons, central, postnatal development of functional properties of, 175, 219
- Vestibular nucleus
- lateral, lesions and lordosis reflex, 171, 334
 - medial, subparafascicular projection to, 172, 339
 - projection from, to inferior olive, 165, 189
 - superior, fine structure, 176, 3
- Vestibular pathway, third ascending, and ventral LGN and intralaminar n., 171, 523
- Vestibular stimulation in anterior suprasylvian gyrus, responses to, 165, 139
- Vestibulo-ocular reflex, effects of strobe light on, 164, 300
- Vestibulospinal neurons, frequency response characteristics of, during sinusoidal neck rotation, 173, 344
- Vestibulothalamic projections, autoradiography, 177, 3
- Vibrissae damage, morphology of Golgi-impregnated neurons in cortical barrels after, 161, 143
- Vision, inverted, loss of striate cortex neurons by, 170, 177
- Visual callosal connections
- asymmetry in strabismic cats, 167, 176
 - effects of dark-rearing on, 167, 172
- Visual cortex
- binocular competition, cross-depression and, 168, 190
 - cortical neurons, effect of iontophoresis of LSD on, 161, 167
 - cortico-cortical interconnections within, 162, 201
 - cytoplasmic laminated bodies in, 161, 544
 - disruption of binocularity, requirements for in strabismic kittens, 171, 536
 - effect of monocular deprivation on dendritic spines in, 161, 156
 - effect of specific and non-specific stimuli on, 170, 61
 - functional state impairment by inverted monocular vision, 164, 294
 - morphology of physiologically identified neurons, 172, 344
 - ocular dominance columns in, after enucleation, 176, 153
 - organization of projections to claustrum, 178, 107
 - postnatal dendritic development in, 168, 21
 - primary, projections of dorsal LGN, inferior pulvinar, and lateral pulvinar to, 167, 19
 - third tier area, 179, 355
 - tilt-constant receptive fields in, 163, 344
 - X-cells, retina, loss of after long-term ablation of, 160, 134
- Visual deprivation, Met-enkephalin and substance P decrease, 166, 191
- Visual discrimination impairment after lesions in zona incerta and lateral terminal n. of accessory optic tract, 177, 461
- Visual experience, effect of
- on hyperstriatal neurons, 162, 142
 - on hyperstriatum accessorium, 162, 148
- Visual fields
- of cat reared with one eye intorted, 174, 167
 - projections, central and paracentral, binocular properties of cortical cells in, 171, 541
 - representations, on posterior cortex of *Octodon degus*, 161, 539
 - in temporal cortex, 178, 363
 - of units in pulvinar, 160, 413
- Visual functions in parietal associative area 7, 169, 561
- Visually directed behavior, and posterior ectosylvian gyrus, 178, 606
- Visual relay nuclei, nerve terminal proteins of, identification, 168, 97
- Visual stimulation, increases in regional cerebral blood flow and metabolism, 161, 55
- Visual system
- amphibian, collateral sprouting, evidence, 168, 382
 - axonal transport and metabolism of fucose and sulfate-labeled macromolecules in, 176, 255
 - of monocularly sutured of enucleated cats, changes, 171, 11

- neonatal, axon transport of nucleosides, nucleotides and 4S RNA, 169, 343
 - regeneration of, retinal ganglion response to axotomy and NGF, 171, 197
 - Visual tracking, PT neurons activity related to quick movement onset, 168, 435
 - Visuospatial tasks, performance of with restricted posterior parietal lesions, 161, 63
 - Voltammetry to monitor 5-HT release in brain, 171, 85
 - Voluntary movement
 - intracellular synaptic potentials of motor cortex neurons during, 163, 33
 - reaction time and PT neuron activity, 168, 435
 - tracking, muscle spindle afferents, responses during, 166, 401
 - Voluntary muscle contraction, isometric, firing rate behavior of human motor units during, 171, 349
 - Wheel-running expression of circadian rhythmicity and, 163, 121
 - Wholemound technique for sea lamprey spinal cord, 163, 181
 - Whole-nerve recordings, separation of unitary spikes from, 169, 455
 - Wrist torques, effects on responses of somatotopically identified neurons of precentral cortex, 172, 329
- W**
- Wakefulness, effect of light on biorhythm control of, 166, 359
- X**
- X-cells of retina, loss, after long-term ablation of visual cortex, 160, 134
- Z**
- Zona incerta, lesions, visual discrimination impairments after, 177, 461

SUBJECT INDEX FOR BRAIN RESEARCH REVIEWS – Vol. 1 (being Brain Research Vol. 180)

ABBREVIATIONS

ACh	Acetylcholine	6-OHDA	6-Hydroxydopamine
Ch	Choline	PET	Positron emission tomography
HACHT	High affinity choline transport system	REM	Rapid eye movement
		RF	Reticular formation

INDEX

- A**
- Acetylcholine, regulation of synthesis, 1, 313
 - model for, 1, 335
 - Acetylcoenzyme A, 1, 313
 - reduced availability, effects on ACh synthesis, 1, 333
 - source of, 1, 330
 - Ambient vision, 1, 375, 382
 - γ -Aminobutyric acid, 1, 368
 - Annihilation radiation, 1, 48, 49, 52
 - radiation detector, 1, 49, 52
 - Arousal, RF activity and, 1, 73, 90
 - Attentional behavior, noradrenaline and, 1, 119, 128
 - Auditory cortex, dendritic bundles in, 1, 225
 - Authoradiography
 - muscarinic receptors
 - in forebrain, 1, 141
 - in hindbrain, 1, 167
 - in midbrain, 1, 167
 - postnatal development of, 1, 185
 - quantitative in vivo, with PET, 1, 47
 - (see also Emission tomography)
 - thalamocortical projections, 1, 284
 - Axotomy, effect of, muscarinic receptor reaction, 1, 207
- B**
- Barrels, 1, 283
 - Basal ganglia, muscarinic receptors, 1, 141
 - Behavior
 - attentional, dorsal bundle lesion, 1, 111, 128
 - dorsal bundle extinction effect and, 1, 108, 111
 - functions of RF (see Reticular formation)
 - Betz cells, basilar dendritic bundles, 1, 261
 - Bicuculline, 1, 368
 - Binocular competition, 1, 372
 - Binocular deprivation, 1, 371
 - Blood, cerebral (see Cerebral blood)
 - Brain
 - cat, 1, 9
 - mammalian
 - dendritic bundles in, 1, 225
 - high affinity choline transport (see Choline)
 - metabolism, measurements with PET, 1, 55
 - oxygen, fractional extraction, 1, 61
 - tissue, chemical composition, 1, 62
 - Brain stem, dendritic bundles in, 1, 225
- C**
- Cat
 - brain, 1, 9
 - cerebral cortex
 - anatomical development (see Cortex, cerebral)
 - sets of neurons, 1, 3
 - physiological development, 1, 33
 - evoked potentials, 1, 33
 - single units, discharges of, 1, 35
 - visual cortex morphology, 1, 370
 - Caudate-putamen, muscarinic receptors
 - development of, 1, 185
 - distribution, 1, 141
 - Cerebellum, muscarinic receptors
 - development of, 1, 185
 - distribution, 1, 167
 - Cerebral blood
 - flow, measurement with PET, 1, 64
 - volume, measurement with PET, 1, 53
 - Cerebral cortex (see Cortex, cerebral)
 - Cerebral hemisphere, muscarinic receptors, 1, 141
 - Choline, high affinity transport, 1, 313
 - Choline acetyltransferase, 1, 334
 - Clare-Bishop area, receptive fields of, 1, 370
 - Columns, 1, 264
 - ocular dominance, 1, 265, 282, 285
 - Complex cell, visual cortex, 1, 347, 359, 365
 - Conditioning, RF neuron activity, 1, 72, 89
 - Cortex, cerebral
 - auditory, dendritic bundles in, 1, 225
 - cytoarchitectural organization, 1, 279
 - dendritic bundling in, 1, 225
 - embryology of, 1, 25
 - postnatal development in cat, 1, 31
 - prenatal development in cat, 1, 30
 - motor, basilar dendritic bundles, 1, 225
 - muscarinic receptors in
 - development, 1, 185
 - distribution, 1, 141
 - neurons (see Cortical neurons)
 - somatosensory
 - dendritic bundles, 1, 225
 - thalamocortical relations of, 1, 275
 - thalamus, projections to (see Thalamocortex)
 - visual (see Visual cortex)
 - Cortical cells, visual (see Visual cortex)
 - Cortical neurons, 1, 3
 - functional significance of sets, 1, 36
 - monothetic taxonomy for, 1, 5
 - fixed, labile receptive fields, 1, 5, 20
 - lemniscal, non-lemniscal sets, 1, 6, 21

- modality sets, 1, 5, 13
- pyramidal, non-pyramidal sets (*see* Pyramidal tract neurons)
- s,m* sets, 1, 6, 14, 29
- ontogeny of sets, 1, 25
- polythetic scheme for, 1, 22
- primitive, 1, 37
- properties of sets, 1, 24
- Cranial nerve, muscarinic receptors, 1, 167

D

- Deafferentation, effects of, muscarinic receptor reactions, 1, 207
- Dendrites, bundling (*see* Dendritic bundles)
- Dendritic bundles, 1, 225
 - anatomical experiments, 1, 228
 - physiological theories, 1, 226, 263
- Dentate gyrus, muscarinic receptors in distribution, 1, 141
 - postnatal development, 1, 185
- Diencephalon, muscarinic receptors, 1, 141
- Direct cortical response, 1, 34
- Direction selectivity, in visual cortex, 1, 367
- Dorsal bundle extinction effect, 1, 107
 - lesion, 1, 108
 - possible theories, 1, 111
 - evaluation of, 1, 123

E

- Electron microscopy, thalamocortical synapses, 1, 288
- Emission tomography, positron, 1, 48
 - detection systems, 1, 49, 52
 - of normal human brain, 1, 56
- Evoked potentials in cat, development of, 1, 33
- Extinction (*see* Dorsal bundle extinction effect)
- Eye movement and RF cells, 1, 77, 91

F

- Fighting behavior, RF neurons and, 1, 74
- Fink-Heimer method, 1, 282
- Forebrain, muscarinic receptors, 1, 141
- Foveal vision, 1, 375, 377, 382

G

- Glucose, [¹¹C]-
 - advantages, disadvantages, 1, 59
 - fate of, 1, 55, 57
 - synthesis of, 1, 51
- Golgi cells, 1, 27, 37
- Golgi-EM method, thalamocortical synapses, 1, 294
- Golgi method
 - dendritic bundles, 1, 225
 - thalamocortical synapses, 1, 290

H

- Habenular nucleus, lateral, dendritic bundles in, 1, 225
- Habituation, RF neuron response, 1, 72, 89
- Hierarchical neuronal sequence, 1, 295, 346
- Hindbrain, muscarinic receptors, 1, 167
- Hippocampus, muscarinic receptors
 - distribution, 1, 141
 - postnatal development, 1, 185
- Horseradish peroxidase⁺ retrograde transport method, 1, 286
- 6-Hydroxydopamine, lesion induced by, in dorsal noradrenergic bundle, 1, 108
- Hypercomplex cell, 1, 347, 361, 365
- Hypoglossal nucleus
 - effects of axotomy, deafferentation, synaptic changes in, 1, 207
 - muscarinic receptor development, 1, 185

I

- Inferior olive, muscarinic receptors, 1, 167
- Interpeduncular nuclei, muscarinic receptors, 1, 167

L

- Lateral geniculate nucleus
 - geniculocortical projections, 1, 285
 - receptive fields in, 1, 347
- Lemniscal neurons, 1, 6, 21
- Limbic system, muscarinic receptors, 1, 141
- Locomotion, RF cells and, 1, 78, 93
- Loligo pealii*, in Ch transport, 1, 329

M

- Marchi method, 1, 281
- Microelectrodes, RF cells and behavior, 1, 82
- Midbrain, muscarinic receptors, 1, 167
- Modality, 1, 5, 13
- Monocular deprivation, 1, 372
- Motivation and dorsal bundle extinction effect, 1, 114, 125
- Muscarinic receptors in CNS
 - distribution
 - in forebrain, 1, 141
 - in hindbrain, 1, 167
 - in midbrain, 1, 167
 - effects of axotomy, 1, 207
 - effects of deafferentation, 1, 207
 - postnatal development of, 1, 185
- Myelination, 1, 35

N

- Nauta method, 1, 281
- Neocortex, thalamic projections, 1, 276
- Nerve cell, classifications, 1, 381

Neuronal sets, cortical (*see* Cortical neurons)
 Neurotoxin, 6-OHDA, dorsal bundle extinction
 effect and, 1, 108
 Neurotransmitters, 1, 313
 (*see also* Acetylcholine)
 Non-pyramidal tract neurons, 1, 5, 8
sa,m subsets, 1, 11, 18
 Noradrenaline in selective attention, 1, 111
 Noradrenergic system, dorsal bundle extinction
 effect, 1, 107
 Nucleus reticularis thalami, dendritic bundles in,
 1, 225

O

Ocular dominance
 binocular competition and, 1, 372
 columns, 1, 265, 282, 285
 monocular deprivation, effects of, 1, 372
 6-OHDA (*see* 6-Hydroxydopamine)
 Olfactory bulb
 dendritic bundles in, 1, 225
 muscarinic receptor
 distribution, 1, 141
 postnatal development, 1, 185
 Olfactory system, muscarinic receptors, 1, 141
 Ontogenesis of neuronal sets, cortical (*see* Cortical
 neurons)
 Orientation selectivity, in visual cortex, 1, 367
 binocular deprivation, effects of, 1, 371
 Oxygen consumption, tissue, measurement, 1,
 61

P

Pain, RF response, 1, 71, 89
 Parallel neuronal processing mechanism, 1, 295,
 346
 PET (*see* Emission tomography, positron)
 Pontine nuclei
 effects of axotomy, deafferentation, synaptic
 changes in, 1, 207
 muscarinic receptor
 distribution, 1, 167
 postnatal development, 1, 185
 Positron emission tomography (*see* Emission tomo-
 graphy, positron)
 Positrons, 1, 49
 Propylbenzilylcholine mustard, autoradiographic
 localization of muscarinic receptors, 1, 141,
 167
 postnatal development of binding, 1, 185
 Pyramidal tract neurons, 1, 5, 8
 ontogeny, 1, 35
sa,m, subsets, 1, 11, 18
 Pyruvate dehydrogenase, 1, 313, 330

R

Radiation, annihilation (*see* Annihilation radia-
 tion)

Radionuclides, 1, 49
 Radiopharmaceuticals, 1, 48
 Rapid eye movement sleep, RF response, 1, 75,
 91
 Receptive fields
 of cortical cells, 1, 347, 366
 size, 1, 366
 fixed, labile, 1, 5, 20
 in lateral geniculate nucleus, 1, 347
 of lateral suprasylvian gyrus cells, 1, 370
 in retina, 1, 347
 REM (*see* Rapid eye movement)
 Respiration, RF unit activity and, 1, 78, 93
 Reticular formation
 behavioral functions of, 1, 69
 behavioral correlates of RF unit discharge,
 1, 70, 89
 cell types, 1, 80
 unit discharge, behavioral hypothesis, 1, 84
 muscarinic receptor distribution, 1, 167
 Retina
 ganglion cell classification, 1, 350
 receptive fields in, 1, 347
 Retrograde cell degeneration, 1, 277
 RF (*see* Reticular formation)

S

Sensory responses, RF neurons, 1, 70, 89
 Silver impregnation method, reduced, 1, 281
 Simple cells, visual cortex, 1, 347, 355, 365
 Single unit, discharges of, in cat, 1, 35
 Slow wave sleep, RF response, 1, 75
 Somatosensory cortex (*see* Cortex, somatosen-
 sory)
 Spinal cord, dendritic bundles, 1, 225
 Striatum, muscarinic receptor localization, 1,
 141
 Synapses
 changes, muscarinic receptor loss and axotomy
 and deafferentation, 1, 207
 thalamocortical, 1, 275
 Synaptosomes, high affinity choline transport, 1,
 313, 315

T

Thalamocortex (*see also* Thalamus)
 projections, 1, 275, 297
 methods in study, 1, 277
 relations, concept of, 1, 296
 synapses, EM elucidation of, 1, 288, 300
 Thalamus
 cortical functional units, selection, 1, 295
 cortical neuronal types with input from, 1,
 287
 Torpedo, electric organs
 HACHT inhibitors, 1, 315
 transport, acetylation of Ch, 1, 329
Torpedo marmorata, bundling in, 1, 253

U

Unit activity, RF neurons and (*see* Reticular formation)

V

Vision

foveal, ambient, 1, 375, 377

human

flicker-detecting, 1, 377

pattern, 1, 377

Visual cortex

areas, 17, 18, 19, hierarchical relationship, 1, 350, 361

representation of, 1, 374

binocular deprivation, effects, 1, 371

classification of cells, 1, 381

complex cells, 1, 347, 359, 365

dendritic bundles, 1, 225

functional columns in, 1, 282

hierarchical process, 1, 295, 346

hypercomplex cells, 1, 347, 361, 365

morphology, lamination, in cat, 1, 370

organization in monkey, 1, 373

parallel mechanism, 1, 296, 346

parallel wiring of cells, 1, 354

receptive fields (*see* Receptive fields)

simple cells, 1, 347, 355, 365

simple/complex/hypercomplex model, 1, 295, 346

comparison with Y/X/W model, 1, 365

hypotheses, critique, 1, 293

thalamocortical synapses, 1, 293

visual deprivation, effect of, 1, 371

Y/X/W model, 1, 346, 350, 365

comparison with simple/complex/hypercomplex model, 1, 365

Visual deprivation, 1, 371

W

W-cells, retinal ganglion, 1, 352

X

X-cells, retinal ganglion, 1, 351, 377

oblique effect and, 1, 380

Y

Y-cells, retinal ganglion, 1, 351, 377

Y/X/W model of visual cortex (*see* Visual cortex)

The form of literature references to books should be: author, initials, title of book, publisher and city, year and page number referred to. (See example 1 below.)

References to authors contributing to multi-author books or to proceedings printed in book-form should be similar to those for books. (See example 3 below.)

Examples:

- 1 Adams, C. W. M., *Neurohistochemistry*, Elsevier, Amsterdam, 1965, 67 pp.
- 2 Chin, J., Killam, E. V. and Killam, K. F., Factors affecting sensory input in the cat: modification of evoked auditory potentials by reticular formation, *Electroenceph. clin. Neurophysiol.*, 18 (1965) 567-574.
- 3 Hernández Peón, R., Central neuro-humoral transmission in sleep and wakefulness. In K. Akert, C. Bally and J. P. Schädé (Eds.), *Sleep Mechanisms, Progress in Brain Research, Vol. 18*, Elsevier, Amsterdam, 1975, pp. 96-117. This journal should be cited in list of references as *Brain Research*.

Illustrations. All illustrations must be submitted in quadruplicate and reach the editors in a form and condition suitable for reproduction. The illustrations should bear the author's name and be numbered in Arabic numbers according to the sequence of their appearance in the text, where they are to be referred to as Fig. 1, Fig. 2 etc.

Line-drawings should be in Indian ink on drawing or tracing paper. Lettering should be clear and of adequate size to be legible after reduction. Professional labelling is preferable but, if this is not possible, lettering should be in fine pencil.

Photographs, including roentgenograms, electroencephalograms, and electron micrographs should be supplied as clear black and white prints on glossy paper, usually larger than the final size of reproduction, but not more than 20 × 25 cm.

The degree of reduction will be determined by the publisher, but in general it should be assumed that the same degree of reduction will be applied to all figures in the same paper.

Reproduction in colours will have to be approved by the Editors. The extra costs of colour reproduction will be charged to the author(s).

Each illustration must have a legend. These should be typed with double spacing on a separate page and begin with the number of the illustration they refer to.

Tables. Table of numerical data should each be typed (also with double spacing) on a separate page, numbered in sequence in Roman numerals (Table I, II, etc.), provided with a heading, and referred to in the text as Table I, Table II, etc.

Proofs. Authors should keep a carbon copy of their manuscripts as proofs will be sent to them without manuscript. Proofs will usually be drawn on lower-quality paper. Only printer's errors may be corrected; no change in, or additions to, the edited manuscript will be allowed at this stage.

Reprints. A total of 50 reprints of each paper will be provided free of charge to the author(s). Additional copies can be ordered at prices shown on the reprint order form which will be sent to the author with the proofs.

COPYRIGHT

Submission to this journal of a paper entails the author's irrevocable and exclusive authorization of the publisher to collect any sums or considerations for copying or reproduction payable by third parties (as mentioned in article 17, paragraph 2 of the Dutch Copyright Act of 1912 and in the Royal Decree of June 20, 1974 (S. 351) pursuant to article 16b of the Dutch Copyright Act of 1912) and/or to act in or out of Court in connection therewith.

Permission to reproduce, in whole or in part, any material published in this Journal must be sought from the publisher and from the author of the article in question.

Submission of a paper to **Brain Research** is understood to imply that it has not previously been published (except in abstract form) and that it is not being considered for publication elsewhere.

If illustrations or other small parts of articles or books already published elsewhere are used in papers submitted to **Brain Research**, the written permission of author and publisher concerned must be included with the manuscript. The original source must be indicated in the legend of the illustration in these cases.

SUBSCRIPTIONS

Issues (7½" × 10½") will appear weekly and be contained in 23 volumes per year. The subscription price is Dfl. 144.00 per volume (excl. postage) or U.S. \$ 70.25 per volume (excl. postage).

Subscription orders should be addressed to: ELSEVIER/NORTH-HOLLAND BIOMEDICAL PRESS
P.O. Box 211
1000 AE Amsterdam — The Netherlands

Additional charges for air-mail delivery are available from the Publishers upon request.

ADVERTISEMENTS

Advertisement rates are available from the Publisher upon request. It should be noted that all advertisements are subject to approval by the Editors of the Journal.

COPYRIGHT © 1980 BY ELSEVIER/NORTH-HOLLAND BIOMEDICAL PRESS, AMSTERDAM
PRINTED IN THE NETHERLANDS

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without permission in writing from the publisher.